

ROYAL BOTANIC GARDENS, KEW.

HAND-LIST

OF

TREES AND SHRUBS,

Excluding Coniferæ,

GROWN IN ARBORETUM.

(SECOND EDITION.)



LONDON:

SOLD AT THE ROYAL BOTANIC GARDENS, KEW.

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1902

Price 1s. 3d.

STREET, E.

BOYAL HOTANIC GARDENS EST.

HAND-LIST

TREES AND SHRUBS.

MUTAROSA73/1 27/0910 1902

NAMES AND OFFICE OF SELECT AND ADDRESS OF THE PARTY OF TH

All and and and

PREFACE.

THE present is the first of a series of Hand-lists of the collections of living plants cultivated in the Royal Gardens which it is intended to issue from time to time.

It is hoped that they will be found useful in indicating to visitors interested in particular groups of plants, the species which Kew already possesses. In the hands of correspondents they will serve to show in what directions the collections may be added to. It is further hoped that they may be found of some value in establishing an approximate standard of nomenclature, which is often much confused in gardens and too frequently erroneous.

This is particularly the case with woody plants (shrubs and trees) grown in the open air. The preparation of the present list has accordingly been first taken in hand; it represents the work of many years, and has only been accomplished with considerable labour.

A rough census of the species and distinct varieties of plants cultivated at Kew gives the total number as, approximately, 20,000. Of these 3,000 are hardy shrubs or trees.

The first catalogue of the plants cultivated at Kew was that of Sir John Hill, published in 1768 (second edition 1769). This was entitled *Hortus Kewensis*, and

12159

was an octavo volume of 458 pages. It has been reckoned to contain 3,389 species, of which 488 were hardy trees and shrubs.

In 1789 the elder Aiton published a more critical *Hortus Kewensis*, in which 5,535 species are enumerated.

The younger Aiton published in 1810 to 1813 a second edition in five volumes, "and in 1814 a catalogue or epitome, as it is called, of the species contained in the five volumes, for the use of practical gardeners; it contains . . 314 additional species, the total number being 11,013."

This is the latest comprehensive list of plants in cultivation at Kew which has been published.

Occasionally lists of special collections have been issued since this date. Catalogues of the Ferns were issued in 1845, 1856, and 1868; of the Hardy Herbaceous plants in 1853; of Succulent plants in 1856; of Aroideæ in 1878; of Bromeliaceæ in 1879; of Aloineæ, Yuccoideæ, and Agaves in 1880; of Economic plants in 1881; of Palms in 1882; of Primulas in 1886; and of Orchids flowered at Kew, in 1891. Since 1885 lists of seeds available for distribution with other botanical establishments have been issued annually.

An Arboretum has been for more than a century a feature of the Kew establishment. Perhaps it dates its formal commencement from 1762, when "all the Duke of Argyll's trees and shrubs were removed to the Princess of Wales's garden at Kew, which now excels all others, under the direction of Lord Bute."

"The old Arboretum in part still exists near the main gate on Kew Green. Many trees have perished and have been removed from age; but those that remain include some of the finest specimens of rare trees in the Gardens." (Some further particulars are given in the Kew Bulletin for 1891, page 316.)

The Botanical Garden, which was opened to the public in 1841, with Sir William Hooker as Director, comprised only about 11 acres; it included, however, the old Arboretum. In 1844, by permission of the Queen, about 47 acres, including the ornamental piece of water in front of the Palm House, was added for the formation of a Pinetum. This was too near the smoke of suburban London, and it has lost its distinctive character. But many of the trees planted at this time are now of considerable magnitude,

The "Pleasure Grounds and Gardens at Kew" were in the occupation of the King of Hanover for sporting purposes at the time the Botanic Garden was given to the nation. The woods were filled with rough scrub for cover. In 1845 they were placed in the charge of Sir W. Hooker, with the "intention that they should be formed into a national arboretum." A plan for the purpose was prepared in 1846 by W. A. Nesfield. The main features were carried out at the time, and the general principle has been worked upon ever since. In 1850 the Nursery was formed. In 1870 the new Pinetum was commenced.

The late Director, Sir Joseph Hooker (1865-1885), spared no pains to amass the most complete collection which could be formed of hardy woody plants. These

were obtained from public and private correspondents and establishments at home and abroad, partly by purchase, partly by gift and exchange. They had necessarily for the most part to be planted under the names with which they were received, and these, from confusion or accident, were often erroneous.

A great difficulty arose in rectifying this, from the fact that woody plants can rarely be identified with any accuracy till they flower or fruit. The process of accurate identification in an extensive arboretum is necessarily, therefore, a very slow one.

A further difficulty arises in a public arboretum from the fact that, though the specimens were all carefully labelled with their history and a corresponding register kept, these labels are apt to be misplaced or lost. To remedy this a separate Herbarium was formed, in which a specimen was preserved of every species or variety planted out, with the name under which and the source from which it was received. By reference to this Herbarium it was possible, in a large number of cases, to correct the nomenclature.

By this means it has also been possible to draw up the list of which the present is the first instalment. It must still be regarded as in some sense provisional and open to correction. But it has been possible to reduce an immense number of "trade" and "garden" names, and to bring the nomenclature to something like a standard.

It only remains to note that in this list the names of some plants will be found which are accorded specific rank on account of their distinctness from a cultural point of view, although botanists would regard them as mere varieties.

PREFACE TO SECOND EDITION.

THE first edition of the Hand-list of Trees and Shrubs (excluding Coniferæ) grown in the Kew Arboretum (Part I., 1894: Part II., 1896) has been for some time exhausted.

It is now republished in one volume after having been carefully revised and enlarged by the addition of the names of numerous species which have been added to the collection since the first edition was prepared.

The number of hardy shrubs and trees now enumerated amounts to about 4,500.

W. T. T. D.

Kew, Nov., 1902.



DICOTYLEDONS.

POLYPETALAE.

THALAMIFLORAE.

Ranunculaceae.

C. nutans var. aethusifolia, O. Kuntze.

Var. latisecta, Maxim. Bot. Mag. t. 6542.

C. alpina, Mill. North Europe, &c.

Atragene alpina, L.; Bot. Mag. t. 530.

A. austriaca, Scop.

A. sibirica, L.; Bot. Mag. t. 1951.

A. Wenderothii, Schlecht.

C. apiifolia, DC. China and Japan.

C. virginiana, Lour, (not L.).

C. japonica, Hort. (not Thunb.).

- C. Armandi, Franch. Nouv. Arch. Mus. s. 2, viii. t. 2. China.
- C. aromatica, Lenné & C. Koch. (C. integrifolia × recta); Lavallée Clématites à grandes fleurs t. 9. Garden origin.
 - C. coerulea odorata, Hort.
 - C. davurica, Hort.
 - C. odorata, Hort.
 - C. odorata coerulea, Hort.
- C. Bergeroni, A. Lavall. Clématites à grandes fleurs t. 10. Origin unknown.



- C. brevicaudata, DC. Mongolia and Mandshuria.
 - C. Pierotii, Hort. (not Miq).
- C. calycina, Ait.: Bot. Mag. t. 959. Balearic Islands
 - C. balearica, Rich. (not Pers.). Gard. Chron. 1878, ix. 501.
- C. campaniflora, Brot.: Lodd. Bot. Cab. t. 987. Portugal.
 - C. campanulata, Hort.
 - C. crispa, Hort. (not L.).
 - C. parviflora, DC.
 - C. revoluta, Desf.
 - C. viornioides, Hort.
- C. cirrhosa, L.: Bot. Mag. t. 1070. South Europe.
 - C. balearica, Pers. (not Rich.).
 - C. pedicellata, Lindl.
 - C. polymorpha, Viv.
 - C. semitriloba, Lhy.
- C. connata, DC: Garden and Forest 1891, iv. 234, f. 42. Himalaya.
 - C. montana, Hort. (not Wall.).
 - C. venosa, Royle.
- C. crispa, L.: Bot. Mag. t. 1892 Eastern United States.
 - C. cordata, Bot. Mag. t. 1816.
 - C. cylindrica, Bot. Mag. t. 1160.
 - C. Simsii, Sweet.
 - C. Viorna, Andr. Bot. Rep. t. 71 (not L.).
- C. Flammula, L.: Reichb. Fl. Germ. iv. tt. 62, 63. Europe.
 - C. angustifolia. Jucy.
 - C. caespitosa, Scop.
 - C. canaliculata, Lug.

12 -- 1



- C. Flammula—cont.
 - C. fragrans, Tenore.
 - C. maritima, All.
 - C. paniculata, Hort. (not Thunb.).

Var. rubro-marginata, Hort.

- C. florida, Thunb.; Bot. Mag. t. 834. Japan.
 C. Fortunei, Hort.
- C. fusca, Turez.; Gartenflora 1864, t. 456. N.E. Asia C. kamtschatica, Bunge.
- C. grata, Wall. Plant. As. Rar. t. 98. Himalaya.
- C. Hendersonii, Chandl. (Viticella × integrifolia). Garden origin.
- C. heracleaefolia, DC. China.
 - C. Hookeri, Decne.
 - C. tubulosa, Turcz.
 - C. tubulosa var. Hookeri, Bot. Mag. t. 6801.

Var. davidiana, Franch.

- C. daveyana, Hort.
- C. davidiana, Verlot Rev. Hort. 1867, 9.
- C. tubulosa, Hook. Bot. Mag. t. 4269.

Var. Lavallei, O. Kuntze.

- C. Lavallei, Decne. Rev. des Clém. tub. 241, t. 16.
- Var. stans, O. Kuntze. Japan.
 - C. stans, Decne.; Bot. Mag. t. 6810.
 - C. Kousabotan, Deene. Nouvelles Archives du Muséum ser. 2, iv. t. 13.
 - C. Savatieri, *Decne.* Nouvelles Archives du Muséum ser. 2, 1v. t. 16.
- C. Jackmani, T. Morre Florist and Pomologist 1864, 193, t. (C. lanuginosa × Viticella). Garden origin.
 - C. hakonensis, Lavallie (not Franch. & Savat.)



- C. lanuginosa, Lindl. Paxt. Fl. Gard. iii. 107, t. 94. China.
- C. leiocarpa, Oliv. Hook. Ic. Plant. t. 1533. China.
- C. ligusticifolia, Nutt.: Britt. & Br. Illustr. Fl. ii. 68, f. W. United States.
- C. montana, Wall.; Bot. Reg. xxvi. t. 53. Himalaya. C. anemonaeflora, D. Don.

Var. rubens, O. Kuntze. China.

C. orientalis, L. Orient.

C. graveolens, Lindl.; Bot. Mag. t. 4495.

C. flava, Moench.

C. Wilfordi, Hort.

Var. tangutica, Maxim.; Bot. Mag. t. 7710.

- C. paniculata, Thunb.; Garden and Forest 1890, 621, f 82 Japan.
 - C. Vitalba var. japonica, Houttuyn.
- C. patens, Morr. & Decne. China and Japan.

C. coerulea, Lindl. Bot. Reg. t. 1955.

C. coerulea grandiflora, Hort.

C. Pitcheri, Torr. & Gray. Colorado, &c. C. coloradensis, Buckl.

Var. lasiostylis, A. Gray.

- C. Pseudo-flammula, Schmalh. Caucasus.
- C. Scottii, Porter. N.W. America.
- C. songarica, Bunge. N.E. Asia.
- C. verticillaris, DC. N.America. "Furple Virgin's Bower." Atragene americana, Sims Bot. Mag. t. 887.
- C. Viorna, L.; Andr. Bot. Rep. i. t. 71. United States. "Leather Flower."



- C. virginiana, L.; Watson Dendr. Brit. i. t. 74. United States.
 - C. cordata, Pursh.
 - C. cordifolia, Moench.
 - C. fragrans, Salisb.
- C. Vitalba, L.; Eng. Bot. ed. 3, t. 1. Europe, &c. "Old Man's Beard."
 - C. bannatica, Wierzb.
 - C. taurica, Bess.
- C. Viticella, L.; Bot. Mag. t. 565. Europe.

C. hybrida, Hort.

Var. flore pleno.

Many garden varieties.

- Xanthorrhiza apiifolia, L'Hérit.; Bot. Mag. t. 1736. United States. "Shrub Yellow-root."
- *Paeonia lutea, Franch.; Bot. Mag. t. 7788. Mountains of Yunnan.
- P. Moutan, Sims Bot. Mag. tt. 1154, 2175. China. "The Moutan" or Tree Paeony.

P. arborea, Donn.

Calycanthaceae.

Calycanthus floridus, L.; Bot. Mag. t. 503. South United States. "Carolina Allspice."

C. sterilis, Walt.

Butneria florida, Kearney.

Var. albus.



- C. glaucus, Willd. South United States.
 - C. bullatus, Hort.
 - C. ferax, Michx.
 - C. fertilis, Walt.; Bot. Reg. t. 404.
 - C. floridus elongatus, Hort.
 - C. floridus var. inodorus, Torr. & Gray.
 - C. floridus var. laevigatus, Torr. & Gray.
 - C. floridus longifolius, Hort.
 - C. floridus ovatus, Hort.; Arbor, Segrez. Ic. xxiv.
 - C. inodorus, Elliott.
 - C. laevigatus, Willd.
 - C. nanus, Loisel. Nouv. Duham. i. 219, t. 48.
 - C. pennsylvanicus, Hort.
 - C. prunifolius, Hort.
 - Butneria fertilis, Kearney.
- C. occidentalis, Hook & Arn.; Bot. Mag. t. 4808. California. C. macrophyllus, Hort.
- Chimonanthus fragrans, Lindl. China and Japan. Calycanthus praecox, L.; Bot. Mag. t. 466.

Var. grandiflorus, Lindl. Bot. Reg. t. 451.

Magnoliaceae.

- *Drimys aromatica, F. Muell. Tasmania and Victoria.

 Tasmannia aromatica, R. Br.; Bot. Reg. 1845, t. 43.
- *D. Winteri, Forst.: Bot. Mag. t. 4800. South America. "Winter's Bark."
 - D. chilensis, DC.
 - D. granatensis, L.f.
 - D. mexicana, DC.
 - Wintera aromatica, Murr.
 - Winterana aromatica, Soland.



- *Illicium floridanum, Ellis; Bot. Mag. t. 439. South United States.
- *I. religiosum, Sieb. & Zucc.; Bot. Mag. t. 3965. China and Japan.
- Magnolia acuminata, L.: Bot. Mag. t. 2427. Sargent Silva of North America tt. 4, 5. United States. "Cucumber Tree; Mountain Magnolia."
 - Var. cordata, Sargent Silva of North America t. 6.
 - M. cordata, Mich.r.; Bot. Reg. t. 325. South United States.
- *M. Campbellii, Hook. f. & Thoms.; Bot. Mag. t. 6793. Eastern Himalaya.
- M. Delavayi, Franch. Plantae Delavayanae tt. 9, 10. Yunnan.
- M. conspicua, Salish.; Garden Sept. 22, 1888. China and Japan. "Yulan."
 - M. Yulan, Desf.; Bot. Mag. t. 1621.
- M. Fraseri, Walt.; Sargent Silva of North America tt. 11, 12. South United States.
 - M. auricularis, Salisb.
 - M. auriculata, Lam.; Bot. Mag. t. 1206
 - M. pyramidalis, Bartr.
- M. glauca, L.; Lodd. Bot. Cab. t. 245; Sargent Silva of North America t. 3. United States. "Swamp Bay; Laurel Magnolia."
 - M. fragrans, Salisb.
 - M. longifolia, Sweet.
 - M. virginiana, L. var. glauca.



M. grandiflora, L. South United States. "Bull Bay" M. foetida, Surgent Salva of North America tt. 1, 2.

Var. angustifolia, Hort.

M. Hartwegii, Hort.

M. Hartwicus, Hort.

M. salicifolia. Hort.

Var. ferruginea, Hort.

Var. lanceolata, Add.: Bot. Mag. t. 1952. M. exoniensis, Lodd.

Var. undulata, Hort.

- M. hypoleuca, Sieh. & Zicc.; Garden and Forest 1888, i. 305, f. 40. Japan.
- **M.** Kobus, DC; Sargent Forest Flora of Japan t. 3. Japan.

M. Thurberi, Hort.

- M. Lennei, Van Houtte Flore des Serres t. 1693. (M. conspicua × oboyata). Garden origin.
- M. macrophylla, Michell.: Bot. Mag. t. 2189. Sargent Silva of North America tt. 7, 8. South United States.
- M. Norbertii, Hart. (M. conspicua × obovata). Garden origin.

M. norbertiana, Hort.

M. obovata, Thunk. China (cultivated only in Japan).

M. discolor, Vent.

M. denudata, Lum.

M. liliflora, Lam.

M. purpurea. Curt. Bot. Mag. t. 390.

Buergeria obovata, Sieh. & Zucc.

Talauma obovata, Hance.

T. Sieboldi, Miq.

Yulania japonica, Spuch.



- M. parviflora, Sieb. & Zucc.; Bot. Mag. t. 7411. Japan.
- **M. soulangeana**, Hort. (M. conspicua \times obovata). Garden origin.

M. Yulan var. soulangeana, Lindl. Bot. Reg. t. 1164.M. alexandrina, Hort.

Var. nigra, Hort. (M. conspicua × obovata). Garden origin.

M. stellata, Maxim.; Bot. Mag. t. 6370. Japan.

M. halleana, Hort.

Buergeria stellata, Sieb. & Zucc.

Talauma stellata, Miq.

M. superba, Hort. (M. conspicua \times obovata). Garden origin.

M. conspicua superba, Hort.

M. thompsoniana, Hort. Garden and Forest i. 269, f. 43 (M. glauca × tripetala?) Garden origin.

M. glauca var. major, Bot. Mag. t. 2164.

M. tripetala, L.; Loud. Arb. Brit. i. 269, t. 5; Sargent Silva of North America tt. 9, 10. United States. "Umbrella Tree; Elk-wood."

M. frondosa, Salisb.

M. Umbrella, Lam.

M. Watsoni, Hook. f. Bot. Mag. t. 7157. Japan.
M. parviflora, Hort. (not Sieb. & Zucc.).

*Michelia compressa, Sargent Garden and Forest 1893, 77. f. 13. Japan.

Magnolia compressa, Maxim.



Liriodendron tulipifera, L.: Bot. Mag. t. 275; Sargent Silva of North America tt. 13, 14. United States. "Tulip Tree."

Var. aureo-marginata.

Var. chinensis, Hemsl. China.

Var. contorta.

Var. fastigiata.

Schizandra chirensis, Buill.: Arbor. Segrez. t. 26. China and Japan.

S. japonica, Hance.

Kadsura chinensis, Turez. (not Hance).

Maximowiczia chinensis, Rupr.

*Kadsura chinensis, Hance (not Turez.). China and Japan. K. japonica, Benth.

WVar. variegata.

Trochodendraceae.

- Cercidiphyllum japonicum, Sieb. & Zucc. Sargent Forest Flora of Japan tt. 6, 7. Japan.
- Eucommia ulmoides, Oliver. Hook. Ic. Plant. tt. 1950, 2361. China.

Euptelea davidiana, Baill.

Trochodendron aralioides, Sieb. & Zucc.; Bot. Mag. t. 7375. Japan.

Gymnanthus paradoxus, Jungh.

Tetracentron sinense, Oliv. Hook. Icon. Plant. t. 1892. China.



Anonaceae.

Asimina triloba, Dunul; Bot. Mag. t. 5854. South United States. "Papaw."

A. campaniflora, Spach.

Anona triloba, L.

Porcelia triloba, Pers.

Uvaria triloba, Torr. & Gray.

Menispermaceae.

Cocculus carolinus, DC.; Loud. Arbor. i. 298, f. 45. South United States.

Androphylax scandens, Wendl.

Baumgartia scandens, Moench.

Cebatha Carolina, Britton; Britt. & Br. Illustr. Fl. ii. 94, f.

Cocculidium populifolium, Spach.

Menispermum carolinum, L.

Wendlandia populifolia, Willd.

W. caroliniana, Nutt.

*C. laurifolius, DC. Himalaya and Japan.

C. Thunbergi, DC. Japan.

Menispermum canadense, L.; Bot. Mag. t. 1910. North America. "Moonseed."

M. angulatum, Morneh.

M. smilacinum, DC.

Cissampelos Smilacina, L.

M. dauricum, DC. Siberia, China, and Japan.

M. dahurieum, Maxim. Diagn. Pl. Nov. v. t. 2.



Berberidaceae.

- *Lardizabala biternata, Ruiz. & Pav.; Bot. Mag. t. 4501. Chili.
- *Stauntonia hexaphylla, Decne.; Sieb. & Zucc. Fl. Jap. t. 76. China and Japan.
- *Holboellia latifolia, Wall. Himalaya.
 Stauntonia latifolia, Wall.; Gard. Chron. 1883, xix. 345.

Akebia lobata, Deene.; Bot. Mag. t. 7485. Japan.

A. quinata, DC.; Bot. Mag. t. 4864. China & Japan.

*Berberidopsis corallina, Hook. f. Bot. Mag. t. 5343. Chili.

Berberis actinacantha, Mart.; Bot. Reg. xxxi. t. 55. Chili,

- B. aetnensis, Prest; Flora Sardoa t. 5. Sardinia, Corsica. &c.
- B. angulosa, Wall.; Bot. Mag. t. 7071. Himalaya.
- B. Aquifolium, Pursh: Bot. deg. t. 1425. Western North America.

Mahonia Aquifolium, Paxt.

Var. fascicularis, Nichols.

B. fascicularis, Sims Bot. Mag. t. 2396.

Mahonia fascicularis, DC.

Var. latifolia, Hort.

Var. macrophylla, Hort.

Var. murrayana, Hort.

Var. rotundifolia, Hort.

Var. undulata nana, Hort.



B. aristata, DC. Himalaya.

B. asiatica, Hort. (not Wall).

B. coerulescens, Hort.

B. dealbata, Hort. (not Lindl.).

B. macrophylla, Hort.

B. nepalensis, Hort.

B. serratifolia, Hort.

B. virgata, Hort.

Var. floribunda, Hook. f. & Thoms. Temperate Himalaya.

B. floribunda, Wall.

B. coriacea, Hort.

B. coriaria, Lindl. Bot. Reg. xxvii. t. 46.

B. umbellata, Lindl. Bot. Reg. xxx. t. 44 (not Wall.).

*B. asiatica, Ro.cb.; Deless. Ic. Sel. ii. t. 1. Himalaya.

B. buxifolia, Lum.; Bot. Mag. t. 6505. Chili.

B. dulcis, Sweet.

B. rotundifolia, Hort.

Var. aureo-marginata, Hort.

Var. nana, Hort.

B. canadensis, Pursh: Loud. Arbor. i. 303, f. 48. Canada &c. "American Barberry."

B. concinna, Hook. f. Bot. Mag. t. 4744. Himalaya.

B. congestiflora, Gay. var. hakeoides, Hook. 7. Bot. Mag. t. 6770. Chili.

B. cretica, L.: Sibth. Flora Graeca t. 342. Mediterranean region.

B. Darwinii, Hook. Bot. Mag. t. 4590. Chili.

Var. nana, Hort.



- B. diaphana, Maxim. Flora Tangutica 32, t. 8. N.W. China.
- B. dictyophylla, Franchet Plantae Delavayanae 39, t. 11. Yunnan.
- B. empetrifolia, Lam.; Bot. Reg. xxvi. t. 27. Chili.
 - B. cuneata, Hort. (not DC.).
 - B. rubricaulis, Hort.
 - B. revoluta, Smith.
- B. Fendleri, A. Gray; Garden and Forest 1888, 462, f. 72.S. Rocky Mountains.
- B. Fortunei, Lindl. Journ. Hort. Soc. Lond. i. 300. China.
- *B. Fremonti, Torr.: Garden and Forest 1888, 497, f. 77. South-west United States.
 - B. trifoliata, Torr. (in part).
- B. Guimpelii, C. Koch. Origin uncertain.
- B. heterophylla, Juss.; Hook, Exotic Flora i. t. 14. Chili.B. tricuspidata, Sm.
- B. heteropoda, Schrenk; Garden and Forest viii. 455, f. Central Asia.
- B. ilicifolia, Forst.; Bot. Mag. t. 4308. Straits of Magellan.
- B. integerrima, Bunge Reliq. Lehm. t. I. Central Asia.
 B. densiflora, Boiss, & Bulise.

Var. Pyracantha.

B. japonica, R. Br. China and Japan.

B. Bealei, Fortune Bot. Mag. t. 4852.

B. bealei var. planifolia. Bot. Mag. t. 4846.

Mahonia japonica. Thunb.



B. Lycium, Royle; Bot. Mag. t. 7075. Himalaya.

B. angustifolia, Roxb.

B. aristata, Hort. (not DC.).

B. aurahuacensis, Hort. (not Lem.).

B. elegans, Hort.

B. glauca, Hort.

B. glaucescens, Hort.

B. montana, C. Gay. Chili.

B. nepalensis, Spreng. Kashmir, &c.

B. leschenaultiana, Wall.

Mahonia intermedia, Hort.

M. japonica, DC.

M. napaulensis, DC.

M. Sieboldi, Hort. Segrez.

B. nervosa, Pursh; Bot, Mag. t. 3049. North - west America.

B. glumacea, Spreng.

Mahonia glumacea, DC.

M. nervosa, Nutt.

B. Neuberti (B. Aquifolium × vulgaris); Gard. Chron. 1891, ix. 72.

B. ilicifolia, Hort. (not Forst.).

- B. pruinosa, Franchet. Yunnan.
- B. repens, Lindl. Bot. Reg. t. 1176. North America. Mahonia repens, G. Don.
- B. ruscifolia, Lum. Illustr. t. 253, f. 2. Argentina.
- B. serotina, Lange Botanisk Tidsskrift ser. 3. ii. t. 4 Origin unknown.
- B. sibirica, Pall.; Pot. Reg. t. 487. Siberia, &c.



- B. Sieboldii, Miq.; Garden and Forest 1890, 249. China and Japan.
- B. sinensis, Desf.; Bot. Mag. t. 6573. China and Japan.B. chinensis, Hort.

B. monosperma, Hort. (not Ruiz. & Pav.).

B. stenophylla, Moore (not Hance), (empetrifolia × Darwinii.) Gard. Chron. 1880, xiv. 213, f. 41. Garden origin.

Var. reflexa.

B. reflexa, Hort.

B. Thunbergii, DC.; Bot. Mag. t. 6646; Garden and Forest 1889, ii. 53, f. Japan.

B. Maximowiczii, Regel.

Var. Dawsoni, Hort.

Var. macrocarpa, Hort.

Var. myrtifolia, Hort.

B. umbellata, Wall. Temperate Himalaya.B. aristata, Hook. Bot. Mag. t. 2549 (not Wall)

B. valdiviana, Phil. Chili.

B. virescens, Hock. f. Pot. Mag. t. 7116. Himalaya.

B. aristata, Hort. (not Wall.).

B. aristata micrantha, Hort.

B. belstaniana, Hort.

B. macrosepala, *Hort*.

Var. fructu rubro.

Var. macrocarpa.

B. vulgaris, L.: Eng. Bot. ed. 3, t. 51. Europe, Temperate Asia, N. Africa. "Barberry."

Var. albo-spicata Krynsii, Hort.



B. vulgaris-cont.

Var. brachybotrys, Hook. f. Himalaya.

Var. foliis purpureis.

Var. foliis variegatis.

Var. fructu albo.

Var. fructu nigro.

Var. rufocincta, Hort.

The following are slight forms of B. vulgaris.

B. abortiva, Renault.

B. acida, Gilib.

B. actinacantha, Hort. (not Mart.).

B. altaica, Hort.

B. amurensis, Rupr.

B. angulizans, Hort.

B. apyrena, Hort.

B. arborescens, Hort.

B. articulata, Loisel.

B. asperma, Poil, & Turp.; Garden 1889, xxxv, 264, pl. 622.

B. aurea, Tausch.

B. buenos-ayrensis, Hort.

B. chilensis, Hort. (not Gill.).

B. corallina, Hort.

B. crataegina, DC.

B. crenulata, Schrud.

B. dealbata, Hort. (not Lindl.).

B. declinata, Hort.

B. deutata, Tausch.

В



B. vulgaris-cont.

- B. dulcis, Schrad. (not Sweet).
- B. dumetorum, Gouan.
- B. edulis, Hort.
- B. elongata, Hort.
- B. emarginata, Willd.
- B. erecta, Hort.
- B. Fendleri, Hort. (not A. Gray).
- B. floribunda, Hort. (not Wall.).
- B. globularis, Hort.
- B. heterophylla, Hort. (not Juss.).
- B. hypoleuca, Hort. (not Lindl.).
- B. iberica, Hort. (not Steven).
- B. ilicifolia, Hort. (not Forst.).
- B. innominata, Kielm.
- B. laxiflora, Hort.
- B. lycioides, Hort.
- B. macracantha, Hort.
- B. macrantha, Schrad.
- B. macrocarpa, Hort.
- B. marginata, Hort. (not C. Gay).
- B. maxima, Hort.
- B. microphylla, Hort.
- B. mitis, Hort.
- B. moranensis, Hort. Panormit.
- B. nitens, Schrad.
- B. pangharengensis, Hort.
- B. petiolaris, Hort.
- B. provincialis, Hort.
- B. sanguinolenta, Hort.
- B. spathulata, Hort.
- B. sulcata, Hort.



- B. wallichiana, DC.; Bot. Mag. t. 4656. Himalaya and China.
 - B. Jamesoni, Hort. (not Lindl.).
 - B. Hookeri, Hort.
 - Var. latifolia, Hook. f. & Thoms.
 - B. Knightii, Hart. Paris. (not C. Koch).
 - B. macrophylla, Hort.

Var. microearpa, Hook. f. & Thoms. Khasia Hills.

Var. pallida, Hook. f. & Thoms. Bhotan.

*Nandina demestica, Thumb.; Bot. Mag. t. 1109. China and Japan.

Papaveraceae.

*Romneya Coulteri, Harrey; Garden Nov. 1884. California.

Cruciferae.

- Alyssum spinosum, L. South Europe.
- *Vella Pseudocytisus, L.: Bot. Reg. t. 293. Spain. "Cress Rocket."
- *V. spinosa, Boiss. Spain.

Cistaceae.

- Cistus albidus, L.: Sweet Cistinene t. 31. South-west Europe.
- C. corbariensis, Four r.: (C. populifolius × salvifolius).
 South Europe.
 - C. cupanianus, Sweet Cistine: e t. 70.
- C. crispus, L.: Sweet Cistinese t. 22. Mediterranean Region.

fur relation

--

Metal of the control of the

i i de la companya de

S. Carlotte

- *C. cyprius, Lam.; Sweet Cistineae t. 39. Cyprus.
- C. Delilei, Burnat. South-west Europe.
 - C. albido-crispus, Delile.
 - C. crispo-albidus, Timb.
- C. florentinus, Lam.; Sweet Cistineae t. 59. (C. salvifolius × monspeliensis.) South-west Europe.
- C. hirsutus, Lam.; Sweet Cistineae t. 19. South-west Europe.
 - C. albiflorus, Hort.
 - C. laxus, Ait.
- C. ladanifero-monspeliensis, Lov. South-west Europe. C. ladaniferus var. immaculatus, Godr.
- *C. ladaniferus, L.; Bot. Mag. t. 112. South-west Europe.
- C. laurifolius, L.; Sweet Cistineae t. 52. South-west Europe.
- C. longifolius, Lam.; Sweet Cistineae t. 12. (? C. populifolius × monspeliensis.) South-west Europe.
- C. lusitanicus, Hort. (C. monspeliensis x ladaniferus.)
- C. monspeliensis, L.; Sweet Cistineae t. 27. Mediterranean Region.
 - C. affinis, Guss.
 - C. Clusii, Hort. (not Dunal).
- *C. parviflorus, Lam.; Sweet Cistineae t. 14. Crete, &c. C. complicatus, Lam.
- *C. populifolius, L.; Sweet Cistineae t. 23. South-western Europe.
- C. purpureus, Lam.; Bot. Reg. t. 408; Sweet Cistineae t. 17. Levant.



- C. recognitus, Rouy & Fouc. C. laurifolius x monspeliensis.) S. Europe.
- C. salvifolius, L.; Sweet Cistinese : 51. Mediterranean Region.
- *C. tauricus, J. & C. Prest. Crimea.
- *C. vaginatus, Dr. j. in l., Bet. Reg. t. 225. Canary Islands. C. candidissimus, Dunal.

C. symphytifolius, Lam.

Rhodocistus bertholetianus, Spuch.

C. villosus, L.; Sweet Listineae tt. 70, 35; Bot. Mag. t. 43. Mediterranean Region.

C. incanus, L.

Var. corsicus.

C. corsicus. Soleir.

Var. creticus, Nym. "Gum Cistus."

C. cretions, L.; Sweet Cistineae t. 112.

C. garganieus, Tenore.

Var. rotundifolius, Willk. & Lange
C. rotundifolius, Sweet Cistineae t. 75.

Var. undulatus, Willk.

C. undulatus, Danal; Sweet Cistineae t. 63.

Helianthemum algssoiles, Vent. Choix t. 20. South-western Europe.

Var. cheiranthoides.

H. I sianthum, Pers.

Cistus lasianthus, Lam.

- •H. ambiguum, Ponnel. Algeria.
- *H. canariense, Pers. North-west Africa and Canary Islands

H. glaucum, Sweet Cistineae t. 111 (not Pers.).



- H. formosum, Dunal; Sweet Cistineae t. 50; Maund Botanist iii, t. 131. Portugal.
- H. glaucum, Pers. var. suffruticosum. Lag. Flor. For. Esp. ii. t. 79 2. Western Mediterranean Region.
- H. halimifolium, Pers.; Sweet Cistineae t. 4. Mediterranean Region.
- H. hirtum, Mill. South-west Europe.H. hispidum, Dunal.H. majoranaefolium, DC.
- H. italicum, Pers. Europe.

Var. oelandicum, DC.; Sweet ('istineae t. 85. Cistus oelandicus, L.

- *H. leptophyllum, Dunal. Spain.
- H. Libanotis, Willd. Spain, Portugal.
 H. rosmarinifolium, Hort.
 Halimium rosmarinifolium, Spach.
- H. ocymoides, Pers.; Sweet Cistineae tt. 40, 13. Spain, Portugal.

H. algarvense, *Dunal*. Cistus ocymifolium, *Pourr*.

- H. origanifolium, Pers. Europe. H. marifolium, Dunal.
- H. polifolium, Pers.; Sweet Cistineae t. 88. Europe.
 H. apenninum, DC.; Sweet Cistineae t. 62.
 Cistus appeninus, L.
- H. rubellum, Presl. Western Mediterranean Region. H. hymettium, Boiss. & Heldr.



H. umbellatum, Mill.; Sweet Cistineae t. 5. Mediterranean Region.

Halimium umbellatum, Spach.

Var. syriacum.

H. syriacum, Boiss.

*H. velutinum, Pomel. Algeria.

H. vineale, Pers.; Sweet Cistineae t. 77. Europe, Asia Minor

H. canum, Dunal; Sweet Cistineae t. 56.

H. marifolium, DC.

H. piloselloides. Billot.

H. pulchellum, Sweet Cistineae t. 74.

Cistus anglicus, L.

C. marifolius, Sm.

H. vulgare, Guertn.; Engl. Bot. ed. 3, t. 168. Europe, 'Rock Rose."

Var. crocatum.

H. hyssopifolium crocatum, Sweet Cistineae t. 92.

Var. croceum.

H. croceum, Sweet Cistineae t. 53.

Var. croceum flore pleno.

Var. cupreum.

H. hyssopiiolium cupreum, Sweet Cistineae t. 58.

Var. diversifolium multiplex.

H. diversifolium multiplex, Sweet Cistinese t. 98.

Var. hyssopifolium multiplex.

H. hyssopifolium multiplex, Sweet Cistinese t. 72.

Var. mutabile.

H mutabile roseum, Sweet Cistineae t. 106.



H. vulgare-cont.

Var. rhodanthum.

H. rhodanthum, Sweet Cistineae t. 7.

Var. roseum.

H. rhodanthum roseum, Hort.

H. roseum, Sweet Cistineae t. 55.

Var. roseum multiplex.

H. roseum multiplex, Sweet Cistineae t. 86.

Var. serpyllifolium.

H. serpyllifolium, Sweet Cistineae t. 60.

Var. stramineum.

H. stramineum, Sweet Cistineae t. 93.

Var. surrejanum.

H. surrejanum, Mill.; Sweet Cistineae t. 28.

H. rosmarinifolium, Hort.

Var. venustum.

H. venustum, Sweet Cistineae t. 10.

Violaceae.

Hymenanthera crassifolia, Hook. f.; Gard. Chron. 1875, iii. 237. f. 42. New Zealand.

Bixaceae.

- *Azara dentata, Ruiz & Par.; Bot. Reg. t. 1788. Chili.
- *A. Gilliesii, Hook & Arn.; Bot. Mag. t. 5178. Chili. Quillaia petiolaris, D. Don.
- *A. integrifolia, Ruiz & Pav. Chili.

Var. variegata.

A. microphylla, Hook. f. Gard. Chron. 1874, i. 81 f. 21. Chili.

Myrtophyllum chilense, Turcz.



Idesia polycarpa, Maxim.; Bot. Mag. t. 6794. China and Japan.

Flacourtia japonica, Hort.

Polycarpa Maximowiczii, Hort.

Poliothyrsis sinensis, Oliv. Hook. Icon. Plant. t. 1885.

Pittosporaceae.

- *Pittosporum crassifolium, Soland.; Bot. Mag. t. 5978. New Zealand. "Kars." P. Ralphii, T. Kirk.
- *P. tenuifolium, Banks & Soland.; Kirk Forest Florat. 46. New Zealand.
- *P. Tobira, Ail.; Bot. Mag. t. 1396. China and Japan. P. chinense, Donn.
- *P. undulatum, Vent.: Bot. Reg. t. 16. Australia.
- *Bursaria spinosa, Car.: Bot. Mag. t. 1767. Australia.

 Azara lanceolata, Hort.

 Itea spinosa, Andr. Bot. Rep. v. t. 314.

Polygalaceae.

Polygala Chamaebuxus, L.; Bot. Mag. t. 316. Alps. Chamaebuxus alpostris, Spach.

Var. purpurea.

Frankeniaceae.

Frankenia laevis, L.; Engl. Bot. ed. 3, t. 190. Europe. "Sea-Heath."

Tamaricaceae.

Tamarix anglica, Webb. Sea shores of Western Europe. "Tamarisk."



- T. chinensis, Lour. China and Japan.
 - T. gallica var. chinensis, Ehrenh.
 - T. japonica, Hort.
 - T. plumosa, Hort.
- T. gallica, L. Mediterranean region.
- T. hispida, Willd. var. kashgarica. Gard. Chron 1897, xxii. 337, f. Western Asia.
 - T. hispida, Willd.; Rev. Hort. 1894, 352, pl.
 - T. kashgarica, Hort.
- T. Pallasii, Desv. Eastern Europe to Afghanistan.
 - T. caspica, Hort. (in part).
 - T. gallica, Hort. (not L.).
 - T. odessana, Hort.
 - Var. macrostemon, Bunge.
 - Var. moldavica, Bunge.
 - T. indica, Hort. (in part).

Var. rosea.

- T. hispida var. aestivalis, Rev. Hortic. 1901, [379, f. 158.
- T. tetrandra, Pall. Mediterranean region, Eastern Europe, &c.
 - T. africana, Bory & Chaub. (not L.).
 - T. algeriensis, Hort.
 - T. caspica, Hort. (in part).
 - T. chinensis, Hort. (not Lour.).
 - T. parviflora, Hort. (not DC.).
- Myricaria germanica, Desv. Europe, &c.
 - M. dahurica, Hort.
 - Tamarix germanica, L.: Flora Danica ii. t. 234.



Hypericaceae.

Ascyrum hypericoides, L.; Britt. & Br. Illustr. Fl. ii. 428, f. United States, &c. "St. Andrew's Cross."

A. Crux-andrea, L.

Hypericum adpressum, Barton. Eastern United States. H. fastigiatum, Ell.

*H. aegyptiacum, L.; Bot. Mag. t. 6481. South Mediterranean Region.

H. Androsaemum, L.; Engl. Bot. ed. 3, t. 264. Europe. "Tutsan."

H. arborescens, Hort.

H. caprifolium, Hort. (not Boiss.).

H. glandulosum, Hort. (not Ait.).

H. webbianum, Horts (not Spach).

Androsaemum officinale, L.

Var. aureum, Hort.

H. hircinum aureum. Hort.

H. Ascyron, L.: Gartenflora t. 1381. Northern Asia, North America.

H. ascyroides, Willd.

H. macrocarpum, Michx.

H. pyramidatum, Ait.

H. aureum, Bartr.: Garden and Forest 1889, ii. 184, f. 103.
South United States.

H. amoenum, Pursh.

H. frondosum, Mich.r.

H. rugelianum, Kunze.

*H. balearicum, L.: Bot. Mag. t. 137. Mediterranean Region.



- H. Buckleii, M. A. Curtis. Mountains of North and South Carolina and Georgia.
 - H. Buckleyi, S. Wats.; Garden and Forest, 1891, iv. 581, f. 91.
- H. calycinum, L.; Bot. Mag. t. 146. Orient. "Tutsan." Eremanthe calycina, Spach.
- *H. chinense, L.; Gard. Chron. 1887, i. 705, f. 135. China and Japan.
 - H. aureum, Lour. (not Bartr.).
 - H. monogynum, L.; Bot. Mag. t. 334.
 - H. salicifolium, Sieb. & Zucc.
 - Norysca aurea, Blume.
 - N. chinensis, Spach.
- •H. Coris, L.; Bot. Mag. t. 6563. Central and Southern Europe.
- H. densiflorum, Pursh.; Garden and Forest 1890, iii. 527, f. 67. North America.
 - H. fasciculatum, Hort. (not Lam.).
 - H. galioides, Pursh (not Lam.).
 - H. prolificum var. densiflorum, A. Gray.
- H. elatum, Ait.; Engl. Bot. ed. 3, t. 265. Canaries.
 - H. glandulosum, Hort.
 - H. grandifolium, Choisy.
 - H. hircinum, Hort. (not L.).
 - H. multiflorum, Hort. (not H.B.K.).
 - H. platyphyllum, Hort.
 - Androsaemum foliosum, Ait.
 - A. parviflorum, Spach.
 - A. pyramidale, Spach.
 - A. webbianum, Spach.



*H. empetrifolium, Willd.; Bot. Mag. t. 6764. Greece, &c. H. multicaule, Lam.

H. Coris, Sibth. Fl. Graeca t. 777 (not L.)

- H. erectum, Thunb. Japan.
- H. galioides, Lam.: Gard. and Forest 1897, 433, f. 55.
 South-eastern United States.
 H. axillare, Lam. (not Michx.).
- H. hircinum, L.: Engl. Bot. ed. 3, t. 266. Europe, &c.
 H. anglieum, Hort. (not Bertol.).
 H. chinense, Hort. (not L.).
- H. hookerianum, Wight & Arn. Himalaya.
 H. oblongifolium, Choisy; Bot. Mag. t. 4949.
 *Var. Leschenaultii, Dyer. Sikkim, Nepaul, Java.

H. Leschenaultii, Choisy.

H. triflorum, Blume.

H. inodorum, Mill. Orient.

H. ramosissimum, Ledeb.

Androsaemum xylosteifolium, Jauh. & Spach Illustr. Plant. Or. t. 38.

- H. kalmianum, L.; Garden and Forest 1890, 113. North America.
- H. lobocarpum, Gutting: Garden and Forest 1897, 453.
 South United States.
- H. moserianum, Rev. Hort. 1889, 464. (calyeinum x patulum.) Garden origin.
- H. nudiflorum, Micher. Southern United States. H. cistifolium, Coulter (not Lam.).
- H. patulum, Thunb.: Bot. Mag. t. 5633. In lia, China, &c. H. Gumbletoni, Hort. Segrez. H. oudinense, Hort.



H. prolificum, L.; Loud. Arb. i. 401, v. 2541, f.; Garden and Forest 1890, 526. North America.

H. kalmianum, Hort. (not L.).

H. foliosum, Jacq.

Myriandra prolifica, Spach.

H. uralum, D. Don.: Bot. Mag. t. 2375. Himalaya. H. nepalense, Hort.

Ternstroemiaceae.

- *Cleyera ochnacea, DC. Himalaya, China, and Japan. C. japonica, Sieb. & Zucc. Fl. Jap. 153, t. 81 (not Thunb.).
 - *Var. variegata.
- *C. Fortunei, Hook. f. Bot. Mag. t. 7434. C. japonica foliis variegatis, Hort. Eurya latifolia variegata, Hort.
- Eurya japonica, Thunb.; Fl. Jap. 191, t. 25. India, China, and Japan.
- *Actinidia arguta, Planch. Japan.

 Trochostigma arguta, Sieb. & Zucc.
- *A. callosa, Lindl. Amur, China, and Japan.
- A. chinensis, Planch.; Hook. Icon. Plant. t. 1593. China.
- *A. Kolomikta, Rupr.: Rev. Hort. 1872, 395, f. 43. Amur, China and Japan.

Kolomikta mandschurica, Regel.

*A. polygama, Sieh. & Zucc.; Tokio Hort. Bot. ii. t. 20. Japan.

Trochostigma polygama, Sieb. & Zucc.



*A. volubilis, Franch. & Sav.; Lavallée Arbor. Segrez. Ic. xxv. Japan.

Trochostigma volubile, Sieb. & Zucc.

Stachyurus praecox, Sieb. & Zucc ; Bot. Mag. t. 6631. China and Japan.

Stuartia pentagyna, L'Hérit.; Bot. Mag. t. 3918. South United States.

Stuartia montana, Bartr.

Malachodendron ovatum, Cav.

M. pentagynum, Chois.

Stewartia Malachodendron, Miller.

S. Pseudo-camellia, Maxim.: Bot. Mag. t. 7045. Japan.

S. grandiflora, Briot Rev. Hort. 1879, 430, t.

S japonica, Hort.

S. virginica, Cav. South United States.

S. Malachodendron, L.

S. marylandica, Donn; Andr. Bot. Rep. vi. t. 397.

*Gordonia Lasianthus, L.: Bot Mag. t. 668. South United States. "Loblolly Bay."

G. pyramidalis, Salisb.

*G. pubescens, L'Hérit.; Loud. Arbor. i. 380, f. 94. South United States.

Franklinia Altamaha, Marsh.

Gordonia Altamaha, Sargent Silva of North America t. 22.

G. Franklini, L'Hérit,

Lacathea florida, Salish.

Michauxia sessilis, Salisb.

Camellia japonica, Sieb. & Zi ce. Japan.

Many garden varieties.



*Camellia Thea, Link. Assam, &c.

C. theifera, Griff.

Thea assamica, Mast.

T. chinensis, Sims Bot. Mag. t. 998.

Malvaceae.

- Lavatera arborea, L.: Eng. Bot. ed. 3, t. 279. Europe, &c. "Tree Mallow."
- Plagianthus Lyalli, Hook. f.; Bot. Mag. t. 5935. New Zealand. "Whau-whi."
- *P. betulinus, A. Cunn. New Zealand.
- *P. Lampeni, Booth: Gard. Chron. 1884, xxii. 200, f. 39. Tasmania.

P. pulchellus A. Gray var. tomentosa.

- *P. pulchellus, A. Gray. Australia.
- *Abutilon vitifolium, DC.: Bot. Reg. xxx. t. 57. Chili.
- *A. megapotamicum, St. Hil.: Flore des Serres t. 1599. Brazil, &c.

A vexillarium, Morr.; Bot. Mag. t. 5717.

Hibiseus syriaeus, L.: Bot. Mag. t. 83. Orient.

Althaea Frutex, Hort.

Many garden varieties.

Sterculiaceae.

- *Sterculia platanifolia, L. China and Japan.
 - S. tomentosa, Thumb.: Icon. Plant. Japan. decas iv. t. 8.
 - S. Mariesii, Hort.
- *Fremontia californica, Torr.; Bot. Mag. t. 5591; Sargent Silva of North America t. 23. California.



Tiliaceae.

- Grewia parviflora, Bunge; Gartenfl. 1889, 601, f. 88.
- Tilia americana, L.; Loud. Arbor. i. 373, t. 22; Sargent Silva of North America tt. 24, 25. North America. "Basswood."
 - T. canadensis, Michx.
 - T. caroliniana, Mill.
 - T. glabra, Vent.
 - T. latifolia, Salisb.
 - T. longifolia dentata, Hort.
 - T. mississipiensis, Hort.
 - T. neglecta, Spach.
 - T. nigra, Borkh.
 - T. pubescens, Nouv. Duhamel (not Ait.).
- T. argentea, Desf.; Reichb. Fl. Germ. 6, 324. East Europe. "White Lime."
 - T. alba, Hort. in part (not Ait.)
 - T. americana pubescens, Hort.
 - T. europaea alba, Hort.
 - T. heterophylla, Hort. in part (not Vent.)
 - T. pubescens Parmentieri, Hort.
 - T. rotundifolia. Vent.
 - T. tomentosa, Moench.
- T. cordata, Mill. Europe, North Asia.
 - T. microphylla, Vent.
 - T. parvifolia Ehrh.; Engl. Bot. ed. 3, t. 287.
 - T. sylvestris, Desf.
 - T. ulmifolia, Scop.; Garden and Forest 1889, 257, f. 111.

Var. japonica.



- T. dasystyla, Stev. Caucasus.
 - T. euchlora, C. Koch.
- T. flavescens, R. Br. (americana \times cordata). Garden origin.
- T. henryana, Szyszy.; Hook. Ic. Plant. t. 1927. China.
- T. heterophylla, Vent.; Sargent Silva of North America t. 27. South-eastern United States. "Bee-Tree, White Basswood."
 - T. alba, Michx.
 - T. americana, var. heterophylla; Loud. Arbor. i. 375, t. 23.
 - T. laxiflora, Pursh. (not Michx.).
 - T. macrophylla, Hort.
- T. mandschurica, Rupr. Mandshuria.
- T. miqueliana, Maxim.; Gården and Forest 1893, vi. 113, f. 19. Japan.
- T. mongolica, Maxim. Enum. Plant. Mongol. 118, t. 11. Southern Mongolia.
- T. orbicularis, Jouin. (petiolaris × euchlora). Garden origin.
- T. petiolaris, DC.; Bot. Mag. t. 6737. East Europe.
 - T. alba, Koehne: Dippel (not Ait.).
 - T. alba pendula, Hort.
 - T. americana var. pendula, C. Koch.
 - T. argentea pendula, Hort.
 - T. heterophylla, Hort, in part (not Vent.).
 - T. latifolia alba, Hort.
 - T. pannonica, Jacq. f.
 - T. Parmentieri pendula, Hort.
 - T. platyphylla pendula Hort.

12159



T. platyphyllos, Scop.; Garden and Forest 1889, 256, f. 109. Europe.

T. cordifolia, Bess.

T. europaea, L. (in part).

T. grandifolia, Ehrh.

T. mollis, Spach.

T. mutabilis, Host.

T. neglecta, Hort. (not Spach).

T. pauciflora, Hayne.

Var. aspleniifolia.

T. laciniata, Hort.

T. grandifolia laciniata, Hort.

Var. aurantia.

T. europaea aurantia, Hort.

T. europaea aurea, Hort.

Var. corallina, Ait.

T. corallina, Sm.

T. spectabilis, Host.

Var. filicifolia nova, Hort.

Var. obliqua.

T. Beaumontii, Hort.

T. Hostii, Ortm.

T. obliqua, Host.

Var. oxycarpa.

T. cordifolia var. oxycarpa Reinich

T. europaea glauca, Hort.

Var. pyramidalis, Hort.

Var. pyramidalis aurea, Hort.

Var. sphaerocarpa.

T. cordifolia var. sphaerocarpa, Reich'.



T. platyphyllos—cont.

Var. tortuosa, Bean.

Var. vitifolia.

T. vitifolia, Host.

T. grandifolia var. vitifolia, Kuntze.

T. pubescens, Ait.; Sargent Silva of North America t. 26. East United States.

T. americana, Walt. (not L.).

T. americana var. pubescens, Loud.

T. americana var. Walteri, Wood.

T. grata, Salisb.

T. hybrida superba, Hort.

T. laxiflora, Michx.

T. truncata, Spach.

T. spectabilis, Dippel. (petiolaris × americana). Garden origin.

T. blechiana, Arbor, Zoesch,

T. alba spectabilis, Hort.

T. sublanata, Simk. var. variegata. (T. platyphyllos × superulmifolia.) East Europe.

T. europaea, Hort.

T. vulgaris, Hayne; Garden and Forest 1889, ii. 256, f. 110. Europe. "Common Lime."

T. corylifolia, Host.

T. europaea, L. (in part).

T. glauca, Hort.

T. hollandica, Mill.

T. intermedia, Ehrh.

T. hybrida, Bechst.

Var. caucasica.

T. intermedia var. caucasica.

T. parvifolio-grandifolia. Bayer.



*Aristotelia Macqui, L'Hérit.; Gard. Chron. 1875, iv. 773. Chili.

Var. variegata.

*A. racemosa, Hook. f.; Kirk Forest Flora of New Zealand t. 113. New Zealand. "Makomako."

Linaceae.

Linum arboreum, L.; Bot. Mag. t. 234. Greece, &c. "Tree Flax."

Rutaceae.

Ruta graveolens, L.; Bentl. & Trim. Med. Pl. t. 44. South Europe, &c. "Common Rue."

Var. variegata.

Choisya ternata, H.B.K.: Gard. Chron. 1890, vii. 465, Mexico.

C. grandiflora, Regel Gartenfl. t. 876.

- *Zanthoxylum ailanthoides, Sieh. & Zucc. Japan and Formosa.
- *Z. alatum, Roxb. India.
- Z. americanum, Mill.; Britt. & Br. Illust. Fl. ii. 353, f. United States. "Prickly Ash, Toothache Tree."
 - Z. fraxineum, Willd.; Loud. Arbor. i. 488, f. 158.
 - Z. fraxinifolium, Marsh. (not Walt.).
 - Z. ramiflorum, Michx.
- Z. Bungei, Planch. China.
- Z. piperitum, DC. China and Japan.
- Z. planispinum, Sieb. & Zucc. Japan.
- Z. schinifolium, Sieb. & Zucc. Japan.



Phellodendron amurense, Rupr. Amurland, &c. Zanthoxylum piperitum, Hort. (not Sieb. & Zucc.).

P. japonicum, Maxim. Japan.

Ptelea Baldwinii, Torr. & Gray. Northern California, &c. P. angustifolia, Benth.

P. trifoliata, L.; Gard. Chron. 1880, xiii. 369, f. 67; Sargent Silva of North America tt. 33, 34. United States. "Hop Tree."

Var. aurea.

Var. fastigiata.

Var. glauca.

Var. heterophylla.

Var. mollis.

P. mollis, Curt.

Skimmia Fortunei, Mast. China.

S. japonica, Hort.; Bot. Mag. t. 4719 (not Thunb.).

S. rubella, Carr.

japonica, Thunb.; Gard. Chron. 1889, v. 521, f. 89; 524,
 f. 90. Japan.

S. oblata, Moore,

Var. obovata.

Var. variegata.

Seedling varieties or sexual forms of this are:-

S. fragrans, Carr.

S. fragrantissima, Hort.

S. Foremani, Hort.; Gard. Chron. 1889, v. 553, f. 94.

S. intermedia, Carr.

S. oblata var. ovata, Carr.



S. japonica-cont.

S. oblata var. speciosa, Hort.

S. oblata var. Veitchii, Carr.

S. Rogersii, Hort.

S. Laureola, Hook. f. Himalaya.

S. aromatica, Hort.

Laureola fragrans, Roem.

Limonia Laureola, Wall.

Ægle sepiaria, DC. China and Japan.

Citrus trifolia, Thunb.

C. trifoliata, L.; Bot. Mag. t. 6513.

Limonia trifoliata, Hort.

Pseudaegle sepiaria, Miq.

Triphasia trifoliata, Hort.

Simarubaceae.

Ailanthus glandulosa, Desf.; Gard. Chron. 1887, ii. 365, f. 76. China. "Tree of Heaven."

A. japonica, Hort.

A. macrophylla, Hort.

A. purpurascens, Hort.

A. rubra, Hort.

Var. pendula.

^{*}Cneorum tricoccum, L. Mediterranean Region.

^{*}Picrasma quassioides, Benn. Himalaya, China and Japan. P. ailantoides, Planch.



Meliaceae.

Cedrela sinensis, A. Juss.; Rev. Hort. 1891, 573, ff. 150-2. China and Japan.

Ailanthus flavescens, Carr.

Cedrela chinensis, Karel.

Toona sinensis, Roem.

Aquifoliaceae.

Ilex ambigua, Chapm.; Loud. Arbor. ii. 521, f. 190. South United States.

Cassine caroliniana, Walt.

Nemopanthus ambiguus, Wood.

Prinos ambiguus, Michx.

I. Amelanchier, Curtis: Garden and Forest 1889, 41, f. 88. South United States. Prinos lanceolata, Pursh.

I. Aquifolium, L.; Engl. Bot. ed. 3, t. 316. Europe. Western Asia. "Common Holly."

Aquifolium spinosum, Gaertn.

Var. albo-lineata.

Var. altaclarensis.

Var. angustifolia. Gard. Chron. 1874, ii. 751, f. 154. myrtifolia stricta. serratifolia.

Var. angustifolia variegata.

Var. argentea longifolia.

Var. argentea marginata.

albo-marginata. argentea lato-marginata. variegata argentea.



I. Aquifolium—cont.

Var. argentea medio-picta. Gard. Chron. 1875, iv. 688, f. 142. "Silver Milkmaid." albo-picta.

Var. argentea pendula. "Perry's Weeping." albo-marginata pendula. pendula argentea purpurea. pendula variegata.

Var. argentea regina. Gard. Chron. 1875, iv. 687, f. 141. "Silver Queen."

Var. atrovirens.
maderensis atrovirens.

Var. aurea angustifolia. Gard. Chron. 1876, v. 44, f. 6. angustifolia aurea marginata.

Var. aurea marginata. marginata aurea.

Var. aurea marginata bromeliaefolia. Gard. Chron. 1876, v. 437, f. 84.

Var. aurea medio-picta. Gard. Chron. 1876, v. 336, f. 68 69. "Gold Milkmaid." aureo-picta.

Var. aurea pendula. "Waterer's Gold Weeping." pendula aurea variegata.

Var. aurea regina. Gard. Chron. 1876, v. 44, f. 8. "Golden Queen."

Var. aurea vestita.

Var. balearica.

Var. calamistrata.



I. Aquifolium—cont.

Var. camelliaefolia. Gard. Chron. 1874, ii. 812, f. 164, b. laurifolia longifolia.

Var. ciliata. Gard. Chron. 1874, ii. 752, f. 153.

Var. ciliata major. Gard. Chron. 1874, ii. 752, f. 151.

Var. Cookii.

Var. crassifolia. Gard. Chron. 1874, ii. 752, f. 152. serrata.

Var. crispa.

Var. crispa picta.

Var. donningtonensis. Gard. Chron. 1874, ii. 687, f. 138. (2, 3).

Var. elliptica.
flammea angustifolia.

echinata.

Var. ferox. "Hedgeheg Holly."

Var. ferox argentea. Gard. Chron. 1876, v. 43, f. 9. ferox argentea variegata.

Var. ferox aurea. Gard. Chron. 1876, v. 616, f. 117. ferox aurea picta. ferox foliis aureis.

Var. Fisheri.

Var. flavescens. "Moonlight."

Var. Foxii. Gard. Chron. 1874, ii. 752, f. 150.

Var. fructu-luteo.

flava.

Var. handsworthensis. Gard. Chron. 1875, iv. 741, f. 150. "Handsworth New Silver." argentea longifolia.

handsworthensis argentea variegata.



I. Aquifolium-cont.

Var. Hendersoni. Gard. Chron. 1874, ii. 752, f. 148.

Var. heterophylla. Gard. Chron. 1874, ii. 520, f. 105, 2-heterophylla major.

Aquifolium forma kewensis, Loesener.

Var. Hodginsii. Shepherdii.

Var. integrifolia. Gard. Chron. 1874, ii. 812, f. 164, errotundifolia. senescens.

Var. latifolia aureo-marginata.

Var. latispina. Gard. Chron. 1874, ii. 812, f. 164, f.

Var. latispina major.

Var. latispina minor.

Var. lawsoniana. Gard. Chron. 1876, v. 624, f. 110. lawsoniana variegata.

Var. lawsoniana aureo-picta.

Var. lutescens.

Var. maderensis atrovirens.

Var. maderensis variegata.

Var. marginata, Loud.; Gard. Chron. 1874, ii. 812, f. 164, g. contorta.

Var. Marnockii.

Var. monstrosa.

Var. Mundyi.

Var. myrtifolia. Gard. Chron. 1874, ii. 687, f. 138, 4.



I. Aquifolium-cont.

Var. myrtiflora aurea.

Var. nigrescens.

Var. nobilis. Gard. Chron. 1874, ii. 432, f. 89. Urquharti.

Var. obscura.

Var. ovata. Gard. Chron. ii. 1874, ii. 752, f. 149.

Var. pendula.

Var. pendula tricolor.

Var. platyphylla.

I. Perado, Webb. & Berth. (not Ait.).

Var. recurva. Gard. Chron. 1874, ii. 687, f. 138, 6. serratifolia compacta.
tortuosa.

Var. scotica. Gard. Chron. 1874, ii. 812, f. 164, a. I. Dahoon, *Hort.* (not *Walt.*).

Var. scotica aurea.

Var. smithiana. Gard. Chron. 1874, ii. 529, f. 106.

Var. tortuosa.

Var. watereriana. Gard. Chron. 1874, ii. 232, f. 49. aurea pumila.

compacta aurea.

nana aurea.

nana aurea variegata.

Var. whittingtonensis. Gard. Chron. 1874, ii. 68., f. 138, 1.

Var. Wilsonii.



I. Cassine, Walt. South United States. "Cassena."

I. florida, Lam.

I. ligustrina, Jacq.

I. religiosa, Bartr.

I. vomitoria, Ait.

Cassine caroliniana, Lam.

C. Peragua, L.

I. cornuta, Lindl. & Pact.; Bot. Mag. t. 5059. China. I. furcata, Hort.

I. crenata, Thunb. Japan.

Var. major.

Ilex Fortunei, Hort. (not Lindl.).

Var. Mariesii.

Iris Mariesii, Hort. Veitch.

Var. variegata.

*I. Dahoon, Walt.; Loud. Arbor. ii. 517, f. 184. South United States.

I. cassinoides, Link.

I. laurifolia, Nutt.

I. decidua, Walt.; Gard.; Chron. 1880, xiv. 689; f. 129. Sargent Silva of North America t. 49. South United States.

I. aestivalis, Lam.

I. prinoides, Ait.; Wats. Dendr. Brit. ii. t. 115.

Prinos deciduus, DC.

I. dipyrena, Wall.; Brandis Forest Flora t. 15. Himalaya. "Himalayan Holly."

I. glabra, A. Gray; Britt. & Br. Illustr. Fl. ii. 391, f. Eastern United States. "Inkberry."

Prinos glaber, L.; Lodd. Bot. Cab. t. 450.



- I. integra, Thunb. China and Japan.
 - I. Aquifolium Bessoni, Hort.
 - I. integrifolia, Hort.

Othera japonica, Hort.

I. laevigata, A. Gray; Garden and Forest 1891, 221.
Eastern United States.

Prinos laevigatus, Pursh; Wats. Dendr. Brit. i. t. 28.

- I. latifolia, Thunb.; Bot. Mag. t. 5597. Japan. "Toraia."
 - I. magnoliaefolia, Hort.
 - I. Tarajo, Hort.
- I. macropoda, Miq. Japan.
- I. opaca, Ait.; Sargent Silva of North America t. 45; Wats. Dendr. Brit. i. t. 3. Eastern United States. "American Holly."
 - I. canadensis, Marsh. (not Hort.).
 - I. laxiflora, Lam.
 - I. quercifolia, Meerb.
- I. pedunculosa, Miq. Japan.
- *I. Perado, Ait.; Lodd. Bot. Cab. t. 549. Azores.
- I. Pernyi, Franch.; Hook. Icon. Plant. t. 1539. China.
- I. rugosa, F. Schmidt Reisen im Amurlande, 122, t. 3, N.E. Asia.
- I. Sieboldi, Miq. Japan.

Var. fructu albo.

I. verticillata, A. Gray. North America. "Black Alder, Winterberry."

Prinos canadensis, Hort.

P. confertus, Moench.

P. Gronovii, Michx.



I. verticillata-cont.

P. padifolius, Hort.

P. prunifolius, Hort.

P. verticillatus, L.; Wats. Dendr. Brit. i. t. 30.

Var. chrysocarpa, Robinson.

Nemopanthus canadensis, DC. Canada, &c. "Mountain Holly."

lex canadensis, Michr.

I. delicatula, Bartr.

Ilicioides mucronata, Britton: Britt. & Br. Illustr. Fl. ii. 393, f.

Prinos integrifolius, Elliott.

Cyrillaceae.

Cyrilla racemiflora, L.; Sargent Silva of North America. t. 51. South United States. "Leatherwood."

C. caroliniana, Michr.

C. racemosa, Loud.

Andromeda plumata, Bartr.

Itea Cyrilla, Sw.

*Cliftonia ligustrina, Banks. Florida and Georgia. "Titi." Mylocarpum ligustrinum, Willd.; Bot. Mag. t. 1625.

Celastraceae.

Euonymus alatus, Thunh.; Regel Fl. Ussur. t. 7, f. 1-4. Japan, &c.

E. americanus, L.; Nouv. Duhamel iii. t. 9. United States. "Strawberry Bush."

Var angustifolius.

Var. pendulus.



E. atropurpureus, Jacq.; Sargent Silva of North America t. 53. Eastern North America. "Burning Bush."

E. americanus, Hort. (not L.).

E. macrocarpus, Hort.

E. bungeanus, Maxim. China. E. micranthus, Bunge.

E. europaeus, L.; Eng. Bot. ed. 3, t 317. Europe, Western Siberia. "Spindle-Tree."

E. vulgaris, Scop.

Var. atropurpureus, *Hort*. E. purpureus, *Hort*.

Var. aucubaefolius, Hort.

Var. foliis argenteo-variegatis.

Var. foliis aureo-variegatis.

Var. fructu albo.

Var. fructu violaceo.

Var. ovatus.

Var. pallidus.

E. hamiltonianus, Wall. Japan, &c.

E. japonicus, Thunb. China and Japan.

Var. albo-marginatus.

Var. aureus.

Var. latifolius albo-variegatus.

Var. macrophyllus. E. robustus, Hort,

Var. microphyllus, Hort. Eurya microphylla, Hort.

Var. ovatus aureus.

Var. pulchellus foliis argenteis.



- E. latifolius, Scop.; Bot. Mag. t. 2384. Europe, Asia.
- E. Maackii, Rupr. Amurland.
- E. macropterus, Rupr. Maxim. Flora Tangutica t. 19, f. 11.
 Amurland.
- E. nanus, Bieb. Caucasus, &c.
 - E. americanus angustifolius, Hort.
 - E. angustifolius, Hort. (not Pursh).
 - E. angustifolius pulchellus, Hort.
 - E. Lilieurii, Hort.
 - E. linifolius, Hort.
 - E. rosmarinifolius, Hort.

Var. compactus, Hort.

Var. Koopmanni.

E. Koopmanni, Lauche; Wittmack Garten-Zeitung 1883, 112, t. [3], f. 2.

Var. variegatus, Hort.

E. obovatus, Nutt.; Garden and Forest 1896, 385, f. 51. Canada, Northern and Central United States.

E. americanus var. obovatus, Torr. d Gray.

- E. oxyphyllus, Miq. China and Japan. E. latifolius, A. Gray (not Scop.).
- *E. pendulus, Wall. Himalaya.

E. fimbriatus, *Hort*. (not *Wall*.): Flore des Serres vii. 1851, 71.

E. radicans, Sieb. & Zucc. Japan.

Var. Carrièrei.

E. Carrièri, Vauvel. Rev. Hort. 1885, 295. (E. repens. Carr. Rev. Hort. 1885, 295. is a branch sport of this form.)

12159



E. radicans-cont.

Var. foliis pictis.

Var. foliis roseo-argenteis.

Var. foliis tricoloribus.

Var. microphyllus.

Var. Silver Gem.

Var. viridis.

- E. sieboldianus, Blume. China and Japan.
- E. thunbergianus, Blume. Amurland, Japan, &c. E. subtriflorus, Blume.
- E. verrucosus, Scop.; Nouv. Duhamel iii. t. 8. East Europe to Amurland.
- Pachystima Canbyi, A. Gray; Meehan The Native Flowers . . . of the United States i. t. 44. North Carolina and Virginia.
- P. Myrsinites, Rafin. Western North America.
 Myginda myrtifolia, Nutt.: Hook. Flora Boreali-Americana i, 120, t, 41.
- Celastrus articulatus, Thunb.; Garden and Forest 1890, 551, f. 73. China and Japan.

C. orbiculatus, Lum.

C. Orixa, Hort. (not Sieh. d. Zucc.).

C. punctatus, Thunb.

- C. hypoglaucus, Hemsl. Central China.
- C. latifolius, Hemsl. Central China.
- C. Orixa, Sieb. & Zucc. Japan.

Celastrus japonica, C. Koch.

Evodia ramiflora, A. Gruy.

Orixa japonica, Thunb.; Gartenflora t. 1232.

12159



C. scandens, L.; Loud. Arbor. ii. 502, f. 171. North America. "Staff-tree, Wax-work."

C. bullatus, L.

C. serratus, Hochst. Abyssinia.

Maytenus chilensis, DC. Chili.

Rhamnaceae.

Paliurus australis, Gaertn. South Europe. "Christ's Thorn."

P. aculeatus, Lam.; Nouv. Duhamel iii. 17.

Zizyphus vulgaris, L.; Sibth. Fl. Graeca t. 241. Southeastern Europe to Afghanistan. "Jujube."

Berchemia racemosa, Sieb. & Zucc. Japan.

Var. variegata.

B. volubilis, DC; Loud. Arbor. ii. 528, f. 196. Southern United States. "Supple-Jack."

Rhamnus scandens, Hill.

R. volubilis, L. f.

Rhamnus Alaternus, L.; Nouv. Duhamel ii. t. 14. South West Europe.

Var. angustifolia.

R. angustifolia, Mill.

R. Clusii, Willd.

R. Perrieri, Hort.

R. utilis, Hort. (not Decne.).

Var. aurea.

Var. angustifolia variegata.

Var. latifolia.

Var. maculata.

Var. variegata.



R. alnifolia, L'Hérit.; Loud. Arbor. ii. 536, f. 206. United States.

R. franguloides, Michx.

R. alpina, L.; Lodd. Bot. Cab. t. 1077. Alps.

R. arguta, Maxim. China and Japan.

R. californica, Eschsch. California. "Indian Cherry." Rhamnus intermedia, Hort.

R. laurifolia, Nutt.

R. oleifolia, Hook.; Rev. Hort. 1874, 354, f. 47.

R. pedunculata, Hort.

Frangula californica, A. Gray.

Var. hirtella.

R. carniolica, Kern. Carniolia.

R. caroliniana, Walt.; Nutt. Sylva ii. 50, t. 59. Southern United States.

R. californica, Hort. (not Eschsch.).

Frangula caroliniana, A. Gray.

R. cathartica, L.; Engl. Bot. ed. 3, t. 318. Europe, Asia. "Common Buckthorn."

R. fragrans, Hort.

R. infectoria, Hort. (not L.).

R. Pallasii, Hort. (not Fisch. & Mey.).

R. Wicklius, Hort.

R. costata, Maxim. Japan.

R. crenata, Sieb. & Zuec. Japan.

R. oreigenes, Hance.

Frangula crenata, Miy.



R. davurica, Pall. Siberia to China.

R. baptica, Decne.

R. crenata, Garden and Forest ix. 425, f. (not Sieb. & Zucc.).

R. utilis, Decne.

R. virgata, Roxb.

R. Erythroxylon, Pall. Caucasus, &c.

R. Frangula, L.; Engl. Bot. ed. 3, t. 319. Europe. "Berrybearing Alder."

R. latifolia, Hort. (not L'Hérit.).

Var. angustifolia.

R. franguloides, Hort. (not Mich.r.).

Var. asplenifolia, Hort.

Var. latifolia.

R. sibirica, Hort.

R. hybrida, $L'H\acute{e}rit$. (R. Alaternus × alpina <math>). Europe.

R. sempervirens, Hort.

R. subsempervirens, Hort.

Var. Billardi, Lavall.

R. Billardi, Hort.

R. ovalifolia, Hort.

R. infectoria, L.; Tchichat. Asie Mineure t. 9. South Europe, &c. "Avignon Berry."

R. oleoides, Hort. (not L.).

R. prunifolia, Hort. (not Sieb.).

R. japonica, Maxim. Japan.

R. lanceolata, Pursh; Gray Genera ii. 180, f. 168. North America.



R. libanotica, Boiss.: Bot. Mag. t. 6721. Asia Minor and Syria.

R. alpina var. colchica, Kusnetzoff.

R. castaneifolia, Hort.

R. grandifolia, Hort. (not Fisch. & Mey.).

R. Imeritiae, Hort.

R. imeritina, Koehne.

R. oleoides, L. South-west Europe. R. amygdaloides, DC. (in part.)

R. parvifolia, Bunge. China.

R. pumila, Turr. Mountains of Central, South and Eastern Europe.

R. pusilla, Tenore.

R. rupestris, Vill. (not Scop.).

R. punctata, Boiss. Asia Minor, &c.

R. purpurea, Edgew. Western Himalaya.

R. purshiana, DC.; Loud. Arbor. ii. 538, f. 211. California. "Cascara Sagrada."

Frangula purshiana, Cooper.

Rhamnus rubra, Greene.

R. rupestris, Scop. Flora Carniolica i. t. 5. South-eastern Europe.

R. saxatilis, L.; Jacq. Fl. Austr. i. t. 53. Europe, &c.

R. spathulifolia, Fisch. & Mey. Caucasus.

R. tinctoria, Waldst. & Kit. Europe, Asia.

R. chlorophorus, Decne.

R. globosus, Bunge.

Hovenia dulcis, Thunb.; Bot. Mag. t. 2360. Himalaya, China, &c.



Ceanothus americanus, L.; Bot. Mag. t. 1479. Eastern: United States. "New Jersey Tea."

C. intermedius, Pursh.

Var. nanus roseus.

Var. opacus, Lange.

- C. Arnoldi, Hort. Garden hybrid.
- C. azureus, Desf. Mexico. C. latifolius, Hort.
- C. cuneatus, Nutt. Oregon to Lower California. C. verrucosus, Nutt.; Bot. Mag. t. 4660.
- C. delilianus, Spach. Origin uncertain.
- *C. divaricatus, Nutt. California.
- C. Fendleri, A. Gray. Colorado, New Mexico, Arizona.
- *C. hirsutus, Nutt. Coast Range of Central California.
- *C. integerrimus, Hook. & Arn.; Bot. Mag. t, 7640. California.
 - C. californicus, Kellogg.
 - C. nevadensis, Kellogg.
- *C. macrocarpus, Nutt. California.
- *C. microphyllus, Mich.r. Florida.
- C. ovatus, Desf. Canada to Texas.
- *C. papillosus, Torr. & Gray; Bot. Mag. t. 4815. California.
- *C. parvifolius, Trelease. California to Oregon.
 C. integerrimus var. parvifolius, S. Wats.
- *C. rigidus, Nutt.: Bot. Mag. t. 4664. California.



- *C. sorediatus, Hook & Arn. Coast Range of Southern California.
- *C. spinosus, Nutt. Middle Coast Range, California.
- *C. thyrsiflorus, Eschsch.; Bot. Reg. 30, t. 38. Sargent Silva of North America t. 64. California. "California Lilac."
 - C. elegans, Lem.
 - C. radicans superba, Hort.
- *C. veitchianus, Hook. Bot. Mag. t. 5127. California.
- *C. velutinus, Dougl.; Hook. Fl. Bor. Am. i. 125, t. 45. British America to California, Colorado, &c.
- Colletia cruciata, Gill & Hook.; Bot. Mag. t. 5033. Uruguay.
 - C. armata, Miers.
 - C. bictonensis, Lindl. Journ. Hort. Soc. v. 31.
 - C. ferox, Gill.
 - C. horrida, Hort.
 - C. polyacantha, Hort.
 - C. spinosa, Lam.
 - C. spinosissima, Hort.
 - C. valdiviana, Phil.
- *Discaria longispina, Miers. Uruguay. Colletia longispina, Hook, & Arn.
- D. serratifolia, Benth. & Hook. f.: Gard. Chron. 1876, vi. 325, f. 65. Chili, &c.

Colletia Chacaye, G. Don.

- C. nutans, Hort.
- C. serratifolia, Vent.
- *D. Toumatou, Raoul: Kirk Forest Flora of New Zealand t. 136. New Zealand. "Wild Irishman."



Ampelidaceae.

Vitis aestivalis, Michx.; Loud. Arbor. i. 479, f. 142. United States. "Summer Grape."

V. intermedia, Muhl.

V. labruscoides, Muhl.

V. virginiana, Hort.

Var. Linsecomii, Munson. "Pinewood or Turkey Grape."
V. Linsecomii, Buckl.

V. amurensis, Rupr. Amurland, North China, &c.

V. vinifera var. amurensis, Regel.

V. pubescens, Hort.

V. regeliana, Hort.

V. arborea, L. South United States.

V. bipinnata, Torr. & Gray.

Ampelopsis bipinnata, Michx.

Cissus arborea, Desmoul.

C. bipinnata, Nutt.

V. arizonica, Engelm. Arizona. "Cañon Grape."

V. arizonensis, Hort.

V. californica, Hort.

V. Berlandieri, Planch. Texas, &c.

V. monticola, Engelm.

V. bicolor, Leconte. Eastern United States. "Blue Grape."

V. bourquiniana, Munson. South California. "Valley Grape."

V. aestivalis, Michx. var. bourquiniana, Bailey.

Var. Herbemont. Cultivated variety.

Var. Le Noir. Cultivated variety.



V. brevipedunculata, Hort. Kew. China, &c.

Ampelopsis brevipedunculata, Koehne.

Cissus brevipedunculata, Maxim.

V. californica, Benth. Central and South California and North Oregon.

V. caribaea, Hook. (not DC.).

V. candicans, Engelm. Eastern Texas. "Mustang Grape."

*V. capreolata, D. Don. Himalaya.

V. hederacea, Wall.

Cissus capreolata, Walp.

C. nepaulensis, DC.

C. serrulata, Roxb.

C. Wrightii, Hort.

Tetrastigma serrulatum, Planch.

V. caribaea, DC. var. Blancoi. Florida.

V. Blancoi, Munson.

V. Champini, *Planch*. South-western Texas. (Probably a hybrid of *V*. rupestris or *V*. Berlandieri and V. candicans.)

V. cinerea, Engelm. Central Illinois to Kansas, Texas, &c. "Sweet Winter Grape."

V. aestivalis var. cinerea, Engelm.

V. canescens, Hort.

V. Coignetiae, Pul. & Planch. Japan. V. congesta, Hort.

V. cordifolia, Michaele, Loud. Arbor i. 480, f. 143. United States. "Chicken Grape."

V. vulpina var. cordifolia, Regel.

V. virginiana, Hort.



V. doaniana, Munson: Garden and Forest, 1896, 455 f. 59.
 North-west Texas, &c. (Probably a hybrid of which V. candicans is one of the parents.)

*V. erioclada, Wight & Arn. India.

V. ficifolia, Bunge. China and Japan.

V. flexuosa, Thunh. China and Japan.

V. parvifolia, Roxb.

V. succisa, Hance.

V. girdiana, Munson. South California. "Valley Grape."

V. heterophylla, Thunb. China and Japan.

V. davidiana, Carr.

V. elegans, Hort.

Ampelopsis aconitifolia, Hort.

A. heterophylla, Sieb . & Zucc.

C. bryonifolia Regel.

Var. humulifolia, Hook. f. Bot. Mag. t. 5682. Ampelopsis humulifolia, Bunge.

Var. variegata.

V. heterophylla var. tricolor.

*V. himalayana, Brand. Himalaya.

V. neilgherrensis, Wright Ic. t. 965.

Ampelopsis himalayana, Royle.

Cissus himalayana, Walp.

V. inconstans, Mig. China and Japan.

V. Roylei, Hort.

Ampelopsis tricuspidata, Sieh. & Zucc.

A. Veitchii, Hort. Gard. Chron. ii. 1880, xiv. 664, f. 126.

Cissus Thunbergii, Sieb. & Zucc.



V. inconstans-cont.

C. Veitchii, Carr.

Parthenocissus tricuspidata, Planch.

Var. purpurea.

Var. robusta.

V. indivisa, Willd. South United States.

Ampelopsis cordata, Michx.

A. cordifolia, Rafin.

Cissus Ampelopsis, Pers.

V. japonica, Thunb. Eastern Asia.

Cissus cyanocarpa, Miq.

C. japonica, Willd.

C. leucocarpa, Blume.

- V. Labrusca, L.; Loud. Arbor, i. 479, f. 141. New England to Georgia. "Fox Grape, Skunk Grape." The parent of the greater part of American cultivated grapes.
- V. Longii, Prince. North-west Texas and New Mexico.
 V. Solonis, Hort.
- V. munsoniana, Simpson. Florida. "Mustang Grape of Florida, Bird Grape, Everbearing Grape."
- V. orientalis, Boiss. Orient.

Ampelopsis orientalis, Planch.

Cissus clematifolia, Cav.

C. orientalis, Lam.; Wats. Dendr. Brit. t. 113.

C. pinnata, Soland.

V. palmata, Vahl. Illinois and Missouri to Louisiana and Texas. "Red or Cat Grape."

V. riparia var. palmata, Planch.

V. rubra, Michx.

V. virginiana, Poir.



V. persica, Boiss. Persia to Afghanistan.

Ampelopsis vitifolia, Planch.

Cissus vitifolia, Boiss.

V. quinquefolia, Lam. North America. "Virginia Creeper."

Ampelopsis hederacea, DC.

A. quinquefolia, Michar.

Parthenocissus quinquefolia, Planch.

P. radicantissima, Koehne & Graehner.

Vitis radicantissima, Hort.

Var. hirsuta.

Ampelopsis hirsuta, Donn.

Var. incisa.

Var. major.

Var. muralis.

Ampelopsis Engelmanni, Hort.

Parthenocissus Engelmanni, Kochne & Graebn.

V. Romaneti, Caill. North China.

V. rotundifolia, Michx. South and South-western United States. "Muscadine Southern Fox Grape."

V. rupestris, Scheele. South United States. "Sand or Sugar Grape."

V. serianaefolia, Maxim. China and Japan.

Ampelopsis serianaefolia, Bunge.

Cissus viticifolia, Sieh. & Zucc.

Paullinia japonica, Thunb.

Vitis aconitifolia, Hance.

*V. striata, Baker. Rio Grande do Sul.

Ampelopsis sempervirens, Hart. Gard. Mag. February 13, 1886, 91.

Cissus striata, Ruiz. & Pav.



V. Thunbergii, Sieb. & Zucc. China and Japan.

V. Sieboldii, Hort.

V. ficifolia var. Sieboldii, Lavallie.

V. Treleasei, Munson. Texas, Arizona, &c.

V. vinifera, L. Orient. "Grape Vine."

Var. corinthiaca. "Currant Grape." V. corinthiaca, Rafin.

Var. laciniosa. "Parsley-leaved Vine."

V. laciniosa, L.

V. apiifolia, Hort.

Var. purpurea. "Teinturier Grape."

Var. sylvestris.

V. sylvestris, Gmelin.

V. cebennensis, Jord.

? Var. Davidii.

Spinovitis Davidii, Carr.

V. vulpina, L. North America. "Riverbank or Frost Grape."

V. riparia, Michael: Bot. Mag. t. 2429.

V. cordifolia var. riparia, A. Gray.

V. odoratissima, Donn. (is male plant of this species).

Sapindaceae.

*Kolreuteria bipinnata, Franchet Revue Horticole 1888, 393, f. 93. China.

K. paniculata, Larm.; Gard. Chron. 1887, ii. 561, f. 111. China.

K. floribunda, Hort.

K. japonica, Hort.



Esculus californica, Nutt.; Sargent Silva of North America tt. 71, 72; Bot. Mag. t. 5077, California.

Calothyrsus californicus, Spach.

Pavia californica, Hartw.

E. carnea, Willd.; Watson Dendr. Brit. ii. 121. Garden Hybrid. "Red Horse Chestnut."

Æ. floribunda, Hort.

E. rubicunda, DC.; Flore des Serres t. 2229-30.

Æ. spectabilis, Hort.

Pavia watsoniana, Spach.

Var. atropurpurea, Hort.

Var. Briotii, Hort.

Var. Mauroyi, Hort.

Var. pendula, Hort.

E. flava, Ait. West Pennsylvania to Georgia and Texas. "Sweet Buckeye."

Æ. lucida, Hort. (not Spach).

E. lutea, Wangh.

E. octandra, Marsh.; Sargent Silva of North America tt. 69,70.

Pavia bicolor, Rafin.

P. flava, Moench.

P. fulva, Rafin.

P. hybrida, Hort.

P. lutea, Poir.

P. macrocarpa, Hort.

P. pallida bicolor, Hort.

Var. purpurascens, A. Gray. South-western United States.

.E. discolor, Pursh.; Bot. Reg. t. 310.

Æ. hybrida, DC.

E. lutea var. discolor, Dippel.



Æ. flava-cont.

Æ. octandra var. hybrida, Sargent.

E. Pavia var discolor, Torr. & Gray.

Pavia discolor, Poir.

P. hybrida, DC.

P. rosea, Hort.

Var. sanguinea.

Var. Whitleyi, Hort.

E. glabra, Willd.; Sargent Silva of North America tt. 67, 68. United States. "Ohio Buckeye."

Æ. echinata, Muhl.

Æ. ohioensis, DC.

Æ. pallida, Willd.

Pavia glabra, Spach.

P. ohioensis, Michx.

P. pallida, Spach.

Var. arguta, Robinson. Texas, &c. Æ. arguta, Buckl.

E. Hippocastanum, L. Mountains of South-eastern Europe. "Horse Chestnut."

Var. crispum.

Var. flore pleno, Illustration Horticole ii. t. 50.

Æ. Schirnhoferi, Hort.

Var. foliis aureis variegatis.

Var. laciniata.

Æ. asplenifolia, Hort.

Æ. heterophylla, Hort.

Æ. incisa, Hort.

Var. Memmingeri.

Var. pyramidalis.



- E. indica, Colebr.; Bot. Mag. t. 5117. Western Himalaya. "Indian Horse Chestnut."
- **E.** Lyoni, Hort. (flava × Pavia). Garden origin. Pavia Lyoni, Hort.
- E. neglecta, Lindl.; Bot. Reg. t. 1009. Garden origin. E. discolor \times flava, Koehne.
- E. parviflora, Walt. South-eastern United States. Æ. macrostachya, Pers.; Bot. Mag. t. 2118. Macrothyrsus discolor, Spach. Pavia alba, Poir.

P. edulis, Poit.

P. macrostachya, Loisel.

E. Pavia, L. S. United States. "Red Buckeye." Æ. humilis, Lodd.; Bot. Reg. t. 1018. Pavia atropurpurea, Spach,

P. humilis, G. Don.

P. lindleyana, Spach.

P. lucida, Spach.

P. Michauxii, Spach.

P. nana, Hort.

P. pendula, Hort.


P. pumila, Hort.

P. rubra, Lam.

P. willdenowiana, Spach.

- E. plantierensis, E. André. Garden origin. Æ. Hippocastanum × carnea.
- E. turbinata, Blume; Rev. Hort. 1888, 496, ff. 120-4. China, Japan.
- *Ungnadia speciosa, Endl.: Flore des Serres x. t. 1076. Mexico, &c. "Spanish Buckeye."

12159



Xanthoceras sorbifolia, Bunge; Bot. Mag. t. 6923. North China.

*Sapindus marginatus, Willd.; Sargent Silva of North America t. 76. South United States. "Soap-berry, Wild China Tree."

Acer ambiguum, Dippel. Japan.

A. Dippeli, Schwerin.

A. argutum, *Maxim.*; Gard. Chron. 1881, xv. 725, f. 132. Japan.

A. campestre, L.: Engl. Bot. ed. 3, t. 321. Europe, West Asia. "Common Maple."

Var. collinum, Wallr.

A. campestre var. leiocarpum, DC.

Var. compactum.

Var. hebecarpum, DC.

A. campestre var. lasiocarpum, Wimm.

A. campestre var. pubescens, Boenningh.

A. hyreanum, Hort. (not Fisch. & Mey.).

Var. pendulum foliis variegatis.

Var. pulverulentum.

A. campestre foliis punctatis.

A. campestre maculatum.

Var. Schwerini.

Var. variegatum.

A. campestre argenteo-marginatum.

A. capillipes, Maxim. Japan.

A. pennsylvanicum var. capillipes, Wesmael.

A. carpinifolium, Sieb. & Zucc.; Gard. Chron. ii. 1881, xv. 564, f. 105. Japan.

12159



A. circinatum, Pursh; Sargent Silva of North America t. 88. California, &c. "Vine Maple."

A. virgatum, Rafin.

A. cissifolium, C. Koch. Japan.

Negundo cissifolium, Sieh. & Zucc.

N. nikoense, Miq. (not Maxim.).

A. coriaceum, *Tanisch*. (Pseudo-plantanus × monspessulanum), Garden origin.

A. trilobatum, Hort.

A. crataegifolium, Sieb. & Zucc. Flora Japonica t. 147. Japan.

Var. Veitchi, Nichols.

A. creticum, L.; Loud. Encyclop. of Trees and Shrubs 94, f. 142, 121, f. 163. Asia Minor.

A. barbatum, Petz. & Kirchn, (not Michx.).

A. parvifolium, Tausch.

A. polymorphun, Spach (not Sieb. & Zucc.).

A. dasycarpum, Ehrh.; Gard. Chron. 1881, xv. 137, f. 24; Garden and Forest iv. 133, f. 26. Eastern North America. "Silver Maple."

A. album, Hort.

A. Douglasi, Arbor. Zuseit.

A. eriocarpum, Michx.

A. palmatum, Hort. (not Thunb.).

A. Pavia, Hort.

A. rubrum, L. var. pallidum, Ait.

A. saccharinum, L.; Sargent Silva of North America t. 93.

A. saccharinum flori lanum, Hort.



A. dasycarpum-cont.

A. Saccharum, Marsh (not Britton).

A. Saira, Hort.

A. tomentosum, Hort.

Var. foliis albo-variegatis.

Var. Juhlkei.

Var. laciniatum, Pax.

A. heterophyllum, Hort.

A. Wagneri dissectum, Hort.

A. Wieri laciniatum; Wiener Illust. Garten-Zeitung, vii. 410.

Var. lutescens.

Var. macrophyllum.

Var. pendulum.

Var. pulverulentum.

Var. pyramidalis.

Var. tripartitum.

A. diabolicum, Blume; Gard. Chron. 1881, xv. 532, f. 100. Japan.

A. pulchrum, Hort.

A. Dieckii, Pax. Garden origin.

A. Lobelia var Dieckii, Pax.

A. platanoides var. integrilobum, Zabel Gartenfl. 1887, 437, f.

A. distylum, Sieb. & Zucc.; Gard. Chron. 1881, xv. 499,
 f. 93. Japan.

A. Duretti, *Hort*. (Pseudo-platanus × monspessulanum) Garden hybrid.



A. Ginnala, Marim. Amurland, &c.

A. tatarieum var. aeuminatum, Franch.

A. tataricum var. Ginnala, Maxim.

A. tataricum var. laciniatum, Regel.

Var. Semenowii, Pax.

A. Semenowii, Regel & Herder.

A. tataricum var. Semenowii, Nichols. Gard. Chron. 1881, xv. 74, f. 12.

A. glabrum, Torr. & Gray : Sargent Silva of North America t. 89. Western North America.

A. Douglasii, Hook.

A. tripartitum, Nutt.

Algrandidentatum, Nutt. Western North America.

A. barbatum var. grandidentatum, Sargent Silva of North America t. 92.

A. saecharinum var. floridanum, Chapm.

A. Heldreichi, Boiss. & Heldr.; Gard. Chron. 1881, xv. 141, f. 25. Eastern Europe.

A. Henryi, Pax; Hook. Icon. Plant. t. 1896. Central China.

A. heterophyllum, Willd.; Garden ii. 283, f. Orient.

A. microphyllum, Hort.

A. obtusifolium, Sibth.

A. orientale, C. Koch.

A. sempervirens, Hort.

A. Hookeri, Miq. Himalaya and China.

A. hybridum, Spach: Engler, Das Pflanzenreich 1902, Aceraceæ f. 4. (Pseudo-platanus × opulifolium).

A. Pseudo-platanus var. opulifolium, Hort.

A. hyrcanum, Fisch. & Mey. Caucasus.

A. caucasicum, Hort.

A. ibericum, Hort. (in part).



A. hyrcanum—cont.

A. italum var. hyrcanum, Pax.

A. lobatum, Gordon; Garden, iii. 69, f.

A. tauricum, Hort. (in part).

A. insigne, Boiss. & Buhse. var. velutinum, Boiss.; Gard. Chron. 1891, x. 189, f. 24. Northern Persia.

A. japonicum, Thunb.; Sieb. & Zucc. Fl. Jap. ii, t. 144. Japan.

A. macrophyllum, Hort. (not Pursh).

A. palmatum macrophyllum, Hort.

A. vitifolium, Hort.

Var. aureum, Schwerin.

Var. microphyllum, Hort. Veitch.

A. laetum, C. A. Mey.; Gartenfl. 1887, 433, f. 109. Caucasus. &c.

Var. rubrum.

A. colchicum rubrum, Hort.

A. leucoderme, Small. North Carolina to Florida and Alabama.

A. Lobelii, Tenore Flora Neapolitana v. 291, t. 199. Southern Italy.

A. atheniense, Hort.

A. platanoides var. integrilobum, Tausch.

A. platanoides, L. var. Lobelii, Loud. Arbor. 444, f. 120.

A. macrophyllum, Pursh; Sargent Silva of North America tt. 86, 87. California, &c.


A murrayanum, Hort.

A. speciosum, Hort.

A. mandschuricum, Maxim. Mandshuria.

A. micranthum, Sieb. & Zucc. Fl. Jap. 141, t. 80. Japan.

A. Miyabei, Maxim; Garden and Forest 1893, 143, f. Japan.



A. monspessulanum, L.; Loud. Arbor. i. 458, f. 131. Mediterranean Region. "Montpelier Maple."

A. heterophyllum, Hort. (not Willd.)

A. ibericum, Bieb.

A. illyricum, Jacq.

A. liburnicum, Hort.

A. littorale, Hort.

A. monspeliense, Hort.

A. trifolium, Duham.

A. trilobum, Moench.

A. trilobatum, Lam.

A. neglectum, Lange. Garden origin.

A. aetnense, Hort.

A. campestre × Lobelii, Koehne.

A. campestre var. aetnense.

A. zöschense, Pax.

A. Negundo, L.; Sargent Silva of North America t. 96. United States, "Box Elder."

Negundo aceroides, Moench.

N. fraxinifolium, Nutt.

Var. californicum, Surgent Silva of North America t. 97. Acer californicum, Dietr.

Negundo californicum, Torr. & Gray.

Var. crispum, G. Don; Loud. Encycl. of Trees and Shrubs, 122, f. 165.

Var. foliis marginatis aureis.

Var. laciniatum, Hort.

Var. variegatum, Hort.

Var. versicolor, Dieck.

Var. violaceum, Kirchner.



A. nikoense, Maxim. (not Miq.); Garden and Forest 1893, 155, f. 26. Japan.

A. maximowiczianum, Miq.

Negundo nikoense, Nichols.

A. opulifolium, Vill. Europe. "Italian Maple."

A, italicum, Lauche.

A. italum, Lauth.

A. Opalus, Ait. Garden, 1872, 443, f.

A. rotundifolium, Lam.

Var. neapolitanum.

A. hybridum, Hort.

A. neapolitanum, Tenore Flora Neapolitana t. 100.

A. obtusatum var. neapolitanum, Hort.

Var. obtusatum.

A. obtusatum, Kit. *

A. palmatum, Thunb.; Loud. Encycl. of Trees and Shrubs 90, f. 158. Japan.

A. polymorphum, Sieb. & Zucc. Fl. Jap. 83, t. 145.

Palmatum Group.

Var. aureum.

Acer japonicum polymorphum aureum. Hort.


Var. crispum, Illustration Horticle, 1870, t. 43. A. crispatum, *Hort*.

Var. linearilobum, Sieb. & Zucc. Fl. Jap. 84. t. 146. A. integrum, Hort.

Var. roseo-marginatum.

A. japonicum roseo-marginatum, Hort.

A. polymorphum roseo-marginatum, Hort.



Septembolum Group.

Var. sanguineum, Carr.

Var. septemlobum, C. Koch.

A. septemlobum, Thunb.

Var. septemlobum atropurpurem.

A. atropurpureum, Hort.

A. japonicum atropurpureum, Hort.

Var. septemlobum bicolor, Hort.

Var. septemlobum elegans.

Var. septemlobum elegans purpureum.

A. digitatum atropurpureum, Hort.

Dissectum Group.

Var. dissectum.

A. dissectum, Thunb.

A. japonicum dissectum, Hort.

A. palmatifidum, Hort.

A. palmatum pinnatifidum, Hort.

A. polymorphum var. decompositum, Sieb. & Zucc. Fl. Jap. 84, t. 146.

Var. dissectum ornatum, Illustration Horticole 1870, 244, t. 46.

A. japonicum ornatum, Hort.

A. palmatifidum ornatum, Hort.

A. palmatifidum rubrum, Hort.

Var. dissectum sessilifolium, Gard. Chron. 1881, xvi. 137, f. 30.

Negundo sessilifolium, Sieb. & Zucc.



A. pennsylvanicum, L.; Sargent Silva of North America tt. 84, 85. Eastern United States. "Moose Wood."

A. canadense, Marsh

A. hybridum, Bosc.

A. striatum, Du Roi.

A. pictum, Thunb. Mandshuria, Japan.

Var. Mono.

A. Mono, Maxim.

Var. variegatum.

A. pictum tricolor.

A. platanoides, L.; Loud. Encycl. of Trees and Shrubs 83, 104, 105. Europe. "Norway Maple."

Var. columnare, Carr.

Var. cucullatum.

Var. dilaceratum, Dieck.

Var. globosum.

A. globosum, Hort.

Var. heterophyllum variegatum, Hort.

A. digitatum aureo-marginatum, Hort.

Var. laciniatum.

A. crispum, *Hort.*; Loud. Encycl. of Trees and Shrubs 84, f. 128.

A. laciniosum, Hort.

Var. maculatum, Schwerin.

Var. nanum, Nichols.


Var. palmatum.

A. dissectum, Hort.

A. Lorbergi, Hort.

A. palmatifidum, Hort.

A. platanoides digitatum, Hort.



A. platanoides—cont.

Var. purpureum.

Var. pyramidale nanum.

Var. Reitenbachii.

Var. rubrum, Regel Gartenflora 1867, 163, f. 545.

Var. Schwedleri; Gard. Chron. 1881, xv. 565, f. 106. A. Schneideri, *Hort*.

Var. undulatum, Dieck.

A. Pseudo-platanus, L.; Eng. Bot. ed. 3, t. 320. Central Europe, Western Asia. "Sycamore."

Var. atropurpureum.

Var. aucubaefolium.

Var. bicolor, Späth.

Var. elegantissimum, Perkins.

Var. euchlorum.

Var. flavo-marginatum, Loud. "Corstorphine Plane."

A. P. corstorphinensis, Hort.

A. P. lutescens, Hort.

Var. foliis albo-variegatis.

Var. Leopoldi, Illustration Horticole xi. t.[411.

Var. luteo-virens, Simon-Louis.

Var. nervosum, Schwerin.

Var. Nizeti, Schwerin.

A. foliis purpureis aureo-variegatis.

Var. Prinz Handjery, Hort.

Var. purpureo-variegatum, Hort.



A. Pseudo-platanus-cont:

Var. purpureum, Loud.

A. P. var. rubrum, Hort.

A. nigrum, Hort.

Var. webbianum, Hort.

Var. Worlei, Schwerin.

A. purpurascens, Franch. & Sav. Japan.

A. rubrum, L.; Sargent Silva of North America t 94.
United States. "Red Maple."

A. carolinianum, Hort.

A. coccineum, Michx. fil.

A. floridanum, Hort.

A. glaucum, Hort.

A. globosum, Hort.

A. hypoleucum, Hort.

A. leucophyllum, Hort.

A. virginianum, Hort.

A. Wagneri, Hort.

Var. Drummondii, Sargent Silva of North America, t. 95.

A. Drummondii, Hook, & Arn.

Var. pendulum.

Var. sanguineum.

A. fulgens, Hort.

A. sanguineum, Spach.

A. splendens, Hort.

A. tomentosum, Hort.

A. microphyllum, Pax.

A. rufinerve, Sieb. & Zucc. Flora Jap. t. 158. China and Japan.

Var. albo-limbatum, Hook. Bot. Mag. t. 5793.



A. saccharinum, Wangenh. United States. "Sugar Maple."

A. barbatum, Sargent Silva of North America t. 90.

A. saccharophorum, C. Koch.

A. Saccharum, Britt. (not Marsh).

Var. columnare.

Var. monumentale.

Var. nigrum.

A. barbatum var. nigrum, Sargent Silva of North America t. 91.

A. nigrum. Michx.

A. sieboldianum, Miq.; Gard. Chron. 1881, xv. 590, f. 113. Japan.

A. japonicum var. sieboldianum, Franch. & Sav.

A. palmatum Kaempferi, Hort.

A. spicatum, L.: Sargent Silva of North America tt. 82, 83. Unite! States. "Mountain Maple."

A. montanum, Ait.

A. parviflorum. Ehrh.

A. pennsylvanicum, Durvi (not L.).

A. rugosum, Hort.

A. tataricum, L.; Watson Dendr. Brit. t. 160. Eastern Europe, &c.

A. cordifolium, Moench.

Var. rubrum.

A. Tchonoskii, Maxim. Japan.

A. tenellum, Pax; Hook. Icon. Plant. t. 1897. Central China.

A. tetrandrum, Pax. Central China.

A. Trautvetteri, Medwedjeff; Gartenfl. 1891, ff. 58-61. Caucasus.

A. insigne, Nichols. Gard. Chron. 1881, xvi. 75, f. 14.

A. insigne var. Trautvetteri, Pax.



A. trinerve, Dippel. Japan, &c.

A. trifidum, Hort. (not Hook. & Arn.).

A. truncatum, Bunge. China.

A. laetum var. truncatum, Regel.

A. Lobelii var. truncatum, Wesmael.

A. Volxemi, Masters Gard. Chron. 1877, vii. 72, f. 10; 1891, x. 11, f. 2. Caucasus.

Dipteronia sinensis, Oliver; Hook. Icon. Plant. t. 1898. Central China.

Staphylea Bumalda, Sieb. & Zucc. Fl. Jap. t. 95. Japan.

S. colchica, Stev.; Gard. Chron. 1887, ii. 713, f. 137. Caucasus.

Hooibrenckia formosa, Hort.

S. regeliana, Hort.

- S. Coulombieri, André (pinnata x colchica).
- S. pinnata, L. Eng. Bot. ed. 3, t. 322. South Europe. "Bladder-nut."
- S. trifolia, L.: Gartenflora 1888, 529. North America. "American Bladder-nut."
- *Euscaphis staphyleoides, Sieb. & Zucc. Fl. Jap. t. 67. China and Japan.

E. japonica, Dippel.

Sabiaceae.

Meliosma myriantha, Sieh. & Zucc. China and Japan.

Anacardiaceae.

Rhus canadensis, Marsh. North America.

R. aromatica, Ait.; Britt. & Br. Illustr. Fl. ii. 387, f.

R. suaveolens, Ait.

Var. trilobata, A. Gray.



- R. copallina, L.: Dippel Handbuch der Laubholzkunde ii. 368, f. 169. Eastern United States. "Dwarf Sumach."
- R. cotinoides, Nutt. Southern United States. "Chittam Wood."

Cotinus americanus, Nutt. North American Sylva ii. t. 81; Sargent Silva of North America t. 98.

R. Cotinus, L.; Jacq. Flora Austrica t. 210. Europe, &c. "Venetian Sumach."

Var. atropurpurea.

Var. pendula.

R. glabra, L.; Loud. Arbor. ii. 551, f. 225. United States. "Smooth Sumach."

R. caroliniana, Mill.

R. coccinea, Hort.

R. elegans, Ait.; Wats. Dendr. Brit. i. t. 16.

R. sanguinea, Hort.

Var. laciniata, Carr. Revue Horticole 1863, f. 1.

- *R. insignis, Hook. f. Himalaya.
- R. Michauxi, Sargent Garden and Forest 1895, 404, f. 55. South United States.

R. pumila, Michx.

R. Osbeckii, DC.; Revue Horticole 1867, f. 14. China and Japan.

R. japonica Osbecki, Hort.

R. semialata var. Osbeckii, DC.

R. typhina Osbecki, Hort.

- *R. punjabensis, J. L. Stew. Himalaya.
- R. sylvestris, Sieb. & Zucc. China and Japan.



R. Toxicodendron, L.; Loud. Arbor. ii. 556, f. 23. North America and Japan. "Poison Ivy, Poison Oak."

R. ambigua, Lavallée.

R. japonica, Hort.

R. radicans, L.; Bot. Mag. t. 1806.

R. ternata, Hort.

R. trifoliata, Hort.

Ampelopsis Hoggii, Hort.

A. japonica, Hort.

Toxicodendron pubescens, Mill.

T. vulgare, Mill.

R. trichocarpa, Miq. Japan, Corea.

R. typhina, L.; Loud. Arbor. ii. 550, f. 224. Eastern United States. "Staghorn Sumach."

R. americana, Hort.

R. canadensis, Hort. (not Michx.).

R. coriaria, Hort. (not L.).

R. frutescens, Hort.

R. glabra, Hort. (not L.).

R. gracilis, Hort.

R. hirta, Sudw.

R. viridiflora, Poir. (male plant).

Var. laciniata.

R venenata, DC.; Loud. Arbor. ii. 552, f. 226. Eastern United States. "Poison Sumach."

R. vernix, L.; Watson Dendr. Brit. i. t. 19.

Toxicodendron pinnatum, Mill.

R. vernicifera, DC. China and Japan. "Lacquer Tree." R. vernix, Thunb. (not L.).

R. Wallichii, Hook. f. Himalaya.



- *Pistacia atlantica, Desf. North Africa.
- *P. cappadocica, Planch. Sicily, &c. P. hybrida, Gasparini.
- *P. chinensis, Bunge. China.
- *P. Lentiscus, L.; Bot. Mag. t. 1967. Mediterranean Region. "Mastic Tree."
 P. massiliensis. Mill.
- *P. Terebinthus, L.; Bentl. & Trim. Med. Plants t. 69. South Europe. "China Turpentine Tree."
- *Schinus bonplandianus, March. South Brazil.
 S. dependens var. subintegra, Engler.
 Duvaua longifolia, Lindl. Bot. Reg. xxix. t. 59.
 D. spinescens, Tenore.
- *S. dependens, Ortega. Chili."

 Duvaua dependens, DC.; Bot. Reg. t. 1573.

 Var. ovata.

Coriariaceae.

- Coriaria japonica, A. Gray; Bot. Mag. t. 7509. Japan.
- C. myrtifolia, L.; Wats. Dendr. Brit. ii. t. 103. Mediterranean Region. "Redoul."
- C. nepalensis, Wall. Himalaya.
- C. terminalis, Hemsl. Hook. Icon. Plant. t. 2220. Western China and Himalaya.
 - C. nepalensis, Hort. (not Wall.)

Leguminosae.

*Anagyris foetida, L.; Revue Horticole 1869, 290. Mediterranean Region.

12159 F



*Piptanthus nepalensis, Sweet British Flower Garden t. 264. Temperate Himalaya.

Anagyris indica, Lindl.

A. nepalensis, Graham.

Baptisia nepalensis, Hook. Exot. Flora t. 131.

Thermopsis laburnifolia, G. Don.

T. nepaulensis, DC.

Lupinus arboreus, L.; Bot. Mag. t. 682. California. "Tree Lupin."

L. macrocarpus, Hook. & Arn.

L. rivularis, Agardh.

L. sericeus, Eschsch.

*Adenocarpus decorticans, Baiss.; Gard. Chron. 1886, xxv. 725, f. 160. Spain.

Laburnum Adami, Lavall. (L. vulgare × Cytisus purpureus). "Purple Laburnum."

Cytisus Adami, Poit.

C. Laburnum var. purpureus, Hort.; Bot. Reg. t. 1965. Laburnum vulgare flore rubro, Hort.

L. vulgare purpurascens, Hort.

L. alpinum, J. S. Presl. Europe. "Seo'ch Laburnum." Cytisus alpinus, Mill.

Var. autumnalis, Hort.

Var. biferum, Hort.

L. biflorum, Hort.

L. chrysophyllum, Hort.

Var. fragrans, Hort. (not Griseb.).

Var. grandiflorum, Hort.

Var. hirsutum, Hort.

Var. pilosum, Wettst.

12159



L. caramanicum, Benth. & Hook. f. Asia Minor.
 Cytisus caramanicus, Lavall.
 Podocytisus caramanicus, Boiss.

L. Parksii, Hort. (alpinum × vulgare).

L. Vossii, Hort. Garden Origin.

L. vulgare, J. S. Presl. Europe. "Laburnum."L. anagyroides, Medic.Cytisus Laburnum, L.

Var. Alschingeri, Briq.
Cytisus Alschingeri, Vis.

Var. Carlieri, Hort.
Cytisus Carlieri, Hort.

Var. foliis aureis.

Var. intermedium, Hort.

Var. involutum, Hort.

L. vulgare monstrosum, Hort.

L. vulgare bullatum, Hort.

Var. jacquinianum, Beck.
L. tarquinianum, Hort.

Var. linnaeanum.

L. vulgare var. typicum, Beck. Cytisus Laburnum subsp-linnaeanum, Wellst.

Var. monstrosum cristatum, Hort.

Var. pendulum, Hort.
L. vulgare pendulum elegans, Hort.

Var. quercifolium, Hort.

Var. semperflorens, Hort.

Var. sessilifolium, Hort.



L. Watereri, Hort. (alpinum × vulgare.)
Cytisus Watereri, Wettst.

Petteria ramentacea, Presl. Eastern Europe.

Cytisus fragrans, Weld.

C. ramentaceus, Sieb.

C. Weldeni, Vis.; Bot. Reg. xxxix. t. 40.

Laburnum Weldeni, Lavallée.

L. fragrans, Griseb.

Genista aethnensis, DC.; Moris Flora Sardoa t. 28. Sicily, &c.

Dendrospartum aetnense, Spach.

Spartium aetnense, Biv.; Bot. Mag. t. 2674.

S. trispermum, Smith.

G. anglica, L.: Engl. Bot. ed. 3, t. 326. Europe. "Needle Furze, Petty Whin."

G. brutia, Tenore.

G. minor, Lam.

G. aspalathoides, Lam.; Moris Flora Sardoa tt. 29, 30. South-western Europe.

Spartium erinaceoides, Loisel.

S. aspalathoides, Desf.

3. cinerea, DC.: Reichb. Ic. Flor. Germ. t. 2092. Southwestern Europe.

G. ramosissima, Boiss. (not Poir.).

Spartium cinereum, Vill.

S. sphaerocarpum, Lapeyr.

1. ferox, Poir. North Africa.

L. germanica, L.; Flora Danica xi. t. 1826. Europe. Scorpius spinosus, Moench.



G. hispanica, L.; Rev. Hort. 1888, 36. South west Europe. "Spanish Gorse."

G. villosa, Lam.

Spartium hispanicum, Spreng.

Ulex nanus, Hort. (not Forst.).

U. pyramidalis, Hort.

G. horrida, D''. Southern France, Spain.

G. lusitanica, Desf.

Cytisus tragacanthaeformis, Pourr.

Spartium horridum, Vahl.

Var. erinacea. Near Lyons.

G. erinacea, Gilib.

G. lugdunensis, Jord.

G. pilosa, L.; Engl. Bot. ed. 3, t. 327. Europe.

G. radiata, Scop.: Reichb. Ic. Flor. Germ. t. 2083. Central and Southern Europe.

G. hispanica, Hort. (not L.).

G. holopetala, Reichb.

Cytisus radiatus, Kit.

Spartium radiatum, L.

G. sagittalis, L.; Reichb. Ic. Flor. Germ. t. 2081. Europe.

G. herbacea, Lam.

Cytisus sagittalis, Kit.

Spartium sagittale, Roth.

G. tinctoria, L.; Engl. Bot. ed. 3, t. 328. Europe, &c. "Dyers' Greenweed."

G. fragrans, Hort. (not Spach.)

Carniola tinctoria, Presl.

Spartium tinctorium, Roth.



G. tinctoria-cont.

Var. elatior.

- G. anxantica, Griseb.
- G. dumetorum, Hort.
- G. elata, Wender.
- G. elatior, Koch.
- G. frutescens, Hort.
- G. italica, Hort.
- G. marginata, Bess.
- G. multibracteata, Hort.
- G. ovata, Hort.
- G. polygalaefolia, Hort.
- G. pubescens, Lang.
- G. sibirica, Reichb.
- G. thyrsiflora, Hort.
- G. virgata, Hoppe (not DC.).

Var. flore pleno.

Var. mantica.

G. mantica, Pollini.

G. virgata, DC.; Bot. Reg. xxx. t. 11. Madeira.

- G. cinerea, Hort. (not DC.).
- G. elata, Hort. (not Wender.).
- G. gracilis, Poir.
- Cytisus tener, Jacq.

Spartium virgatum, Ait.

Spartium junceum, L.; Bot. Mag. t. 85. South Europe. "Yellow Spanish Broom."

Genista juncea, Lam.

Spartianthus junceus, Link.

Var. flore pleno.



Erinacea pungens, Boiss.; Bot. Mag. t. 676. Eastern Pyrenees, North-west Africa.

E. Ervillei, Hort.

Ulex europaeus, L.; Engl. Bot. ed. 3, t. 323. Europe. "Furze, Whin, Gorse."

Var. flore pleno.

Var. strictus (Mackay).

- U. Gallii, Planch.; Engl. Bot. ed. 3, t. 324. Western Europe.
- U. nanus, Forst.; Engl. Bot. ed. 3, t. 325. Western Europe.
 U. europaeus nanus, Hort.
- *U. parviflorus, Pourr. Reichb. Icon. Fl. Germ. t. 2068. South France, Spain, &c.
- *U. welwitschianus, Planch. South-west Europe.
- Cytisus albus, L. Spain and Portugal. "White Spanish Broom."

C. multiflorus albus, Hort.

Genista multiflora, Loisel.

Sarothamnus albus, Presl.

S. parviflorus, Willk.

Spartium album, Desf.

S. multiflorum, L'Hérit.; Lodd. Bot. Cab. t. 1052.

Var. incarnatus, Hort. Kew.

- C. Ardoini, Fourn.; Moggr. Flora of Mentone t. 58. Maritime Alps.
- C. austriacus, L.; Jacq. Fl. Austr. i. t. 21. Eastern Europe. C. banaticus, Griseb.

C. serotinus, Hort. (not Kit.).

C. Beanii, Nichols. (Ardoini x biflorus). Garden Origin.



- C. biflorus, L'Hérit.; Bot. Reg. t. 308. Eastern Europe.
 - C. canariensis, Hort.
 - C. caucasicus, Hort.
 - C. elongatus, Waldst. & Kit.
 - C. leucanthus, Hort. (not Waldst. & Kit.).
 - C. medicaginoides, Hort.
 - C. polytrichus, Hort.
 - C. ratisbonensis, Schaeff.
 - C. ruthenicus, Fisch.
 - C. serotinus, Kit.
 - C. supinus, Hort. (not Jacquin).
 - C. uralensis, Hort.
- C. capitatus, Jacq.; Lodd. Bot. Cab. t. 497. Europe.
 - C. calycinus, Hort.
 - C. nigricans nanus, Hort.
- C. ciliatus, Wahlenh. Eastern Europe.
 - C. hirsutus subsp. ciliatus, Briquet.
- C. decumbens, Walp. Europe.

Genista Halleri, Reyn.

- G. prostrata, Lam.
- C. glabrescens, Sartor. South Switzerland, North Italy.
- C. hirsutus, L.; Bot. Mag. t. 6819. South Europe and Asia Minor.
 - C. falcatus, Waldst. & Kit.
 - C. leucotrichus, Schur.
 - C. polytrichus, Hort.
 - C. tournefortianus, Loisel.
 - C. triflorus, Lam. (not L'Hérit.).
 - C. uralensis, Hort. (in part).
 - Var. hirsutissimus.
 - C. hirsutissimus, C. Koch.



- C. kewensis, Bean. (Ardoini x albus). Garden origin.
- C. leucanthus, Waldst. &. Kit.; Bot. Mag. t. 1438. Balkans.
 - C. albus, Hacquet (not L.).
 - C. frivaldskyanus, Degen.
 - C. schipkaensis, Dieck.
- *C. linifolius, Lam. South-west Europe.

Genista linifolia, L.

Spartium linifolium, Desf.

Teline linifolia, Webb.

C. monspessulanus, L.; Reich. Ic. Fl. Germ. t. 2079. Mediterranean region.

Genista candicans, L.

- G. triangularis, Hort. (not Willd.).
- G. triquetra, Hort. (not Ait.).

Teline candicans, Webb.

C. nigricans, L.; Bot. Reg. t. 802. Europe.

Lembotropis nigricans, Griseb.

- C. Carlieri, Hort.
- C. elongatus, Hort. (not Waldst. & Kit.).
- C. longispicatus, Hort.
- C. reflexus, Hort.
- C. praecox, Hort. (purgans x albus). Garden origin.
- C. purgans, Boiss.; Deutsche Garten-Zeitung 1886, 447. South-west Europe.

Genista daurica, Hort.

G. purgans, L.

G. spartioides, Hort.

Sarothamnus purgans, Gren. & Godr.

Spartium purgans, L.

Spartocytisus purgans, Webb.

C. purpureus, Scop.; Bot. Mag. t. 1176 Eastern Europe.



C. scoparius, Link. Europe. "Common Broom."

Genista scoparia, Lam.

Sarothamnus scoparius, Koch; Eng. Bot. ed. 3, t. 329.

S. vulgaris, Wimm.

Spartium scoparium, L.

Var. andréanus.

Genista andréana, Revue Horticole 1886, 572.

Var. flore pleno.

Var. foliis variegatis.

Var. pendulus.

C. grandiflorus, *Hort.* (not *DC.*). Genista grandiflora, *Hort.*

Var. sulphureus.

C. sessilifolius, L.; Bot. Mag. t. 255. South Europe.
Cytisus quinquefolius, Hort.
Lembotropis sessilifolius, Griseb.

- C. versicolor, Dippel (purpureus × hirsutus). Garden origin.
 - C. purpureus incarnatus, Hort.
 - C. elongatus, Hort. (in part).
 - C. erectus, Hort.
- Ononis aragonensis, Asso; Engl. & Drude, Vegetation der Erde i. 187, f. Pyrenees.
- O. fruticosa, L.; Bot. Mag. t. 317. South Europe.
- **0.** Natrix, L.; Bot. Mag. t. 329. Europe.
- O. rotundifolius, L.; Bot. Mag. t. 335. South Europe.
- Dorycnium suffruticosum, Vill.; Jordan Observat. iii. t. 4. South Europe.



- *Medicago arborea, L.; Lodd. Bot. Cab. t. 1379. South Europe.
- *Anthyllis Hermanniae, L.; Bot. Mag. t. 2576. South Europe.

Cytisus graecus, L.

*Psoralea glandulosa, L.; Bot. Mag. t. 990. Chili.

Amorpha californica, Nutt. California.

A. canescens, Nutt.; Bot. Mag. t. 6618. United States. "Lead Plant, Shoe-strings."

A. fruticosa, L.; Bot. Reg. t. 127. South United States. "False Indigo.

A. canescens, Hort.

A. caroliniana, Hort.

A. coerulea, Hort.

A. crocea, Hort.

A. dealbata, Hort.

A. elatior, Hort.

A. emarginata, Hort.

A. fragrans, Hort.

A. Gardneri, Hort.

A. glabra, Hort.

A. Lewisii, Hort.

A. ludoviciana, Hort.

A. marginata, Hort.

A. pubescens, Hort.

A. tenesseensis, Hort.

A. tomentosa, Hort.

A. nana, Nutt. North America.

A. microphylla, Pursh.



A. virgata, Small Bull. Torrey Bot. Club. xxi. (1894) 17 t. 171. Georgia.

Indigofera bungeana, Walp. China.

I. decora, Lindl.; Bot. Mag. t. 5063. China and Japan.
I. floribunda alba, Hort.

I. gerardiana, Wall. Himalaya.

I. atropurpurea, Hort.

I. coronillaefolia, Hort.

I. Dosua, Bot. Reg. xxviii. 1. 57. (not Hamilt.).

I. floribunda, Hort.

I. heterantha, Wall. (in part).

I. hebepetala, Benth. Himalaya.

Wistaria brachybotrys, Sieh. & Zucc. Fl. Jap. t. 45 Japan.

W. chinensis, DC. China.

W. polystachya, C. Koch.

Glycine chinensis, Sims Bot. Mag. t. 2083.

Var. flore albo.

Var. flore pleno. Gard. Chron. 1901 xxix., 403, f. 151.

Var. foliis variegatis.

W. frutescens, DC. United States.

Glycine frutescens, L.; Bot. Mag. t. 2103.

Var. flore albo.

Var. magnifica. Flore des Serres ix. t. 1151.

W. japonica, Sieb. & Zucc. Fl. Jap. t. 43. Japan. Milletia japonica, A. Gray.



W. multijuga, Van Houtte Flore des Serres t. 2002. China.
W. grandiflora, Hort.

Var. flore albo.

Robinia hispida, L.; Bot. Mag. t. 311. South United States. "Rose Acacia."

R. montana, Bartr.

R. rosea, Marsh.

Var. inermis, Carr.

R. complexa, Hort.

R. hispida rosea, Hort.

R. macrophylla, Hort.

R. neomexicana, A. Gray; Bot. Mag. t. 7726. Rocky Mountains.

Var. luxurians, Dieck.

R. Pseudacacia, L.; Loud. Arbor ii. 609, tt. 83-86. Eastern United States. "Locust, Acacia."

Var. amorphifolia.

Var. angustifolia.

R. angustifolia elegans, Hort.

R. microphylla, Hort.

R. myrtifolia, Hort.

R. umbraculifera angustifolia, Hort.

Var. aurea.

Var. bella-rosea.

Var. bessoniana.

Var. bessoniana latifolia.

Var. coluteoides.

Var. crispa.

R. Pseudacacia insignis, Hort.



R Pseudacacia-cont.

Var. decaisneana, Carr. Rev. Hort. 1863, 151, cum. ic.

Var. decaisneana flore rubro.

Var. dubia.

Var. elegans.

Var. fabreana.

Var. fastigiata.

pyramidalis.

stricta.

Var. gigantea.

Var. heterophylla.

Var. inermis.

Var. inermis latifolia.

Var. inermis variegata.

Var. linearis.

Var. mimosaefolia.

Var. monophylla. unifoliolata.

Var. monophylla fastigiata.

Var. monopnylla pendula.

Var. pendula.

Var. pendulifolia purpurea.

Var. Rehderi.

Var. revoluta.

Var. robusta Vignei.

R. elegans, Hort.

R. microphylla, Hort.



R. Pseudacacia -cont.

Var. rosynskiana.

Var. semperflorens.

Var. tortuosa.

Var. ulriciana.

Var. variegata.

- R. viscosa, Vent. South United States. "Clammy Locust." R. glutinosa, Curt. Bot. Mag. t. 560.
- Carmichaelia australis, R. Br. New Zealand. "Makaka." Notospartium nanum, Hort.
- *C. Enysii, T. Kirk. Trans. N. Z. Inst. xvi. t. 30. New Zealand.
- C. flagelliformis, Colenso. New Zealand.
- Notospartium Carmichaeliae, Hook. f. Bot. Mag. t. 6741. New Zealand.
- Sphaerophysa Salsula, DC. N. Asia, &c. Colutea caspica, Bieb.
- Colutea arborescens, L.; Bot. Mag. t. 81 Mediterranean region. "Bladder Senna."
 - C. aurantiaca, Hort.
 - C. arborescens flore luteo, Hort.
 - C. crocea, Hort.

Var. crispa.

C. cilicia, Boiss. Asia Minor.

Var. bullata.



C. cruenta, Ait. Orient.

C. arborescens flore rubro, Hort.

C. brevialata, Hort.

C. orientalis, Lam.

C. purpurea, Hort.

C sanguinea, Pall.

C. istria, Mill. Asia Minor

C. halepica, Lam.

C. microphylla, Delile.

C. Pocockii, Ait.

C. procumbens, L'Hérit.

C. longialata, Kochne. Asia Minor.

C. melanocalyx, *Hort*. (not *Boiss.*) Gard. Chron. 1894. xvi. 155, f.

C. persica, Boiss. Persia.

Halimodendron argenteum, DC. Siberia, &c. "Salt Tree." Caragana argentea, Lam.

Robinia Halodendron, L Hérit.; Bot. Mag. t. 1016.

Var. flore purpureo.

Caragana arborescens, Lam. Siberia, &c.

Caragana inermis, Moench.

C. japonica, Hort.

C. macracantha. Hort.

C. mongolica, Hort.

C. vulgaris, Hort.

Robinia Caragana, L.

Var. nana, Hort.

Var. pendula.

Var. pulverulenta, Hort.

Var. Redowskii (DC.).



G

C. aurantiaca, Koehne. Central Asia.

C. arenaria, Dippel.

Var. erecta.

C. brevispina, Royle. Himalaya.

C. triflora, Lindl. & Paxt. Flower Garden ii. f. 212.

C. Chamlagu, Lam. China and Japan.

C. chinensis, Turcz.

Robinia Chamlagu, L'Hérit.

R. chinensis, Pers.

C. cuneifolia, Dippel. Central Asia.?

C. Redowskii, Hort. (not DC.).

Robinia Caragana var. arenaria, Bot. Mag. t. 1886.

C. frutescens, DC.; Sweet Brit. Flower Garden t. 227. South Russia to Japan.

C. cuneata, Moench.

C. digitata, Lam.

C. Frutex, C. Koch.

C. pygmaea, Hort. (not DC.).

C. rosea, Turcz.

Robinia frutescens, L.

R. sinensis. Hort.

Var. angustifolia.

Var. grandiflora.


Var. mollis.

Var. pendula.

Var. sylvatica.

C. jubata, Poir.; Gartenflora 1861, t. 331. Siberia.

12159



C. microphylla, Lam. Altai and Dahuria eastward.

C. Altagana, Poir.

C. arborescens arenaria, Hort.

Robinia Altagana, Pall.

R. glomerata, Hort.

C. pygmaea, DC.; Bot. Reg. t. 1021. Caucasus to Himalaya.

C. arborescens gracilis, Hort.

C. gracilis, Hort.

C. spinosa, DC. Siberia.

C. spinosissima, C. Koch.

Robinia ferox, Pall.

R. spinosa, L.

C. tragacanthoides, Poir. Siberia.

Calophaca wolgarica, Fisch.; Watson Dendr. Brit. ii. t. 83.
South Russia.

C. nepalensis, Hort.

Colutea wolgarica, Lam.

Astragalus Echinus. DC. Astrag. 197, t. 34. Syria.

A. Tragacantha, L.: Watson Dendr. Brit. ii. t. 84. Asia Minor.

Coronilla emeroides. Baiss.: Reich. Ic. Flor. Germ. t. 2238. South-east Europe, &c.

C. Emerus, L.: Bot. Mag. t. 445. Europe, &c. "Scorpion Senna."

C. pauciflorus, Lam.

C. juncea, L.; Bot. Reg. t. 820. South Europe.

Hedysarum multijugum, Maxim.; Gartenflora t. 1122. Southern Mongolia.

12159 G 2



Desmodium bracteosum, DC. North America "Ticktrefoil, Tick-seed."

D. cuspidatum, Hook.

Meibomia bracteosa, O. Kuntze; Britton & Brown Illustr. Flora ii. 317, f.

D. canescens, DC. North America.

Meibomia canescens, O. Kuntze; Britton & Brown Illustr. Flora ii. 317, f.

D. ciliare, DC. North America.

Meibomia obtusa, Vail; Britton & Brown Illustr. Flora ii. 321, f.

D. marylandicum, Boott. North America.

Meibomia marylandica, O. Kuntze; Britton & Brown Illustr, Flora ii. 320, f.

D. paniculatum, DC. North America.

Meibomia paniculata, O. Kuntze; Britton & Brown Illustr. Flora ii. 318, f.

D. tiliaefolium, G. Don. Himalaya.

D. viridiflorum, Beck. United States.

Meibomia viridiflora, O. Kuntze; Britton & Brown Illustr. Flora ii. 319, f.

Lespedeza bicolor, Turcz.; Garden and Forest 1892, 114, f. 18. China and Japan.

Var. intermedia.

L. Buergeri, Miq. Japan.

L. capitata, Mich.c.; Britton & Brown Illustr. Flora ii. 324, f. "Round-headed Bush Clover."

Hedysarum frutescens, Willd.

L. cyrotobotrya, Mig. Japan.



- L. gerardiana, R. Grah. Himalaya.
- L. juncea, Pers. Himalaya, &c.
- L. macrocarpa, Bunge. China.
- L. Sieboldi, Miq.: Garden and Forest 1892, 115, f. 19. North China and Japan.
 - L bicolor, Hook. f.; Bot. Mag. t. 6602.
 - L. bicolor var. Sieboldi, Maxim.

Desmodium japonicum, Hort. (not Miq.).

D. penduliflorum, Oudem. Gard. Chron. 1883, xx. 749.

D. racemosum, Sieb. & Zucc.

L. violacea, Pers.; Britton & Brown Illustr. Flora ii. 322, f. "Bush Clover."

Cladrastis amurensis, Benth.; Bot. Mag. t. 6551. Amurland.

Maackia amurensis, Rupr.

Var. Buergeri, Hort.

C. tinctoria, Ratin. United States. "Yellow Wood."

C. lutea, C. Koch; Sargent Silva of North America tt. 119, 120.

Virgilia lutea, Michx.

Sophora japonica, L.; Andrews Bot. Repos. ix. t. 385. China.

S. sinica, Hort.

Styphnolobium japonicum, Schott.

Var. pendula.

Var. variegata.

S. Korolkowi, Hort. China.



- S. macrocarpa, Sm.; Lodd. Bot. Cab. t. 1125. Chili. Edwarsia chilensis, Miers.
- **S.** pachycarpa, Schrenk. Central Asia. Goebelia pachycarpa, Bunge.
- *S. secundiflora, Lag.; Rev. Hort. 1854, 201, t. 11. Mexico.
- S. tetraptera, Ait.; Bot. Mag. t. 167. New Zealand. "Houma."

Edwardsia grandiflora, Salish.

Var. microphylla, Hook. f.

Sophora microphylla, Ait.

Edwardsia microphylla, Salish.

E. macnabiana, R. Grah. Bot. Mag. t. 3735.

- S. viciifolia, Hance. China.
- S. violacea, Hort. (not Thwaites). China
- Platyosprion platycarpum, Maxim. Japan.

Sophora platycarpa, Maxim.

Styphnolobium platycarpum, Hort.

Caesalpinia japonica, Sieb. & Zucc.; Gard. Chron. 1888, iv. 513, f. 73. Japan.

C. crista, Thunh.

C. sepiaria, Miy.

Gymnocladus canadensis, Lam.; Loud. Encycl. of Trees and Shrubs 256, f. 418. North America. "Kentucky Coffee Tree."

G. dioicus, C. Koch; Sargent Silva of North & merica tt. 123, 124.

Hyperanthera dioica, Vahl.

Var. foliis variegatis.

*G. chinensis, Baill.; Hook. Ic. Pl. t. 1412. China.



- Gleditschia aquatica, Marsh.; Sargent Silva of North America tt. 127, 128. South United States. "Water Locust."
 - G. monosperma, Walt.
 - G. inermis, Miller.
- G. australis, Hemsl. Journ. Linn. Soc. xxiii. t. 5. South China.
 - G. sinensis, Hort. (not Lam.).
- G. Delavayi, Franch. Yunnan.
- G. japonica, Miq.; Sargent Forest Flora of Japan t. 11. Japan.
- G. macracantha, Desf. China?
 G. Fontanesii, Spach.
- G. sinensis, Lam. China, &c.
 - G. ferox, Desf.
 - G. horrida, Willd.
 - G. macrantha, Hort.
 - G macrosperma, Hort.

Var. nana.

G. inermis. Hort.

Var. pendula.

- G. texana, Sargent. Texas.
- G. triacanthos, L.; Loud. Arb. et Frut. ii. 650, f. 90-1; Sargent Silva of North America tt. 125, 126. Eastern United States. "Honey Locust."
 - G. brachycarpa, Pursh.
 - G. Bujoti, Hort.
 - G. caspica, Hort. (not Desf.).
 - G. spinosa, Marsh.
 - Var. foliis variegatis.
 - G. Bujoti pendula.
 - G. excelsa pendula.



Cassia marylandica, L.; Bentl. & Trimen Medic. Pl. t. 88.
United States. "Wild or American Senna."

Cercis canadensis, L.; Loud. Arb. et Frut. ii. 659, f. 101-3; Sargent Silva of North America tt. 133, 134. North America. "Redbud."

Siliquastrum canadense, Moench.

Var. flore pleno.

Var. pubescens.

- C. chinensis, Bunge. China and Japan.C. japonica, Flore des Serres t. 849.
- C. occidentalis, A. Gray. California.
 C. californica, Torr.
- C. reniformis, S. Watson. Texas.C. texensis, Surgent Silva of North America t. 135.
- C. Siliquastrum, L.; Bot. Mag. 1138. Mediterranean region. "Judas Tree."

Var. alba.

Var. carnea.


*Albizzia Julibrissin, Durraz. Orient. "Pink Siris." Acacia Julibrissin, Willd. Mimosa Julibrissin, Forst.

Rosaceae.

† AMYGDALUS.

Prunus Amygdalus, Stokes; Bentl. & Trim. Med. Pl. t. 99. South Europe, Levant, &c.

Amygdalus communis, L. "Almond."



Prunus Amygdalus-cont.

Var. alba.

Var. amara, Stokes. "Bitter Almond." Amygdalus communis var. amara, DC. A. amara, Hayn.

Var. amara sylvestris.

Var. dulcis, Stokes. "Sweet Almond." Amygdalus communis var. dulcis, DC.

Var. macrocarpa, Nichols.

Amygdalus communis var. macrocarpa, Ser.

Var. pendula.

Var. pumila.

Var. persicoides, Nichols. ? Amygalus × Persica. Persica amygdaloides, Duham. Amygdalus communis var. persicoides, Ser.

- P. Andersoni, Greene. Western United States.
- P. davidiana, Franchet; Gard. Chron. 1892, xi. 529. f. China.

P. Persica var. davidiana, Dipp.

Persica davidiana, Carr. Rev. Hort. 1872, 75, f. 10.

Amygdalus davidiana, Dieck.

Armeniaca davidiana, Hort.

(The presumed source of the cultivated Peach.)

- P. eburnea, Aitch. & Hemsl. Persia, &c. Amygdalus eburnea, Spach.
- P. incana, Stev.; Bot. Reg. xxv. t. 58. Asia Minor, &c. Amygdalus incana, Pall.
 A. nana var. incana, Loud.

Cerasus incana, Boiss.



P. Jacquemontii, Hook. f.; Bot. Mag. t. 6976. Afghanistan, &c.

P. humilis, *Brandis* (not *Bunge*). Amygdalus humilis, *Edgew*.

P. nana, Stokes. South Russia, &c. "Russian Almond." Amygdalus nana, L.; Bot. Mag. t. 161.

Var. alba.

Var. georgica.

Var. gessleriana.

*P. orientalis, Walp. Orient.

Amygdalus argentea, Lam.

A. orientalis, Ait.; Lodd. Bot. Cab. t. 1137. Cerasus orientalis, Spach.

P. Persica, Stokes. China, &c. "Peach." Persica vulgaris, Mill.

Amygdalus Persica, L.

Var. camelliaeflora.

Var. Chrysanthemum.

Var. dianthiflora plena.

Var. flore albo pleno.

Amygdalus prunifolius flore albo, Hort.

Var. flore roseo pleno.

Amygdalus prunifolius flore pleno, Hort.

Var. foliis aureis.

Var. foliis rubris.

Persica atropurpurea, Hort.

Amygdalus Persica foliis rubris, Flore des Serres t. 1986.

Amygdalus atropurpurea, Hort.



P. Persica-cont.

Var. Hancei pendula.

Var. ispahanensis.

Amygdalus ispahanensis, Thouin.

A. nectarina, Ait.

Var. magnifica.

P Simonii, Carr.; Rev. Hort. 1872, 111 (coloured plate). China. "Apricot Plum."

Persica Simoni, Lavallée.

Amygdalus Simonii, Dieck.

†† ARMENIACA.

- P. Armeniaca, L. Northern China, &c. "Apricot." Armeniaca vulgaris, Lam.
- P. brigantiaca, Vill. South-east France. "Briançon Apricot."

P. armeniaca var. brigantiaca, Dippel.

P. brigantina, Nyman.

Armeniaca brigantiaca, Pers.

P. dasycarpa, Ehrh.; Bot. Reg. t. 1243. ? Garden Hybrid. "Black Apricot."

P. Armeniaca var. dasycarpa, C. Koch.

Armeniaca atropurpurea, Loisel.

A. dasycarpa, Pers.

A. fusca, Turp. & Poit.

P. Mume, Sieb. & Zucc. Fl. Jap. i. 29, t. 11. Japan. "Mume, Japanese Apricot."

P. Myrobalana fl. roseis, Hort. gall.

Armeniaca Mume, De Vriese.

Var. flore pleno.

Var. pendula.



P. sibirica, L.: Lodd. Bot. Cab. t. 1627. Mongolia.

P. Armeniaca var. sibirica, C. Koch.

Armeniaca sibirica, Pers.

P. tomentosa, Thunb.: Sieb. & Zucc. Fl. Jap. i. 51, t. 22. China and Japan.

P. trichocarpa, Bunge.

Armeniaca tomentosa, Hort.

P. triloba, Lindl.: Flore des Serres t. 1532. China.

Amygdalopsis Lindleyi, Carr.

Armeniaca triloba, Hort.

Prunopsis Lindleyi, Andri.

Var. Petzoldii, Nichols.

P. Petzoldi, C. Kach. Deutsche Garten Zeitung 1886, 257.

P. virgata, Hort.

Amygdalopsis virgata, Hort.

Amygdalus chinensis, Hort.

Armeniaca Petzoldii, Hort.

ttt PRUNUS.

- P. alleghaniensis, Porter; Sargent Silva of North America t. 153. South United States. "Allegheny Plum."
- P. americana, Marsh; Sargent Silva of North America t. 150. North America. "Wild Yellow or Red Plum."

P. texana, Scheele

Var. salicifolia.

P. angustifolia, Marshall: Sargent Silva of North America t. 152. South-eastern United States. "Chickasaw Plum, Mountain Cherry."

P. Chicasa, Michr.

Cerasus Chicasa, Ser.



- P. baldschuanica, Regel. Bokhara.
- P. cerasifera, Ehrh.; Bot. Mag. t. 5934. ? Caucasus. "Myrobalan, Cherry Plum."
 - P. domestica var. Myrobalan, L.
 - P. mirobalana, Loisel.

Cerasus myrobalanos, Hort.

Var. angustifolia pendula, Dieck.

Var. atropurpurea, Dieck. Persia.

P. Pissardi, Carr. Rev. Hort. 1881, 190 (coloured plate).

- P. Cocumilio, Tenore Flora Napolit. t. 144. South Italy.
- P. communis, Hudson. Origin uncertain. "Wild Plum." P. domestica, L.; Eng. Bot. ed. 3, t. 410.

Var. claudiana.

P. claudiana, Poir.

Var. juliana. "Prunier de St. Julien." P. domestica var. juliana, DC.

Var. juliana pendula.

Var. pruneauliana. "Quetsche."

P. domestica var. pruneauliana, DC.

P. oeconomica, Borkh.

P. pyramidalis, DC.

Sub-var. flore pleno.

P. oeconomica flore pleno.

- P. divaricata, Ledeb.; Bot. Mag. t. 6519. Caucasus. P. cerasifera var. divaricata, Bailey.
- P. hortulana, Bailey; Sargent Silva of North America t. 151. North America. "Wild Goose Plum."



- P. insititia, L.: Eng. Bot. ed. 3, t. 409. Europe, Orient. "Bullace."
- P. italica, Borkh. var. flore pleno. Origin uncertain. Polypetalia speciosa, Hort.
- P. maritima, Wangenh.; Britt. & Br. Illustr. Flora ii. 249, f. East United States. "Beach Plum."
 P. acuminata, Michx. (not Hook. f.).

Var. fructu luteo.

- P. monticola, C. Koch. Asia Minor.
- P. nigra, Ait.; Sargent Silva of North America t. 149. North America, &c. "Canada Plum, Red Plum."
- P. orthosepala, Koehne. Texas.
- P. plantierensis, Hort. ? A cultivated form of P. cerasifera.
- P. spinosa, L.; Eng. Bot. ed. 3, t. 408. Europe, North Asia. "Sloe, Blackthorn."
 P. fruticans, Weihe.

Var. flore pleno.

- P. tarda, Surgent. Eastern Texas.
- P. triflora, Roxb. China, &c. "Japanese Plum." P. japonica, Hort. (not Thunb.).
- P. Watsoni, Surgent Garden and Forest 1894, 134 f. 25.
 Nebraska to Arkansas. "Sand Plum."
 P. angustifolia var. Watsoni, Waugh.

tttt CERASUS.

P. acida, Borkh. Europe.Cerasus acida, Dum.C. caproniana, DC.



P. acida-cont.

Var dumosa.

Var. flore pleno foliis variegatis.

Var. humilis, Hort.

Cerasus caproniana humilis, Hort.

Var. Marasca.

Var. salicifolia.

Var. semperflorens. "All Saints' Cherry."

P. semperflorens, Ehrh.

Cerasus semperflorens, DC.

C. vulgaris var. semperflorens, Loud. Encycl. 281, f. 449.

Var. umbraculifera.

P. Avium, L.; Eng. Bot. ed. 3, t. 411. Europe, &c. "Gean, Mazzard."

Cerasus Avium, Moench.

C. domestica, Hort.

C. dulcis, Guertn.

C. nigra, Mill.

C. sylvestris, Loud.

Var. asplenifolia.

Var. decumana.

C. macrophylla, Hort.

C. nicotianaefolia. Belgique Horticole 1866, 65, pl. 5, 6.

Var. flore pleno.

Prunus Avium multiplex, Hort.

Cerasus domestica flore pleno, Hort.

Var. juliana.

C. juliana, DC.



P. Avium-cont.

Var. laciniata.

C. vulgaris laciniata, Hort.

Var. nana.

Var. pendula.

C. latifolia pendula, Hort.

Var praemorsa.

P. Besseyi, Bailey; Britton & Brown Illustr. Flora ii. 251, f. North-western United States. "Sand Cherry."

P. pumila var. Besseyi, Waugh.

.P. Cerasus, L.; Eng. Bot. ed. 3, t. 412. Europe, &c. "Wild or Dwarf Cherry, Morello Cherry."

P. acida, Ehrh.

P. austera, Ehrh.

Cerasus acida, Mill.

C. vulgaris, Mill.

Var. persiciflora.

Cerasus vulgaris var. persiciflora, Loud.

Var. Rhexii flore pleno. Garten Zeitung 1886, 224, f. 53-4.

C. caproniana multiplex, Hort.

C. caproniana ranunculiflora, Hort. Flore des Serres t. 1805.

C. ranunculiflora, Hort.

P. Chamaecerasus, Jurq. Icon. Plant. Rar. t. 90. Europe. "Ground Cherry."


P. fruticosa, Pall. Flora Rossica i. t. 19; Revue Hortic. 1902, 88, t.

P. intermedia, Poir.

Cerasus Chamaecerasus, Loisel.

C. fruticans, Hort.

C. intermedia, Loisel.



P. Chamaecerasus-cont.

C. pumila, Pall.

C. sibirica, Hort.

Chamaecerasus fruticosa. Pers.

Var. pendula.

C. japonica pendula, Hort.

C. myrtifolia pendula, Hort.

C. pennsylvanica pendula, Hort.

Var. reflexa, Hort. ? Chamaecerasus × semperflorens.

Var. variegata.

P. sinensis variegata, Hort.

P. fenzliana, Fritsch. Caucasus.

P. humilis, Bunge. China.

P. japonica, Carr. Rev. Hort. 1873, 457, f. 41 (not Thunb.).

P. Bungei, Walp.

P. japonica, Thunb.; Sieb. & Zucc. Fl. Jap. i. 172, t. 90. China and Japan.

P. chinensis, Blume.

P. sinensis, Pers.

Cerasus glandulosa, Loisel.

C. japonica, Loisel.

Var. flore albo pleno, Sieb. & Zucc. Fl. Jap. i. 172, t. 90, f. iii.

Var. flore roseo pleno.

Amygdalus pumila, Sims Bot. Mag. t. 2176.

P. Maximowiczii, Rupr.; Garden and Forest 1893, 195, f. 31. Japan.

P. microcarpa, C. A. Mey. Persia, &c.

P. miqueliana, Maxim.; Garden and Forest 1888, 196, f. 37. Japan.

Cerasus herincquiana, Lavallée Arb. Segrez. t. xxxv.



P. pendula, Maxim.; Garden and Forest 196, f. 36. Japan. "Rose-bud Cherry."

Cerasus Itosakura, Sieb.

C. japonica rosea, Hort.

C. pendula rosea, Hort.

C. subhirtella, Miq. (in part.)

P. pensylvanica, L. f.: Sargent Silva of North America t. 156. North America. "Wild Red Cherry."

P. borealis, Poir.; Lodd. Bot. Cab. t. 1596.

P. lanceolata, Willd.

Cerasus borealis, Michx.

C. pensylvanica, Loisel.

P. prostrata, Labill.; Sibth. & Sm. Fl. Graeca t. 478. Orient.

Cerasus prostrata, Spach.

P. Pseudo-cerasus, Lindl.; Gard. Chron. 1890, vii. 609, f. 99. China and Japan.

P. paniculata, Ker. Bot. Reg. t. 800.

Cerasus caproniana flore roseo pleno.

C. lannesiana, Carr.

C. Pseudo-cerasus, Loud.

C. Sieboldi rubra, Hort.

C. Watereri, Hort.

Var. flore luteo pleno. Gard. Chron. 1896, xix. 516, f. 79.

P. Puddum, Roxb. Himalaya.

P. pumila, L.: Britt, & Br. Illustr. Flora ii. 250, f. North America. "Sand Cherry."

P. depressa, Pursh; Lodd. Bot. Cab. t. 1607.

P. prostrata, Hort. (not Labill.).

P. Susquehana, Willd.

Cerasus depressa, Ser.

C. glauca, Moench.

C. pumila, Michx.

C. Susquehana, Eut. & Wright.

12159



P. serrulata, Lindl. China and Japan.

P. serratifolia rosea plena, Hort.

Cerasus serrulata, G. Don.; Nichols. Dictionary of Gardening f.

C. carnea plena, Hort.

C. hortensis flore roseo pleno, Hort.

C. juliana rosea, Hort.

C. Sieboldi, Carr.

C. sinensis nova, Hort.

P. subhirtella, Miq.; Bot. Mag. t. 7508. Japan.

P. tortuosa, Dieck. Asia Minor, &c. Cerasus tortuosa, Boiss. & Heldr.

ttttt Padus.

P. cornuta, Royle. Himalaya,

Cerasus cornuta, Wall.

Padus cornuta, Carr. Rev. Hort. 1869, f. 61.

P. Cuthbertii, Small. Central Georgia.

P. demissa, Walp.; Britt. & Br. Illustr. Flora ii. 252, f. United States.

P. virginiana var. demissa, Torr.

Cerasus demissa, Nutt.

Padus demissa, Roem.

P. emarginata, Walp.; Sargent Silva of North America t. 157. Western United States.

P. pattoniana, Hort.

Cerasus pattoniana, Carr., Rev. Hort. 1872, 135, f.

P. graeca, Desf. (Mahaleb × Avium). Europe.

P. cerasifolia, Hort.

Cerasus fontanesiana, Spach.

12159



P. grayana, Marim. Japan.

P. Padus var. japonica, A. Gray.

P. Maacki, Rupr. Mandshuria.

P. Mahaleb, L.; Jacq. Fl. Austr. iii. t. 227. Europe, &c "Bois de Ste. Lucie, St. Lucie Cherry."

P. cupaniana, Guss.

P. odorata, Lam.

Cerasus Mahaleb, Mill.

Padus Mahaleb, Borck.

Var. chrysocarpa.

Var. globosa.

Var. monstrosa.

Var. pendula.

Var. variegata.

P. Padus, L.; Eng. Bot. ed. 3, t. 413. Europe, Asia. "Bird-Cherry."

Cerasus Padus, DC.

Padus germanica, Borck.

P. racemosa, Lam.

Var. aucubaefolia, Hort.

Var. aurea.

Var. flore pleno.

Var. leucocarpa.

Var. pendula.

Var. pubescens.

Var. rotundifolia, Hort.

P. laucheana, Bolle.

Var. sibirica parviflora.

Var. stricta, Hort.



P. serotina, Ehrh.; Sargent Silva of North America t. 159. United States. "Rum Cherry, Wild Black Cherry."

P. cartilaginea, Lehm.

Padus cartilaginea, Roem.

P. serotina, Agardh.

Var. asplenifolia.

Var. pendula.

Padus serotina pendula, Hort.

Var. salicifolia, Koehne. Southern United States, Mexico, Peru. "Capollin."

P. Capuli, Cav.

P. copallina, Hort.

P. salicifolia, H. B. K.

Cerasus Capollin, DC.

C. Capuli, Ser.; Lavall. Arbor. Segrez. t. xxxiv.

Padus capulinos, Hort.

P. Ssiori, F. Schmidt. Sachalin.

P. virginiana, L.; Sargent Silva of North America t. 158. United States. "Choke Cherry."

P. rubra, Ait.

Padus oblonga, Moench.

P. serotina, Roem.

Cerasus micrantha, Spach.

C. virginiana, Loisel.

Var. asplenifolia.

Var. nana monstrosa, Hort.

††††† Laurocerasus.

*P. caroliniana, Ait.; Sargent Silva of North America t. 160. Southern United States. "Wild Orange, Mock Orange."



*P. caroliniana -- cont.

P. serratifolia, Marsh.

Cerasus caroliniana, Mich.c.; Loud. Arbor. ii. 720. f. 423.

Laurocerasus caroliniana. Roem.

Padus caroliniana, Hort.

*P. ilicifolia, Walp.: Sargent Silva of North America t. 162. Western United States. "Islay, Spanish Wild Cherry."

Cerasus ilicifolia, *Nutt.*; Paxt. Fl. Gard. iii. 44, f. 254. Laurocerasus ilicifolia, *Roem.*

*Var. integrifolia, Sudw.; Sargent Silva of North America t. 163. "Catalina Cherry."

P. occidentalis, *Hort.* (not Sw.).

P. Laurocerasus, L.; Bentl. & Trim. Med. Pl. t. 98. East Europe, Orient. "Cherry Laurel."

Cerasus Laurocerasus, Loisel.

Padus Laurocerasus, Mill.

Var. angustifolia.

Var. Bernhardti.

Var. camelliaefolia. magnoliaefolia.

Var. caucasica. Gard. Chron. 1889, v. 620, f.

Var. colchica. Gard. Chron. 1889, v. 620, f.

Var. compacta.

Var. foliis variegatis.

Var. latifolia.

Var. Otinii.

Var. parvifolia.

Hartogia capensis, Hort.



P. Laurocerasus-cont.

Var. pyramidalis.

Var. rotundifolia.

Var. salicifolia ...

Var. schipkaensis.

Var. serbica.

Var. versaillensis.

P. lusitanica, L. f. Spain and Portugal. "Portugal Laurel."

Cerasus lusitanica, Loisel,

Padus eglandulosa, Moench.

P. lusitanica, Borck.

Var. azorica.

Var. coriacea.

Var. myrtifolia.

Var. ormstoniensis.

Var. variegata.

Nuttallia cerasiformis, Torr. & Gray; Gard. Chron. 1883, xix. 309, f. 44. California. "Oso Berry." Prunus californica, Hort.

Spiraea acutifolia, Willd. Origin uncertain.

S. Aitchisoni, Hemsl.; Gard. Chron. 1900, xxviii. 254, f. 75. Afghanistan.

Sorbaria Aitchisoni, Hemsl.

- S. albiflora × pachystachys.
- 8. alpina, Pall. Fl. Rossica i. 35, t. 20. North-eastern



- S. arguta, Zubel. Garden origin.
 - S. multiflora alba, Hort.
- S. assimilis, Zabel. (betulifolia × pumila).
- 8. bella, Sims Bot. Mag. t. 2426. Temperate Himalaya.
 - S. amoena, Hort.
 - S. callosa indica, Hort.
 - S. Hookeri, Hort.
 - S. ovata, Hort.
- 8. betulifolia, Pall. Fl. Ross. i. t. 16. Northern Hemisphere.
 - S. betulifolia var. rosea.
 - S. chamaedrifolia var. betulifolia, Loud. Arb. et Frut. Brit. ii. 725.
 - S. splendens, Hort.
- S. blanda, Zabel. (cantoniensis x pubescens).
 - S. arctica, Hort.
- 8. Blumei, D. Don.; Belgique Horticole 1858, 129, t. China and Japan.
 - S. chamaedrifolia, Blume (not L.).
 - S. rupestris, Sieb.
- 8. brachybotrys, Lange (canescens × Douglasi). Garden Hybrid.
 - S. luxuriosa, Lavall.
 - S. pruinosa, Kirchn.
- S. bracteata, Zubel. Garten-Zeitung 1886, 21, f.; Bot. Mag. t. 7429. Japan.
 - S. nipponica, Maxim.
 - S. rotundifolia alba, Hort.
- 8. brumalis, Lange. Garden origin.
 - S. vaccinifolia, Hort. (not D. Don).



- S. bullata, Maxim. Gardener's Magazine, July 31,11886,
 - S. crispifolia, Hort.
- S. caespitosa, Nutt. Rocky Mountains. Petrophyton caespitosum, Rydb.
- S. cana, Waldst. & Kit. Eastern Europe.
 - S. hypericifolia, Hort. (not L.).
 - S. regeliana, Hort. (not C. Koch).
- S. canescens, D. Don. Himalaya.
 - S. argentea, Hort.
 - S. cuneata, Hort.
 - S. cuneifolia, Wall.
 - S. cuneifolia glauca, Hort.
 - S. dahurica, Hort.
 - S. decumbens, Hort. (not W. Koch).
 - S. flagellaris, Hort.
 - S. flagelliformis, Hort.
 - S. hypericifolia crenata, Hort.
 - S. indica, Hort.
 - S. lanata, Hort.
 - S. myrtifolia, Hort.
 - S. nepalensis, Hort.
 - S. nivea, Hort.
 - S. nutans, Royle.
 - S. ovalifolia, Hort.
 - S. rhamnifolia, Hort.
 - S. rhombifolia, Hort.
 - S. rotundifolia, Lindl
 - S. ruscifolia. Hort.
 - S. serrata, Hort.
 - S. serratifolia, Hort.
 - S. Standishi, Hort.
 - S. vaccinifolia, Hort. (in part).



- S. cantoniensis, Lour. China, Japan, and Himalaya.
 - S. corymbosa, Roxh.
 - S. japonica, Sieb. (not L. f.).
 - S. lanceolata, Poir.
 - S. reevesiana, Lindl. Bot. Reg. xxx. t. 10.

Var. flore pleno.

- S. Chamaedrifolia, L.; Bot. Reg. xv. t. 1222. Europe, &c.
 - S. ceanothifolia, Tausch.
 - S. rothomagensis, Hort.
 - S. ulmifolia, Scop.
 - Var. flexuosa, Maxim. South Siberia, &c. S. flexuosa, Fisch.

Var. Jakobsenii.

Var. subracemosa.

- 8. conferta, Zabel (cana × crenata). Garden origin. S. savranica, Hort.
- S. conspicua, Zubel. Garden hybrid.
- S. corymbosa, *Ratin.*; Lodd. Bot. Cab. t. 671. United States. S. crataegifolia, *Link*.
- S. crenata, L.; Lodd. Bot. Cab. t. 1252. Eastern Europe, &c. S. crenifolia, C. A. Meyer.
- 8. dasyantha, Bunge. China.
 - S. chinensis, Maxim.
 - S. pubescens, Lindl. Bot. Reg. 1847 t. 38.
- 8. decumbens, W. Koch; Gard. Chron. 1879, xi 752. f. 108. Europe.
 - S. procumbens, Hort.



S. decumbens-cont.

Var. tomentosa, Poech. Tyrol, &c.

- S. decumbens var. bellunensis, Bizzozero.
- S. Hacqueti, Fenzl.
- S. lancifolia, Hoffmansegg.
- S. pubescens, Hort. (not Turcz.).
- S. discolor, Pursh. North-west America.

S. ariaefolia, Smith; Bot. Reg. t. 1365.

Var. dumosa, S. Watson. California.

- S. dumosa, Nutt.
- S. Boursieri, Carr. Rev. Hort. 1859, 519, f. 108.
- S. Douglasi, Hook. Bot. Mag. t. 5151. North-west America. S. tomentosa argentea, Hort.
- S. Douglasi x superba. Garden origin.
- S. kumaonensis, Hort.
- 8. Fontanesii, Billiard. (canescens × salicifolia).
- S. gemmata, Zabel. China.
- S. Henryi, Hemsl. Journ. Linn. Soc. xxiii. t. Central China.
- hypericifolia, L. Northern Hemisphere.
 s. thalictroides, Pall.
- S. inflexa, C. Koch. (crenata \times mollis).
- 8. intermedia, Lemoine (japonica alba × Douglasii).
- 8. japonica, L. f. India, China, and Japan.
 - S. bellioides, Hort.
 - S. callosa, Thunb.
 - S. Fortunei, Planch.; Bot. Mag. t. 5164.



S. japonica-cont.

Var. alba.

S. albiflora, Miquel.

S. callosa flore albo.

S. lanceolata, Hort. (not Poir.).

Var. Bumalda.

S. Bumalda, *Hort.*; Revue de l'Hort. Belge 1891, xvii. 12.

Var. Froebelii.

Var. glabrata, Nichols.

S. glabrata, Lange.

Var. macrophylla, Zabel.

S. Fortunei macrophylla, Hort.

Var. ruberrima.

S. ruberrima, C. Koch.

Var. superba.

S. callosa superba, Hort.

8. laevigata, L. Sîberia, &c Sibiraea laevigata, Maxim.

- 8. lindleyana, Wall.; Bot. Reg. xxxi. 33. Himalaya, &c. Sorbaria lindleyana, Maxim.
- longigemmis, Maxim.; Garden and Forest 1894, 345, f. 56, China.
- 8. Margaritae, Zahel. (japonica × superba).
- S. media, F. Schmidt. Europe, &c.

S. confusa, Reg. & Korn.

S. oblongifolia, Waldst.

Var. glabrescens, Zabel.



S. Menziesii, Hook. North-western America.

Var. angustifolia, Zabel.

Var. Billiardii, Hort.

Var. eximia, Hort.

Var. lenneana, Hort.

Var. macrothyrsa, Zabel.

Var. ovalifolia, Zabel.

Var pseudo-Douglasii, Zabel.

Var. triumphans, Hort.

- S. microthyrsa, Zabel (salicifolia x media).
- S. Millefolium, Torr.; Garden and Forest 1889, 509, f. 137; Bot. Mag. t. 7810. California, &c.
- S. mongolica, Maxim. Mongolia and China.
- S. nivea, Hart. (canescens × expansa).

Var. albo-carnea.

S. nobleana, Hook. Bot. Mag. t. 5169. California.

S. californica, Hort.

S. paniculata rosea, Hort.

S. sanssouciana, C. Koch.

S. syringiflora, Hort.

S. notha, Zabel. (corymbosa × latifolia).

Var. supercorymbosa.

Var. superlatifolia.

S. pikoviensis, Besser. (crenata × media).

S. Nicoudierti, Bosc.

8. prunifolia, Sieb & Zucc. China and Japan.

Var. flore pleno. Fl. Jap. t. 70.



S. pubescens, Turez.: Garden and Forest 1888, 331, f. China, &c.

S. chinensis, Hort.

- 8. pulchella, Kunze. (bella x expansa).
- 8. revirescens, Zabel. (expansa × japonica). Var. parviflora, Zabel.
- S. salicifolia, L. Eastern Europe to Japan.

Var. floribus albis.

Var. floribus roseis.

Var. latifolia, Zabel.

S. carpinifolia, Willd.

S. latifolia, Borkh.

Var. paniculata, Maxim. North America.

S. alba, Du Roi; Gard. Chron. 1879, xi. 753, f. 109.

S. lanceolata, Borkh.

Var. minor.

- 8. Schinabecki, Zabel (chamaedrifolia × trilobata). Garden origin.
- S. semperflorens, Hort. (japonica × salicifolia).
- 8. sorbifolia, L.; Bailey Cyclopedia of Amer. Horticulture iv. 1686, f. Himalaya to Japan, &c.
 - S. floribunda, Hort.
 - S. Foxii, Hort.
 - S. Pallasi, Hort.
 - S. pinnata, Michx.

Sorbaria sorbifolia, A. Br.

- 8. Thunbergi, Sieh & Zucc. Fl. Jap. t. 69. China and Japan. S. Thompsoni, Hort.
- S. tomentosa, L.; Britt. & Br. Illustr. Fl. ii. 196, f. United States. "Hardhack, Steeple-Bush."



- S. trilobata, L.; Garden and Forest 1888, 452, f. 71.

 North Asia.
 - S. crenata var. sublobata, Regel.
 - S. hypericifolia trilobata, Hort.
 - S. rupestris, Hort. (not Sieb.).
 - S. thalictroides, Hort. (not L.).
- S. tristis, Zabel. Origin unknown. S. Hockeri, Hort.
- S. vaccinifolia, D. Don. Himalaya.
 - S. laxiflora, Lind/.
 - S. venustulus, Kit. & Bouché.
- S. Van Houttei, Briot. (cantoniensis x trilobata). Garden and Forest 1889, 317, f. Garden origin.
- Neillia amurensis, Benth & Hook. Amurland, &c.

Physocarpus amurensis, Maxim.

Spiraea amurensis, Maxim.

N. capitata, Greene. California.

Physocarpus capitatus, O. Kuntze.

Spiraea capitata, Pursh.

S. opulifolia var. mollis, Hook.

N. malvacea, Greene. Rocky Mountains, &c.

N. Torreyi, Hook f. Bot. Mag. t. 7758.

N. opulifolia, Benth. & Hook. North America. "Nine-Bark."

Physocarpus opulifolius, Maxim.

Spiraea opulifolia, L.; Loud. Arb. et Frut. ii. 723, f. 427-8.

Var. inebrians.

Physicarpus opulifolius var. inebrians, Zahel. Spiraea inebrians, Hort.

of masa meni

Var. lutea.



- N. sinensis, Hemsl.; Hook. Icon. Plant. t. 1540. Central China.
- N. Sthyrsiflora, D. Don; Rev. Hort. 1888, 416, f. 95-96. Himalaya.
- N. Torreyi, S. Watson; Garden and Forest 1889, 4, f. 84. California.

Physocarpus monogynus, Coulter.

P. Torreyi, Maxim.

P. pauciflorus, Zabel.

Spiraea monogyna, Torr.

S. opulifolia var. pauciflora, Torr & Gray.

Stephanandra flexuosa, Sieb & Zucc. China and Japan. Spiraea incisa, Thunb.
Stephanandra incisa, Zabel.

- 8. Tanakae, Franch. & Sav.; Bot. Mag. t. 7593. Japan. Neillia Tanakae, Franch. & Sav.
- Exochorda grandiflora, Lindl.; Garden February 24, 1877. col. plate. China.

Amelanchier racemosa, Lindl.

Spiraea grandiflora, Hook. Bot. Mag. t. 4765.

E. Alberti, Regel. Descr. Pl. Nov. fasc. ix. t. 13. Turkestan.
E. Korolkowi, Lavall.

Albertia simplicifolia, Regel.

Kerria japonica, DC.; Bot. Reg. t. 1873. China. Corchorus japonicus, Thunb.

Var. flore pleno, Bot. Mag. t. 1296.

Var. foliis argenteis variegatis.

Var. foliis aureis variegatis.

Rhodotypos kerrioides, Sieb & Zucc.; Bot. Mag. t. 5805. China and Japan.



- Neviusia alabamensis, A. Gray; Bot. Mag. t. 6806. Alabama.
- *Quillaja Saponaria, Molini; Rev. Hort. 1873, 253, f. 27. Chili.
- *Eucryphia Billardieri, Sparh var. Milligani, Hook. f. Bot. Mag. t. 7200. Tasmania.
- *E. cordifolia, Cav.; Gard. Chron. 1897, xxii. 247, f. Chili.
- E. pinnatifolia, Gay; Bot. Mag. t. 7067. Chili.
- Rubus affinis, Weihe & Nees Die Deutschen Brombeerstr. t. 3. Europe.
- R. Arrhenii, Lange. Europe.
- *R. australis, Forst.; Hook. f. Flora of New Zealand, i. t. 14. New Zealand. "Tataramoa."
- R. balfourianus, Blox. Europe.
- R. Bellardi, Weihe var. dentatus. Europe.
- R. biflorus, Buchan. Temperate Himalaya.
- R. Bloxami, Lees. Europe.
- R. boraeanus, Genev. Europe.
- R. Borreri, Salter var. dentatifolius, Briggs. Europe.
- R. caesius, L.; Eng. Bot. ed. 3, t. 456. Europe. "Dewberry.
- R. calvatus, Blox. Europe.
- R. canadensis, L.; Britt. & Br. Illustr. Fl. ii. 205, f. North America. "Low Blackberry."
- R. chroösepalus, Focker; Hook. Icon. Plant. t. 1952. Central China.



1

- R. cinerosus, Rogers. Britain.
 R. pulcherrimus var. setosus, A. Ley.
- R. Colemani, Blox. Europe.
- R. cordifolius, Bab. (not Waldst. & Kit.). Europe.
- R. coreanus, Miq. China and Corea.
- R. corylifolius, Sm.; Eng. Bot. ed. 3, t. 455. Europe.
- R. crataegifolius, Bunge. North-east Asia and Japan.
- R. cuneifolius, E. Merc. (not Pursh). Europe.
- R. deliciosus, James; Bot. Mag. t. 6062. Rocky Mountains.
- R. dumetorum, Weihe & Nees Die Deutsch. Brombeerstr. t. 45a. Europe.
- R. dumnoniensis, Bab. Britain (Devonshire).
- R. echinatus, Lindl. Europe.
 R. rudis, Bab. (not Weihe & Nees).
- R. erythrinus, Genev. Europe.
- R. exsecatus, Muell. Europe.
- R. foliosus, Weihe & Nees Die Deutsch, Brombeerstr. t. 28. Europe.
 - R. derasus, Lej. & Muell.
 - R. flexuosus, P. J. Muell.
 - R. Guentheri, Bab.
 - R. saltuum, Focke.
- R. fuscus, Weihe & Nees. Europe.
- R. glandulosus, Bell.; Eng. Bot. ed. 3, t. 454. Europe. R. griffithianus, Rogers. Britain.
- R. Henryi, Henrsl.; Hook. Icon. Plant. t. 1705. Central China.
- R. hispidus, L.: Britt. & Br. Illustr. Fl. ii. 203, f. North America.
 - R. obovalis, Michr.

12159



- R. horridus, Schultz. Europe.
 R. dumetorum var. ferox, Weihe & Nees.
- R. hystrix, Weihe & Nees Die Deutsch. Brombeerstr. t. 41 Europe.
- R. ichangensis, Hemsl. d. Kuntze. Central China.
- R. Idaeus, L.; Eng. Bot. ed. 3, t. 442. Europe, West Asia. "Wild Raspberry."
 - Var. Leesii, Bab.; Eng. Bot. ed. 3, t. 443. South-west Britain.
- R. imbricatus, F. Hort. Britain.
- R. innominatus, S. Moore. China.
- R. insularis, F. Aresch. Scandinavia.
- R. irenaeus, Focke. Central China.
- R. Koehleri, Weihe & Nees; Eng. Bot. ed. 3, t. 453. Europe.
- R. kuntzeanus, Hemsl. Central China.
- R. laciniatus, Willd.; Journal of Horticulture, December 20, 1883, 533, f. 105. Garden origin.
- R. laciniatus elegans, Hort.
 - R. laciniatus minor, Hort.
 - R. Quintlandii, Hort.
- R. lasiostylus, Focke; Hook. Ic. Pl. t. 1951. China.
- R. lentiginosus, Lees. Europe. R. cambricus, Focke.
- R. leucodermis, Dougl. North-west America.
- R. leucostachys, Sm.; Eng. Bot. ed. 3, t. 448. Europe.
 - Var. gymnostachys, Genev.
 - R. macrothyrsos, J. Lange.
 - R. macrothyrsus, N. E. Brown.
- R. lindleyanus, Lees. Britain.



- R. longithyrsiger, Lees. Britain. R. pyramidalis, Bab.
- R. macrophyllus, Weihe & Nees; Eng. Bot. ed. 3, t. 450.
- R. macrostemon, Focke. Germany.
- R. melanolasius, Focke; Neub. Gart. Magaz. 1899, 14. North America.
- R. mercicus, Bagnall var. chrysoxylon, Rogers. Wales.
- R. micans, Gren. & Godr. Europe. R. adscitus, Genev.
- R. morifolius, Sieb. Japan.
- R. mucronatus, Blox. Britain.
 R. mucronulatus, Syme Eng. Bot. ed. 3, t. 451.
- R. mutabilis, Genev. Europe.
- R. neglectus, Peck; Britton & Brown Illustr. Flora, ii. 201, f. United States.
- R. nobilis, Regel. (odoratus × Idaeus). Garden origin.
 R. nepalensis, Hort.
- R. nutans, Wall.: Bot. Mag. t. 5023. Himalaya.
- R. nutkanus, Moy.: Bot. Mag. t. 3543. North America. "Salmon-berry."
- R. occidentalis, L.: Loud. Arb. et Frut. ii. 736, f. 451. North-west America. "Thimble-berry."

Var. albus.

- R. odoratus, L.: Bot. Mag. t. 323. North America. "Purple-flowering Raspberry."
- R. opacus, Focke. Europe.
- R. pallidus, Weihe & Nees. Europe.



R. palmatus, Thunb.; Bot. Mag. t. 7801. Japan, China.

R. coptophyllus, A. Gray.

R. incisus, Hort. (not Thunb.).

- R. Parkeri, Hance. East and Central China.
- R. parvifolius, L. China and Japan.

R. chinensis, Thunh.

R. purpureus, Bunge.

R. triphyllus, Thunb.

- R. phoenicolasius, Maxim.: Bot. Mag. t. 6479. China and Japan.
- R. pileatus, Focke. Central China.
- R. Playfairii, Hemsl. Central China.
- R. pubescens, Auct. Angl. Britain.
- R. pulcherrimus, Neuman. Europe.
- R. Purchasi, Blox. Britain.
- R. Radula, Weihe: Eng. Bot. ed. 3, t. 452. Europe. R. melanoxylon, Bloxam.

Var. anglicanus, Rogers.

- R. ramosus, Blox. Britain.
- R. rhamnifolius, Weile & Nees: Eng. Bot. ed. 3, t. 446. Europe.

Var. flore pleno.

- R. rhenanus, Muell. Europe.
- R. scaber, Weihe & News Die Deutsch. Brombeerstr. t. 32 Europe.
- R. silvaticus, Weihe & Nees Die Deutsch. Brombeerstr. t. 15. Europe.
- *R. sorbifolius, Maxim. China, &c.
- R. spectabilis, Pursh: Bot. Reg. t. 1424. California, &c.



- R. spectabilis × Idaeus. Garden hybrid.
- R. Sprengelii, Weihe & Nees Die Deutschen Brombeerstr. t. 10. Europe.
- R. strigosus, Mich.c.; Britt. & Br. Illustr. Fl. ii. 200, f. North America. "Wild Red Raspberry."
- R. suberectus, Anders.; Eng. Bot. ed. 3, t. 444. Europe.
- R. thyrsiflorus, Weihe & Nees Die Deutsch. Brombeerstr. t. 34. Europe.
- R. thyrsiger, Bab. Britain.
- R. thyrsoideus, Wimm. Europe.

Var. flore pleno.

R. rosaeflorus coronarias, *Hort*. R. fruticosus albus, *Hort*.

- R. tomentosus, Borck. Europe.
- R. triflorus, Richetrds.; Hook, Fl. Bor, Amer. t 62. North America.
 - R. americanus, *Britton*; Britt, & Br. Illustr. Fl. ii. 201, f.
- R. trivialis, Mich.r.; Britton & Brown Illustr. Flora ii. 204, f. United States. "Low Bush Blackberry."
- R. ulmifolius, Schott. Europe.

R. dalmatieus, Guss.

R. discolor, Bab. (not Weihe & Nees).

R. rusticanus, Merc.; Eng. Bot. ed. 3, t. 447.

Var. flore pleno.

R. bellidiflorus, C. Koch.

Var. foliis variegatis.

Var. inermis.

R. inermis, Hort.

Var. leucocarpus.

R. fruticosus, L. var. leucocarpus, Ser.



- R. ursinus, Cham. & Schlecht. North America.
- R. villicaulis, Weihe & Nees Die Deutsch. Brombeerstr. t. 17. Europe.

Var. elegans.

Var. Selmeri, Rogers. Europe.

R. affinis, Blox.

R. Selmeri, Lindeb.

R. villosus, Ait.; Britt. & Br. Illustr. Fl. ii. 202, f. North America. "High Blackberry."

Var. flore pleno.

- R. xanthocarpus, Bur. & Franch. North China.
- Purshia tridentata, DC.; Bot. Reg. t. 1446. North-west America.
- *Chamaebatia foliolosa, Benth.; Bot. Mag. t. 5171. California.
- Cercocarpus ledifolius, Nult.; Hook. Ic. Plant. t. 324 Western North America. "Mountain Mahogany."

Var. angustifolius.

*C. parvifolius, Nutt. California.

Cowania mexicana x Purshia tridentata.

- Dryas octopetala, L.: Eng. Bot. ed. 3, t. 460. Arctic and alpine regions of North Temperate Zone. "Mountain Avens."
 - Var. Drummondi, S. Watson. North America.D. Drummondi, Hook.; Bot. Mag. t. 2972.



*Fallugia paradoxa, Endl.: Pot. Mag. t. 6660. California, &c.

F. mexicana, Walp.

Sieversia paradoxa, D. Don.

Potentilla davurica, Nestl. China, &c.

P. glabra, Lodd. Bot. Cab. t. 914.

P. fruticosa var. davurica, Lehm.

- P. Friedrichseni, Späth. (davurica × fruticosa). Garden origin.
- P. fruticosa, L.; Eng. Bot. ed. 3, t. 436. Northern Hemisphere.P. floribunda, Pursh.
- P. micrandra, Kechne. Origin uncertain.
- P. salesoviana, Steph.; Bot. Mag. t. 7258. Siberia, &c. Comarum Salessowii, Bunge.
- *Margyricarpus setosus, Ruiz & Par. Chili, &c.
- Rosa acicularis, Lindl. Monogr. t. 8. Siberia, &c. R. carelica, Fries.
 - Var. nipponensis, Hook. f. Bot. Mag. t. 7646. Japan. R. nipponensis, Crép.
- R. agrestis, Savi. Europe, &c. R. sepium, Thuill.: Eng. Bot. ed. 3, t. 470.
 - Var. belgradensis, Nichols. R. belgradensis, Panç.
 - Var. inodora.

 R. inodora, Fries; Flora Daniea t. 2900



R. alba, L. (? canina \times gallica). Andrews Roses t. 10. Europe, &c.

Var. suaveolens, Dieck; Gartenflora 1889, 128.

R. Alberti, Regel. Turkestan.

R. a.pina, L.; Bot. Reg. t. 424. Europe. R. inermis, Mill. R. pendulina, L.

Var. pyrenaica, Gouun : Bot. Mag. t. 6724.

R. alpina × indica. "Boursault Rose."

R. anemonaeflora, Firstune. (multiflora × laevigata?). China.

R. arvensis, Huds.: Engl. Bot. ed. 3, t. 426. Europe. "Ayrshire Rose."

R. repens, Scop.

Var. Andersonii, Hort.

Var. capreolata; Bot. Mag. t. 2054. R. capreolata, Neill.

Var. flore pleno.

Var. variegata.

*R. Banksiae, R. Br. China. "Banksian Rose." R. inermis, Roxb.

Var. flore albo pleno; Bot. Mag. t. 1954.

Var. lutea; Bot. Mag. t. 7171.

R. beggeriana, Schrenk; Linn. Soc. Journ. xix. t. Asia. R. afghanica, Hort.

R. anserinaefolia, Boiss.

Var. nigrescens.

Var. Schrenki.



R. blanda, Ait. North America.

R. fraxinifolia, Borck.: Bot. Reg. t. 458.

R. lucida, Hort. (not Ehrh.).

Var. arkansana. Western United States. R. arkansana. Porter.

Var. Sayi.

R. Sayi, Schwein.

Var. setigera.

Var. willmottiana, Baker.

R. bourbonia, Roessiy. (indica × gallica). Garden origin "Bourbon Rose."

R. canina burboniana, Réd. Les Roses iii. t. 105.

*R. bracteata, Wendl.; Bot. Mag. t. 1377. China. "Macartney Rose."

R. lucida, Lawr. Roses t. 84.

R. macartnea, Hort.

R. bracteata x laevigata. Garden origin.

R. alba odorata, Hort.

R. bracteata flore pleno, Hort.

R. byzantina, Dieck. Eastern Europe, &c.

R. californica, Cham. & Schlecht. Western North America-

Var. flore pleno.

Var. nana.

Var. ultramontana.

R. calocarpa, André. (rugosa x indica).

R. rugosa calocarpa; Rev. Hortic 1891, 129, f. 75



R. canina, L. North Temperate Zone. "Dog-rose"

Var. Allionii, Rony & Fouc. Alpes Maritimes
R. Allionii, Burnat & Grenli.

Var. andegavensis, Buler.

R. andegavensis, Bastard.

Var. arvatica, Baker.

Var. Bakeri, Baker.

R. Bakeri, Déségl.; Engl. Bot. ed 3, t. 473.

Var. complicata.

R. complicata, Gren.

R. glauca var. complicata, H. Braun.

R. Reuteri var. complicata, Christ.

Var. coriifolia, Baker: Engl. Bot. ed. 3, t. 172. R. coriifolia, Fries.

Var. dumetorum, Baker.

R. dumetorum, Thuill.

Var. glauca, Desv.

R. canina var. Reuteri, Baker.

R. glauca, Vill.

Var. lutetiana, Baker.

R. lutetiana, Leman.

Var. obtusifolia.

R. obtusifolia, Desr.

Var. pruinosa, Baker.

Var. Scheutzii. Scandinavia.

R. mollis var. Scheutzii, R. Keller.

Var. subcristata, Baker.

Var. tomentella, Baker.

R. tomentella, Leman.

Var. urbica, Baker,

R. dumetorum var. urbica, Christ.

R. urbica, Leman.



R. carolina, L.: Lindl. Monogr. t. 4. North America.

R. corymbosa, Ehrh.

R. hudsoniana, Red.

R. pennsylvanica, Mich.r.

Var. nuttalliana.

R. nuttalliana, Hort.

R. cinnamomea, L.: Lindl. Monogr. t. 5. North Temperate Zone.

R. davurica, Pall.

R. gorenkensis, Fisch.

R. majalis, Herrm.

Var. flore pleno.

Var. glandulifolia, Crépin.

Var. sibirica.

R. damascena, Miller: Red. Roses i. t. 137 (gallica × moschata?). East Europe, Örient. "Damask Rose."

Var. trigintipetala.

R. gallica var. trigintipetala, Dieck; Gard. Chron. 1890, vii. 45, f. 8.

Var. variegata. "York and Lancaster Rose."

R. Duponti, Désègl. (gallica × moschata.).

R. moschata var. nivea.; Bot. Reg. t. 861.

R. nivea, Dupont (not DC).

R. elymaitica, Boiss. Persia.

R. Engelmannii, S. Wals.; Garden and Forest 1889, 376, t. 121. Western North America.

R. fedtschenkoana, Regel: Bot. Mag. t. 7770. Turkestan.

R. Fendlerii, Crep. New Mexico.



- R. ferox, Buch. Cent. Pl. Rar. t. 37 (not Ait.). Caucasus, &c. R. horrida, Fisch.
- R. foliolosa, Null.: Garden and Forest 1890, 101, f. 22.
 North America.
- *R. fortuneana, Lindl.; Lindl. & Paxt. Fl. Gard. t. 171. China. (Banksiae × laevigata.)
- R. fulgida, Hort. (Gloire des Rosomanes).
- R. gallica, L.: Bentl & Trim. Med. Plants t. 104. South and Central Europe.
 - Var. centifolia, Koéhne.
 R. centifolia, L.; Bentl. & Trim. Med. Pl. t. 105.

Var. cuprea.

Var. incarnata.

R. incarnata, Hook. f. Bot. Mag. t. 7035 (not Mill.).

Var. maxima.

Var. muscosa. "Moss Rose."
R. muscosa, Mill.
R. provincialis muscosa; Bot. Reg. t. 53.

Var. nana.

Var. pomponia.

R. nana muscosa : Andrews Roses t. 65. R. pomponia, DC_{\star}

Var. provincialis. "Provence Rose."R. provincialis, Mill.; Andrews Roses t. 22.

Var. pumila, Braun.
R. pumila, Jacq. Fl. Austr. ii. t. 198.

Var. versicolor, Sims Bot. Mag. t. 1794. R. Rosa-mundi, Hort.

Var. violacea.



R. geminata, Ran (gallica < arvensis) Red. Les Roses ii. t. 83. Europe.

R. hybrida, Schleich.

- *R. gigantea, Crép.: Gard. Chron. 1889, vi. 13, f. 4. Burma.
- R. glutinosa, Sibth. & Sm. Fl. Graec. t. 482. Orient. R. dalmatica, Kerner.
- R. gymnocarpa, Nutt.; Bot. Mex. Bound. t. 24 Western North America.

Var. pisocarpa.

R. pisocarpa, A. Gray; Bot. Mag. t. 6857. R. pisiformis, Hort.

- R. Hardii, Cels frères; Gard. Chron. 1885, xxiv. 468, f. 101. (simplicifolia × involucrata.)
- R. hemisphaerica, Herrm. Persia and Asia Minor.

R. glaucophylla, Ehrh.

R. Rapinii, Boiss.

R. sulphurea. Ait.: Andrews Roses t. 91; Bot. Reg. t. 46.

- R. heterophylla, Cochet (rugosa alba × lutea); Journ. Soc. Nat. d'hort. France 1897, 778, f.
- R. hibernica, Sm.: Eng. Bot. ed. 3, t. 463. (spinosissima × canina?) England and Ireland.

Var. glabra, Baker.

Var. Grovesii, Baker.

R. humilis, Marsh.; Britt. &. Br. Illustr. Fl. ii. 231, f. North America.

R. parviflora, Ehrh.

R. mierocarpa, Hort.

Var. triloba; Garden and Forest 1889, 77, f. 93.



R. jindica, L. (in part). China. "Monthly Rose."

R. chinensis, Jacq. f.

R. chinensis var. indica, Koehne.

Var. fragrans, Red. Les Roses i. 61.

R. indica odoratissima, Lindl. Bot. Reg. t. 804.

Var. minima. "Fairy Rose."

R. lawranceana, Sweet; Bot. Reg. t. 538.

R. semperflorens var. minima, Sims Bot. Mag. t. 1762.

Var. monstrosa.

R. sempervirens monstrosa, Hort.

Var. sanguinea. "Crimson China Rose."

Var. semperflorens.

R. bengalensis, Pers.

R. semperflorens, Curt.; Bot. Mag. t. 284.

*R. involucrata, Roxb.; Bot. Reg. t. 739. India.

R. clinophylla, Thory.

R. Lyellii, Lindl. Monogr. t. 1.

R. palustris, Hamilt.

R. involuta, Sm.; Eng. Bot. ed. 1, t. 2068. Europe.

R. spinosissima \times tomentosa?

Var. Sabini, Baker.

R. Sabini, Woods; Eng. Bot. ed. 3, t. 465.

Var. Wilsoni, Baker. (spinosissima × mollis?).

R. Wilsoni, Borrer: Eng. Bot. ed. 3, t. 464.

R. Iwara, Sieb. (rugosa × multiflora). Japan.

R. Jundzillii, Besser. Europe.

R. trachyphylla, Rau.



*R. laevigata, Micha. China. "Cherokee Rose."

R. Camellia, Hort.

R. camelliaefolia, Hort.

R. cherokeensis, Donn.

R. hystrix, Lindl.

R. nivea, DC.

R. sinica, Murr.: Bot. Mag. t. 2847; Bot. Reg. t. 1922.

R. ternata, Poir.

R. triphylla, Roxb.

Var. Anemone. Rev. Hortic. 1901, 548. laevigata × indica?

R. laxa, Retz. Siberia.

*R. leschenaultiana, Thory & Red. India.

R. lutea, Miller: Bot. Mag. t. 363. Orient. "Austrian Briar."

R. chlorophylla, Ehrh.

R. Eglanteria, L. (in part.).

R. foetida, Allioni.

Var. bicolor, Bot. Mag. t. 1077. R. punicea, Miller.

R. macrantha, Hort. (gallica × canina) Rev. Hortic. 1901, 548, t. Europe.

R. macrophylla, Lindl. Monogr. t. 6. Himdaya, China.

R. Malyi, Kerner. Tyrol. ,alpina × spinosissima?

R. micrantha, Sm.; Eng. Bot. ed. 3, t. 469. Europe.

Var. Briggsi, Baker. South of England.

R. microphylla, Roxb.; Bot. Mag. t. 6548. China. R. chlorocarpa, R. gel.

Var. flore pleno.



R. mollis, Sm. Europe.

R. ciliato-petala, Besser,

R. mollissima, Fries.; Eng. Bot. ed. 3, t. 466.

R. villosa, L. (in part).

Var. albo-vittata.

R. moschata, Herrin.: South Europe to India. "Musk Rose."

R. Brownii, Spreng.

R. Brunonii, Lindl.; Bot. Mag. t. 4030.

R. Brunonis, Wall.

Var. flore pleno.

Var. Pissarti. Persia.

R. Pissarti, Carr. Rev. Hortic, 1880, 314, 5.

R. Pissardi, Carr.

R. Nasturana, Christ.

R. multiflora, Thunb.: Bot. Mag. t. 7119. China and Japan.

R. dubia, Carr. Rev. Hortic. 1868, 269.

R. intermedia, Carr. Rev. Hortic, 1868, 270, ff. 29, 30.

R. polyantha, Sich, & Zucc.

R. simplex, Hort.

Var. flore pleno.

Var. Thunbergii, Hort.

R. multiflora × indica. Garden origin.

R. polyantha, Hort, enot Sieb. & Zucc.).

R. multiflora × moschata. Garden origin.

R. polyantha grandiflora, Hort.

R. nitida, Willd.; Lindl. Monogr. t. 2. North America.

8. noisettiana, Red. (indica × moschata). Redouté Roses ii. 77. Garden origin. "Noisette Rose."

R. floribunda, Andrews.



- R. nutkana, Prest: Garden and Forest 1888, 449. North America. "Wasatch Rose."
- R. parviflora, Ehrh.; Bot. Reg. t. 452. Garden origin. "Rose de Meaux."
 - R. burgundica, Rössig; Redouté Roses t. 133.
 - R. remensis, Desf.
- R. pendulina, L. (spinosissima × alpina). Europe.
 - R. gentilis, Sternb.
 - R. reversa, Waldst. & Kit.
 - R. rubella, Sm. Eng. Bot, ed. 3, t. 462.
 - R. stricta, Muhl.
- R. phoenicea, Boiss. Orient.
- R. pomifera, Herrm.; Bot. Mag. t. 7241. Gard Chron. 1886, xxv. 237, f. 45. Europe. "Apple Rose."
 - R. macrocarpa, Hort.
 - R. villosa var. pomifera, Desv.
- R. rubiginosa, L.; Eng. Bot. ed. 3, t. 468. Europ., "Eglantine or Sweet Briar."
 - R. Eglanteria, Miller (not L.).
 - R. suaveolens, Pursh.

Var. major.

- R. rubrifolia, 17//.: Bot. Reg. t. 430. Mountains of Europe.
 - R. ferruginea, Hort.
 - R. pyrenaica, Hort. (not Gonan.).
 - R. romana, Hort.
 - R. rubicunda, Hall. f.
- R. ruga, *Lindt.* Bot. Reg. t. 1389, (arvensis × indica). Garden origin.

12179



R. rugosa, Thunb. Japan.

R. Andreae, Lange.

R. ferox, Lawr.; Bot. Reg. t. 420.

R. regeliana, Linden & André.

Var. alba, Garden May 13, 1876.

Var. flore pleno.

Var. floribunda.

Var. glabriuscula.

Var. kamchatica.

R. kamehatica, Vent.: Bot. Reg. t. 419.

R. rugosa × General Jacqueminot. (Mrs. Anthony Waterer).

R. sancta, A. Rich. Abyssinia.

*R. sempervirens, L.; Bot. Reg. t. 465. South Europe, &c.

R. longicuspis, Bert.

R. prostrata, DC.

R. scandens, Mill.

R. Seraphini, Viviani; Bot. Mag. t. 7761. Corsica, Sardinia, &c.

R. apennina, Woods.

R. cretica var. Seraphini, Wallr.

R. parvifolia, Sanguin.

R. sericea, Lindl. Monogr. t. 12. India.

R. tetrapetala, Royle.

R. setigera, Micha. North America. "Prairie Rose." R. rubifolia, R. Br.; Lindl. Monogr. t. 15.

12 (59)



*R. simplicifolia, Salish.: Gard. Chron. 1885, xxiv. f. 100. Orient.

R. berberifolia, Pall.; Bot. Mag. t. 7096.

R. persica, Otto Kunze.

Hultheimia berberifolia, Dum.

Lowea berberifolia, Lindl.

R. spinosissima, L.; Eng. Bot. ed. 3, t. 461. Europe and Siberia. "Scotch or Burnet Rose."

R. pimpinellifolia, L.

R. scotica, Mill.

Var. altaica.

R. altaica, Willd.

R. grandiflora, Lindl. Bot. Reg. t. 885.

R. cistiflora, Hort.

Var. flore luteo pleno.

Var. fulgens, Hort.

Var. Harrisoni.

R. lutea Harrisoni, Hort.

Var. hispida.

R. hispida, Sims. Bot. Mag. t. 1570.

R. lutescens, Pursh: Lindl. Monogr. t. 9.

R. spinosissima luteola, Andrews Roses ii. t. 125.

Var. lutea.

R. ochroleuca, Hort. (not Waitz.).

Var. myriacantha.

R. myriacantha, DC: Lindl. Monogr. t. 10.

Var. penicillata, Hort.

Var. picta, Hort.

Var. rubra. Andrews Roses 1, 124.

Var. venulosa, Hort.



- R. spinulifolia, Dematra: Red. Les Roses t. 7. Switzerland.
 R. alpina × tomentosa.
- R. stylosa, Desv. var. evanida, Christ. South England. C. canina × arvensis?
- R. tomentosa, Sm.; Eng. Bot. ed. 3, t. 467. Europe.

Var. dimorpha.

R. dimorpha, Besser.

Var. scabriuscula, Buler.

Var. sylvestris, Lindl.

Var. woodsiana, Groves.

R. virginiana, Mill. Eastern United States. R. lucida, Elirh.; Red. Les Roses i. 45, t.

Var. alba.

Var. flore pleno.

R. Rapa, Bosc; Red. Les Roses ii. 7.

- R. watsoniana, Crép.; Garden and Forest 1890, 477, t. 59. Japan.
- R. webbiana, Wall.: Royle Illustr. t. 42. Himalaya.
- R. wichuraiana, Crép.; Garden and Forest 1891, 569, f. China and Japan.

R. Luciae, Hook, J. Bot. Mag. t. 7421.

- R. wichuraiana rubra, Hort. (wichuraiana & Crimson Rambler) Rev. Hortic, 1901, 20, t.
- R. xanthina, Linell.: Bot. Mag. t. 7666. Persia, Afghanistan, &c.
 - R. Ecae, Aitch, a Hemst. Journ. Linn. Soc. xiv. t. 8. R. platyacantha, Schronk.



† Pyrophorum.

Pyrus amygdaliformis, 17//. South Europe, &c.

P. cuncifolia, Guss.

P. eriopleura, Reichb.

P. nivalis, Lindl. Bot. Reg. t. 1484 (not Jacques).

P. oblongifolia, Spach.

P. parviflora, Desf.

P. pyraina, Ratin.

P. salicifolia, Hort.

Var. oblongifolia.

P. oblongifolia. Spach.

P. auricularis, Knoop. (Aria & communis). Europe.

P. bollwylleriana, DC.

P. irregularis, Mornele.

P. Pollveria, L.: Lodd, Cab. t. 1009.

P. pollvilleriana, Poorph.

P. pollwylleriana, Decur.

P. tomentosa, Moench.

Lazarolus Pollverii, Medic.

P. Balansae. Decre. Jard. Fruit. du Muséum t. 6. Pers.a.

P. betulaefolia, Bunge; Jard. Fruit. du Museum t. xx. China and Japan.

P. canescens, Spach; Jard. Fruit, du Muséum t. xix. Origin uncertain.

P. communis, L.: Eng. Bot. ed. 3, t. 488. Europe, Asia. "Wild Pear."

P. scandinavica, Hort.

Var. cotinifolia.

Var. fascicularis.

Var. jaspidea.

Var. pendula.



P. cordata, Desc. : Jard. Fruit, du Muséum t. iii. E rrepe. &c.

P. boissieriana, Buhse.

P. communis var. azarolifera, Durieu.

P. communis var. Briggsii, Boswell.

P. elaeagrifolia, Pull.: Deene. Jard. Fruit. du Museur. t. 17. Caucasus, Asia Minor.

P. communis var. elaeagrifolia, Hort.

P. pubescens, Hort.

P. glabra, Boiss. Persia.

P. syriaca var. glabra, Wenzig.

P. heterophylla, Rogel & Schmal.; Gard. Chron. 1890, vii. 115. Asia.

Var. Koopmannii.

- P. longipes, Coss. de Durieu: Jard. Fruit. du Museum t. iv. Algeria.
- P. malifolia, Spach: Jard. Fruit. du Muséum t. xxxii. Hybrid origin.
- P. Michauxi, Bose: Jard. Fruit. du Muséum t. 16. Asia?
 P. persica, Hart. (not Pers.).

P. praecox, Hort.

P. nivalis, Jacq. : Jard. Fruit. du Muséum t. xxi. Levant. &c.

P. salvifolia, DC.; Bot. Reg. t. 1482.

Var. variegata.

P. Pashia, Buch.-Hum.; Jard. Fruit. du Muséum t. vii. India.

P. nepalensis, Hort.

P. variolosa, Wall.



P. salicifolia, L.: Jard. Fruit. du Muséum t. xii. Levant. P. orientalis, *Hort*.

Var. pendula.

- P. sinaica, Thomin; Jard. Fruit, du Muséum t. xv. Asia Minor.
- P. sinensis, Lindl. Bot. Reg. t. 1248; Gard. Chron. 1900, xxviii, 298, f. China. "Sand Pear."

P. chinensis, Roxh.

P. communis var. sinensis, C. Koch.

P. japonica, Hort.

P. Sieboldii, Carr.

P. ussuriensis, Maxim.

Var. Simonii, Dieck.

P. Simonii, Carr.

P. Tschonoskii, Maxim.: Garden and Forest 1894, 54, f. 9. Japan.

tt MALUS.

P. angustifolia, Ai/.: Sargent Silva of North America t, 169. United States.

P. coronaria var. angustifolia, Wenzig.

Malus sempervirens, Desf.

M. microcarpa sempervirens, Carr.

P. baccata, L.; Bot. Mag. t. 6112. Himalaya, &c. to Japan. "Siberian Crab."

P. sibirica, Hort. (in part).

P. tartarica, Hort.

Malus baccata, Desf.

M. cerasifera, Spuch.

M. rossica, Medic.

Var. pendula.



P. toronaria, L.: Bot. Mag. t. 2009. Eastern United States. "American Crab Apple."

Crataegus coronaria, Salish.

Malus coronaria, Mill.

M. microcarpa var. coronaria, Carr. Rev. Hort. 1884, f. 24.

Var. flore pleno.

P. angustifolia flore pleno, Hort.

P. denticulata, Lavall. ? China.

P. floribunda, Nichols. Japan.

P. Toringo × baccata, Dieck.

Malus floribunda, Sich.: Garden, October 14, 1876.

M. microcarpa var. floribunda, Carr.

Var. atrosanguinea.

Var. citrifolia polypetala, Hort.

P. halliana, Voss. Origin uncertain.

P. floribunda flore pleno, Hort.

P. Parkmanii, Hort.

Malus halleana, Koehne.

P. ioensis, L. H. Bailey. United States.

P. coronaria var. ioensis, Wood; Sargent Silva of North America t. 168. "Prairie States Crab."

P. Malus, L.: Eng. Bot. ed. 3, tt. 489, 490. Europe, &c. "Crab Apple."

Malus communis, Lam.

M. sylvestris, Mill.

Var. astracanica.

P. astracanica, DC.

Var. coccinea.



P. Malus-cont

Var. dioica.

M. dioica, Moench.

Var. flexilis.

Var. flore albo pleno.

Var. mitis, Wallr.

Var. monstrosa.

Var. nervosa.

Var. pendula.

Var. rosea.

P. niedzwetzkyana, Dieck. Caucasus.
P. Malus var. niedzwetzkyana, Hort.

P. orthocarpa, Nichols. Japan.

Malus edulis, Hort.

M. orthocarpa, Lavall.

P. prunifolia, Willd.; Bot. Mag. t. 6158. Siberia, &c.

P. sibirica, Hort. (in part).

Malus hybrida, Desf.

M. prunifolia, Spach.

Var. cerasiformis.

Var. chlorocarpa.

Var. flore pleno.

Var. fructu coccineo.

Var. fructu dulcis.

Var. intermedia, Regel.

Var. pendula.

Var. xanthocarpa.



P. Ringo, Maxim. Japan.

Malus microcarpa var. Ringo, Carr.

M. Ringo, Sieb.

Var. fastigiata bifera, Hort.

Var. sublobata, Zabel.

P. rivularis, *Dougl.*: Sargent Sylva of North America iv. 77, t. 170. North California to Alaska. "Oregon Crab Apple."

P. diversifolia, Bong.

P. fusea, Rafin.

P. subcordata, Ledeb.

Malus diversifolia, Roem.

M. rivularis, Roem.

M. subcordata, Roem.

Var. integrifolia, Zabel.

P. Scheideckeri, Spath. (prunifolia × floribunda). Garden origin.

P. Malus var. Scheideckeri, Hort.

P. floribunda var. Scheideckeri, Hort.

P. sikkimensis, Hook. J. Bot. Mag. t. 7430. India.

P. baccata indica, Hort.

P. spectabilis, Ait.; Bot. Mag. t. 267. China and Japan.

P. japonica floribunda, Hort.

Malus chinensis, Hort.

M. sinensis, Dum.

M. spectabilis, Desf.

Var. flore albo.

Var. flore pleno.

Var. Kaido.

P. spectabilis × Ringo?

Pyrus pyramidalis grandiflora, Hort.



P. Toringo, Sich. Japan.

P. Malus Toringo, Hort.

P. Sieboldi, Regel.

Malus microcarpa var. Toringo, Carr.

M. rivularis, Dougl. var. Toringo, Dieck.

M. spectabilis var. Toringo, Lavall.

Sorbus Toringo, Sich.

Var. major, Hort.

P. Toringo \times spectabilis flore pleno.

P. Tenorei carnea plena, Hort.

ttt ARIA.

Pyrus alnifolia, Franch & Sav.; Bot. Mag. t. 7773. Japan and China.

Aria tiliaefolia, Deene.

Crataegus alnifolia, Sieb, & Zuec.

Sorbus alnifolia, Hort.

P. alpina, Willd. carbutifolia × Aria). Garden origin.

P. densiflora, Hort.

Aronia densiflora, Spach.

Sorbus alpina, Hedhund.

Var. compacta.

Var. superaria.

P. Aria, L.: Eng. Bot. ed. 3, t, 482. North Temperate Zone. "White Beam."

P. badensis, Hort.

P. meridionalis, Guss.

P. odorata, Hort.

Aria nivea, Host.

Azarolus Aria, Borkh.



P. Aria-cont.

Mespilus Aria, Scop.

Pirenia Aria, Clairv.

Var. angustifolia, Lindl.

Var. arioides.

Sorbus arioides, Michalet.

Var. chrysophylla, Hort.

Var. flabelliformis.

P. edulis, Wats. Dendr. Brit. i. t. 52 (not Willd.).

Crataegus Aria var. flabelliformis, Spach.

C. corymbosa, Desf.

Sorbus Aria rotundifolia, Hort.

S. corymbosa, Lodd.

S. flabellata, Hort.

Var. graeca, Boiss.

P. Aria, Sibth. Fl. Graeca t. 474.

Sorbus graeca, Lodd.

S. nivea, Hort. (not Host).

Var. lutescens.

Sorbus Aria lutescens, Hort.

Var. quercoides, Hort.

Var. salicifolia, Hort.

P. Aria longifolia, Hort.

P. Sorbus argentea, Hort.

Sorbus argentea, Hort.

Var. sulphurea.

Sorbus Aria, Crantz.

S. sulphurea, Hort.

Var. undulata, Lindl.



P. Chamaemespilus, L. Alps of Europe.

Aria Chamaemespilus, Host.

Aronia Chamaemespilus, Pers.

Crataegus Chamaemespilus, Jacq. Fl. Austr. iii. t. 231.

Mespilus Chamaemespilus, L.

Sorbus Chamaemespilus, Crantz.

P. crataegifolia, Tary. Tozz.; Bot. Mag. t. 7423. North Italy.

Cormus florentina, Deene.

Crataegus florentina, Zuccagni.

Malus crataegifolia, Koehne.

Mespilus florentina, Bertol.

Sorbus florentina, Nym.

P. decaisneana, Nichols. Origin unknown.

Aria decaisneana, Lavall, Arb, Segrez, t. xviii.

P. glabrata, Hort. Origin uncertain.

Sorbus glabrata, Hort. Vrat.

P. Hostii, Hart. Austrian Alps. (Aria × Chamaemespilus)

P. sudetica, Tansch.

Aria Hostii, Jucy. 1.

Hahnia Hostii, Dippel.

P. intermedia, Ehrh. Europe.

P. scandica, Aschees.; Eng. Bot. ed. 3, t. 484.

P. sorbifolia, Hort.

P. Sorbus corymbiflora, Hort.

P. suecica, Rochl.

Aria scandica, Inche.

Sorbus Mongeoti, tiodr.

S. quercifolia. Hont.

S. scandica, Fries.



P. lanata, D. Don. Himalaya.

Sorbus majestica, Hort.

P. pinnatifida, Ehrh.; Gard. Chron. 1883, xx. 493. Europe.

P. Aria var. fennica, Hook. f.

P. fennica, Bab.

Sorbus fennica, Kalm.

S. hybrida, L.

S. sambucifolia, Hort. (not Cham. & Schlecht.).

Var. fastigiata.

P. rotundifolia, Bechst. Europe.

P. Aria-torminalis, Irm.

P. atrovirens, Hort.

P. decipiens, Bechst.

P. latifolia, Syme.

P. semilobata, Bechst.

Aria latifolia, Spach.

Crataegus dentata, Thuill.

C. hybrida, Bechst.

C. latifolia, Lam.

Sorbus atrovirens, Hort.

S. latifolia, Pers.

S. torminali-hybrida, Godi.

P. rupicola, Syme Eng. Bot. ed. 3, t. 483. Britain. Sorbus oblongifolia, Reichb.

P. Torminalis, DC.: Eng. Bot. ed. 3, t. 481. Europe "Wild Service."

Crataegus Torminalis, L.

Sorbus Torminalis, Crantz.

Torminaria Clusii, Roem.

T. vulgaris, Schue.



P. trilobata, DC. Syria.

Cormus trilobata, Decne.

Crataegus trilobata, Labill.

Sorbus trilobata, Boiss.

P. vestita, Wall. India.

P. Aria nepalensis, Hort.

P. crenata, Lindl. Bot. Reg. t. 1655 (not D. Don).

P. nepalensis, Hort.

P. Thomsoni, Hort. (not King).

Aria dentata, Hort.

A. lanata, Decne.

Sorbus magnifica, Hort.

S. nepalensis, Hort.

S. vestita, Lodd.

tttt Sorbus.

Pyrus americana, DC. Sargent Silva of North America iv. tt. 171-2. North America. "American Mountain Ash."

P. Sorbus polonica, Hort.

Sorbus americana, Marsh.

S. Aucuparia var. americana, Pers.

S. humifusa, Rufin.

Var. fructu albo.

Var microcarpa, Torr. & Gray.

Pyrus microcarpa, Spreng.

Sorbus americana var. microcarpa, Wenzig.

S. microcarpa, Pursh.

S. riparia, Rafin.

Var. nana.



Pyrus Aucuparia, Gaertn.; Eng. Bot. ed. 3, t. 486. Northern Hemisphere. "Mountain Ash or Rowan-tree."

Aucuparia sylvestris, Medic.

Mespilus Aucuparia, All.

Pirenia Aucuparia, Clairv.

Sorbus Aucuparia, L.

Var. asplenifolia.

Var. Backhousei.

Var. discolor.

Var. dulcis.

Var. fastigiata.

Var. fructu luteo.

Var. Hodginsii.

Var. moravica.

Var. pendula.

Var. pendula Dawsonii.

Var. pendula variegata.

Var. satureifolia, Hort.

P. hybrida, Moench Verz. ausländ. Baume und Stauden 90, f. 6 (arluntitolia × Auenparia). Garden origin.

100

P. spuria, DC.

Amelanchier pinnata, Hort.

Aronia sorbifolia, Spach.

Crataegus sorbifolia, Desf.

Mespilus sorbifolia, Poir.

Sorbus heterophylla. C. Koch.

S. spuria, Pers.

Var. pendula.



P. lanuginosa, DC. Eastern Europe.

Pyrus hybrida lanuginosa, Hort.

Sorbus lanuginosa, Kit.

- P. microphylla, Wall. Himalaya.
- P. minima, Ley. Journal of Botany 1897, t. 372. Britain. Sorbus minima, Hedlund.
- P. neuillyensis, Hort. (Aucuparia × hybrida?). Garden origin.

Sorbus neuillyensis, Dippel.

- P. sambucifolia, Cham, & Schlecht.; Sargent Silva of North America tt. 173, 174. North-eastern Asia, North America.
- P. Sorbus, Guertn. Europe. "Service Tree."

P. domestica, Sm.; Gard, Chron, 1876, vi 649, f. 125.

P. serrulata. Hort.

Cormus domestica, Spach. ..

Mespilus domestica, All.

Sorbus domestica, L.

Var. maliformis, Lodd.

Var. pyriformis, Lodd.

P. thianschanica, Regel Gartenflora 1891, 8. Eastern Asia. Sorbus thianschanica, Rupr.

††††† ADENORACHIS.

Pyrus arbutifolia, L. f. North America. "Choke-berry."
Aronia pirifolia, Pers.

A. arbutifolia, Medic.; Britt. & Br. Ill. Fl. ii. 236, f.

Azarolus arbutifolia, Borkh.

Sorbus arbutifolia, C. Koch.

P. nigra, Surgent Garden and Forest 1890, 416. North America.

12159*



ttittt Pseudocydonia.

P. Delavayi, Franch. Yunnan.

ttttttt Mespilus.

Pyrus germanica, Hook. f. Europe, Asia. "Medlar."

Mespilus domestica, Gater.

M. germanica, L.: Eng. Bot. ed. 3, t. 478

M. vulgaris, Reichb.

P. lobata, Nichols. Garden origin?

Crataegus grandiflora, C. Koch.

C. lobata, Bosc.

Mespilus grandiflora. Sm.

M. lobata, Poir.; Bot. Mag. t. 3442.

M. Smithii, DC.

*Cydonia, cathayensis, Hemsl.; Hook. Ic. Plant. vt. 2057. 2058. China.

Pyrus cathayensis, Hemsl.

C. japonica, Thunb. China and Japan. "Japanese Quince."

C. japonica, Pers.

C. lugenaria, Loisel.

C. speciosa, Sureet.

Chaenomeles japonica, Lindl.

Malus japonica, Andr. Bot. Rep. t. 462.

Var. camelliaefolia.

Pyrus japonica, Pers.; Bot. Mag t. 690.

Var. candicans.

Var. lutec-viridis.

Var. Moerloesi.

Var. nivalis.

19159*



C. japonica-cont.

Var. princeps.

Var. sulphurea perfecta.

Var. versicolor lutescens.

C. Maulei, T. Morre; Florist and Pomologist 1875, 49, it. Japan.

Chaenomeles alpina, Koeline.

C. Maulei, Lavall.

C. Sargentii, Lemoine.

Pseudo-chaenomeles Maul i, Carr.

Pyrus japonica rar. alpina, Ma.cim.

P. japonica var. pygmaea, Maxim.

P. Maulei, Masters Gard, Chron. 1874, i. 756, 159. Bot. Mag. t. 6780.

Var. alba.

Var. atrosanguinea.

Var. superba.

*C. sinensis, Thouin; Rev. Hortic. 1889, 228, t. China. "Chinese Quince."

Chaenomeles chinensis, Keehne.

Pyrus chinensis, Sprengel.

P. sinensis, Poir.

C. vulgaris, Pers. Native Country unknown. "Quince." C. chinensis, Lindl, Bot. Reg. t, 905.

Pyrus Cydonia, L.: Bentl. & Trim. Med. Plants. t. 106.

Var. lusitanica.

C. lusitanica, Mill.

Var. maliformis.

C. maliformis, Mill.

Sorbus Cydonia, Crantz.



Crataego-mespilus Dardari, Simon Louis. Graft Hybrid.

Crataegus acutiloba, Sargent. United States and Canada. C. coccinea var. indentata, Hort.

C. altaica, Ledeb.; Lange Revis. Spec. Crat. t. 5. Altai Mountains.

C. purpurea var. altaica, Loud. Arb. et Fruit. Brit. ii. 823, f. 583.

C. sanguinea var. incisa, Regel.

C. sanguinea var. xanthocarpa, Regel.

C. ambigua, Becker. Russia.

C. anomala, Surgent. Northern United States and Canada.

C. apiifolia, Michx.: Sargent Silva of North America t. 188. South United States. "Parsley-leaved Thorn."

C. aprica, Boudle. South-eastern United States.

C. arnoldiana, Sargent. Massachusetts.

C. Azarolus, L. Orient, &c.

C. Aronia, Lindl. Bot. Reg. t. 1897.

C. pontica, C. Koch.

C. triloba, Pers.

Mespilus Azarolus, Poir.

M. Aronia, Spach.

Var. macrocarpa.

C. Boyntoni, Beadle. North Carolina.

J. berberifolia, Torr & Gray. South United States.

C. Crus-galli var. berberifolia, Sargent Silva of North America t. 179.

. canadensis, Surgent. Canada.



- C. Canbyi, Surgent. South-eastern United States.
- C. Carrièrei, Vauvel. Garden origin.
 - C. hybrida Carrièrei, Hort.
 - C. Lavalléi, Herincq. Arb. Segr. t. 7.
 - C. mexicana Carrièrei, Hort.
 - C. olivaeformis, Hort.
 - Mespilus Carrièrei, Hort.
- C. champlainensis, Sargent. Northern United States and Canada.
- C. chlorosarca, Maxim. Mandshuria.
 - C. mandschurica, Hort.
 - C. sanguinea var. Schröderi, Regel Gartenflora 1880, 219.
- C. coccinea, L.: Sargent Silva of North America t. 189. Eastern United States. "Scarlet Haw."
 - C. acerifolia, Hort.

Mespilus coccinea, Marsh.

Var. flabellata, Britton; Britt. & Br. Illustr. Fl. ii. 242, f.

Var. rotundifolia, Sargent.

- C. coccinea, Lindl. Bot. Reg. t. 1957. (not L.)
 - C. glandulosa, Aiton.
 - C. horrida, Medic.
 - C. rotundifolia, Moench.; Britt. & Brown Illustr. Fl. ii. 243, f.

Mespilus glandulosa, Ehrh.

M. rotundifolia, Du Roi.

Var. maxima.

C. collina, Chapmain. Southern Appalachian foot-hild region.



C. cordata,
"Wa Bot. Reg. t. 1151. North America.

C. acerifolia, Moench.

C. flexispina, Hort.

C. populifolia, Walt.

Mespilus acerifolia, Burgsd.

M. cordata, C. Koch.

*C. crenulata, Roxb.; Bot. Reg. 1844, t. 52. Himalaya.

C. Pyracantha var. crenulata.

Mespilus crenulata, D. Don.

Pyracantha crenulata, Roem.

C. Crus-galli, L.; Sargent Silva of North America t. 178. North America. "Cockspur Thorn, Newcastle Thorn."

C. germanica, Hort.

C. lucida, Miller.

C. watsoniana, Roem.

Mespilus cuneifolia, Moench.

M. lucida, Ehrh.

M. watsoniana, Spach.

Var. arbutifolia, Hort.

Var. Downingii.

C. Downingii, Hort.

Var. fontanesiana, Wenzig.

C. bosciana, Roem.

Mespilus bosciana, Spach.

M. fontanesiana, Spach.

Var. linearis, DC.

C. linearifolia, Hort.

C. linearis, Pers.

C. stipulacea microphylla, Hort.



C. Crus-galli- ant.

Mespilus linearis, Desf.

M. lucida var. angustifolia, Ehrh.

Var. ovalifolia, Lindl. Bot. Reg. t. 1860.

C. ovalifolia, DC.

Mespilus elliptica, Guimpel.

M. ovalifolia, Hornem.

M. prunellifolia, Poir.

Var. prunifolia, Torr. & Gray.

C. caroliniana, Lodd.

C. ingestria, Lodd.

C. prunifolia, Lindl. Bot. Reg. t. 1868.

Mespilus prunifolia, Poir.

Var. pyracanthifolia, Ait.

C. coursetiana, Roem.

C. Crus-galli var. salicifolia, Ait.

C. nana, DC.

C. salicifolia, Hort,

Mespilus Crus-galli var. salicifolia, Hayne.

M. nana, Dum.

M. salicifolia, C. Koch.

Var. splendens, Lodd.

C. splendens, Hort.

Mespilus badiata, Bosc.

C. cuneata, Sich. & Zucc.; Arbor. Segrez. t. v. Japan.

C. alnifolia, Hort. (not Sieb. & Zucc.).

C. spathulata, Hort. (not Michx.).

Mespilus cuneata, C. Koch.

C. densiflora, Sargent. Northern United States and Canada.



- C. dippeliana, Lange Revis. Spec. Crat. t. 10. Origin uncertain.
 - C. celsiana, Dippel.
 - C. leeana, Hort.
 - C. tanacetifolia var. leeana, Hort.
- C. Douglasii, Lindl. Bot. Reg. t. 1810. Western North America.
 - C. punctata var. brevispina, Dougl.
 - C. rivularis, Brewer & Watson (not Nuttall.).
 - C. sanguinea, Nutt.
 - C. sanguinea var. Douglasii, Torr. & Gray.
 - Var. rivularis, Sargent Silva of North America t. 176.
 - C. macnabiana, Hort.
 - C. rivularis, Nuttall.
 - Mespilus rivularis, Wenzig.
- C. dsungarica, Zubel. Northern Asia.
 - C. pinnatifida var. songarica, Dippel.
- C. durobrivensis, Sargent. Western New York.
- C. fecunda, Sargent. Missouri.
 - C. elliptica, Hort.
- C. flava, Ait.; Sargent Silva of North America t. 182. South-eastern United States. "Yellow Haw."
 - C. caroliana, Pers. (not Lodd.).
 - C. flava var. lobata, Lindl. Bot. Reg. t. 1932.
 - C. glandulosa, Ait. (not Willd.).
 - C. turbinata, Pursh.

Mespilus caroliniana, Poir.

- M. flava, Willd.
- M. flexispina, C. Koch (not Moench).
- M. turbinata, Spreng.

Var. elliptica.



- C. Heldreichii, Boiss. Greece.
- C. heterophylla, Flügge; Bot. Reg. t. 1161 and 1847.
 - C. Azarolus var. heterophylla, Regel.
 - C. monogyna var. heterophylla, Hort.
 - C. multiflora, Hort.
 - C. Oxyacantha var. heterophylla, Hort.
 - Mespilus Aronia, Wats. Dendr. Brit. t. 165 (not Willd.).
 - M. constantinopolitana, Hort.
 - M. heterophylla, C. Koch.
- C. hiemalis, Lange Revis. Spec. Crat. t. 9. Origin uncertain.
 - C. Crus-galli \times pentagyna, Koehne.

Var. pubescens, Dippel.

- C. integriloba, Sargent. Northern United States and Canada.
- C. intricata, Lange Revisio Spec. Crat. t. 1. North America.
- C. Korolkowi, L. Henry Rev. Hortic. 1901, 308 t. Central Asia.
- C. lambertiana, Lange (nigra? \times sanguinea). Garden Origin.
- C. laurentiana, Sargent. Canada.
- C. lobulata, Sargent. Western New England.
- C. macracantha, Lodd. United States.
 - C. coccinea var. macracantha, Dudley.
 - C. glandulosa, Willd. (not Aiton). Bot. Cab. t. 1012.
 - C. glandulosa var. macracantha, Lindl. Bot. Reg. t. 1917.
 - C. pruinosa, Hort. (not Wendl.).



- C. maloides, Sargent. Eastern Florida.
- C. melanocarpa, Birth. Caucasus, &c.
 - C. lambertiana, Hort.
 - C monogyna var. nigra, Pall.
 - C. oliveriana, Bosc.
 - C. Oxyacantha var. oliveriana, Lindl. Bot. Reg. t. 1933.
 - C. Pallasii, Griseb.
 - C. platyphylla, Lindl. Bot. Reg. t. 1871.
- C. mexicana, May. & Sess.: Bot. Reg. t. 1910. Mexico. Mespilus mexicana, C. Koch.
- C. mollis, Schoole: Sargent Silva of North America, t. 182. United States.
 - C. coccinea var. mollis, Torr. & Gray.
 - C. coccinea glandulosa, Hort.
 - C. coccinea Kelmanni, Hort.
 - C. mespilifolia, Hort.
 - C. subvillosa, Torr.
 - C. texana, Buckley.
 - C. tomentosa, Emers. (not L.).
 - C. tomentosa var. mollis, A. Gray.
 - C. urasina, Hort.
 - Mespilus coccinea, Schmidt (not L.).
 - M. coccinea var. pubescens, Tausch.
 - M. pubescens, Wendl. (not Humb. & Boupl.).
- C. nigra, Waldst. & Kit.; Lodd. Bot. Cab. t. 1021. Eastern Europe.
 - C. carpathica, Lodd.
 - C. versicolor, Rochel.
 - Mespilus nigra, Willd.



- C. nitida, Sargent. Illinois.
 - C. viridis var. nitida, Britt. d Br. Illustr. Fl. ii. 242, f.
- C. occidentalis, Britton. Northern Rocky Mountain region.C. orythropoda, Ash.
- C. orientalis, Pall.; Bot. Reg. t. 1852. Orient.
 - C. flal ellata, Heldr.
 - C. odorata, Bosc.
 - C. odoratissima, Lindl. Bot. Reg. t. 1885.
 - C. sanguinea, Schrad. (not Pallas).
 - C. schraderiana, Ledch.
 - C. Tournefortii, Griseb.
 - Mespilus Aronia, Willd.
- C. Oxyacantha, L. Europe, North Africa, West Asia "Hawthorn, Whitethorn."

Sub-species monogyna, Jacq.

Mespilus monogyna, Willd.

M. Oxyacantha, DC.

M. triloba, Poir.

Var. aurea, Loud. C. flava, Hort.

Var. auriculata, Mérat.

Var. cabulica, Hort.

Var. crispa pendula, Hort.

Var. eriocarpa, Hort.

Var. flexuosa, Loud.
C. tortuosa, Hort.

Var. foliis argenteis, Hort.

C. Oxyacantha variegata, Hort.



Sub-species monogyna—cont.

Var. foliis aureis, Lodd.

C. Oxyacantha lutescens, Hort.

Var. fusca, Hort.

Var. fuscata, Hort.

Var. Gireoudi, Späth.

Var. granatensis.

Var. Gumperi versicolor, Hort.

Var. horrida, Hort. Gard. Chron. 1898, xxiv. 13, f. 5. C. spinosissima, Hort. (not Lodd.).

Var. Insegnae.

C. brevispina, Kunze.

C. Insegnae, Tineo.

C. monogyna var. brevispina, Dippet.

Var. laciniata, Loud.

C. apiifolia, Hort.

C. dissecta, Hort.

C. fissa, Bosc.

C. laciniata, Lodd.

Var. macrocarpa.

C. macrocarpa, Hegetsch.

Var. oxyphylla.

Var. pendula, Lodd.

Var. pendula variegata.

Var. pinnatiloba.

Var. polyacantha.

C. polyacantha, Jan.

Var. praecox, Hort. "Glastonbury Thorn."



Sub-species monogyna-cont.

Var. pteridifolia, Loud.

C. pectinata, Hart.

C. pterifolia, Lodd.

Var. quercifolia, Hort.

Var. ramulis aureis.

Var. Reginae, Hort.

Var. rubrinervis.

Var. salisburifolia.

Var. semperflorens, Curr.

C. Bruantii, Hort.

Var. sesteriana, Hort.

Var. sibirica, Loud.

C. sibirica, Lodd.

Var. stricta, Lodd.

C. fastigiata, Hort.

C. Oxyacantha var. rigida, Ronalds.

Var. variegata.

Var. Zaboon, Hort.

Sub-species, oxyacanthoides (Thuill.); Bot. Reg. t. 1128.

C. Oxyac intha glomerata, Hort.

C. obtusata, DC.

Mespilus Oxyacantha, C. Koch.

Var. atrofusca, Hort.

Var. flore pleno albo, Fl. des. Serres xv. t. 1509 (2).

Var. flore pleno coccineo, Ill. Hort. t. 536.

Var. flore pleno puniceo.

Var. flore pleno roseo.



Sub-species, oxyacanthoides—cont.

Var. flore pleno rubro, Fl. des Serres xv. t. 1509 (3).

Var. flore puniceo, Fl. des Serres xv. t. 1509 (1).

Var. fructu luteo.

Var. incisa, Hort.

C. pastorum, Sargent. Massachusetts.

C. pentagyna, Kit. Eastern Europe.

Mespilus pentagyna, C. Koch.

J. pinnatifida, Bunge. China, &c.

C. Oxyacantha var. pinnatifida, Regel.

C. dahurica, Hort.

Mespilus pinnatifida, C. Koch.

Var. major, N.E.Br. Gard. Chron. 1886, xxvi. 621, f. 121.

C. californica, Hort.

C. chinensis, Hort.

C. Korolkowi, Hort. (not L. Henry).

C. Layi, Gord.

C. tartarica, Hort.

praecox, Sargent. Northern United States and Canada.C. glandulosa typica, Regel.

Pringlei, Sargent. Northern United States and Canada.

(pruinosa, Wendl. Northern United States.

(punctata, Jacq.; Sargent Silva of North America t. 184. East and North America.

C. latifolia, DC.

C. Loddigesii, Hort. Segr.

C. obovatifolia, Roem.

C. tomentosa var. punctata, A. Gray.



C. punctata-cont.

Mespilus cuneifolia, Ehrh.

M. cuneiformis, Marsh.

M. punctata, Loisel.

M. pyrifolia, Desf. (not Willd.).

Var. brevispina.

Var. striata.

Var. xanthocarpa, Jacq.; Arb. Segrez. t. 16. C. aurea, Hort.

Mespilus cornifolia, Poir.

C. Pyracantha, Pers. South Europe, &c. "Buisson ardent."

Cotoneaster Pyracantha, Spach.

Mespilus Pyracantha, L.

Pyracantha coccinea, Roem.

Var. Lalandi, Hort.

Var. pendula.

C. sanguinea, Pull. Siberia, &c.

C. praecox, Hort.

C. purpurea, Loud.

C. spinosissima, Lodd. Bot. Cab. t. 1100.

Mespilus sanguinea, C. K. ch.

Var. songorica.

Mespilus dsungarica, Hort.

sinaica, Boiss. Orient.

C. Aronia, Decne.

C. maroccana, Lindl. Bot. Reg. t. 1855.

sortifolia, Lange. Origin unknown.



C. spathulata, Mich.r.; Sargent Silva of North America t. 185. Southern United States.

C. microcarpa, Lindl. Bot. Reg. t. 1846.

C. virginica, Hort.

Cotoneaster spathulata, Wenzig.

Mespilus spathulata, Poir.

C. succulenta, Link.; Lange Revis. Spec. Crat. + 8b. Northern United States and Canada.

C. glandulosa var. succulenta, Lauche.

C. macracantha var. minor, Loud.

C. rotundifolia var. succulenta, Dippel.

Mespilus succulenta, Sweet.

C. tanacetifolia, Pers.; Bot. Reg. t. 1884. Orient. Mespilus tanacetifolia, C. Koch.

Var. fructu albo.

C. tiliaefolia, Kochne. North America. Mespilus tiliaefolia, C. Koch.

C. tomentosa, L.: Sargent Silva of North America t. 183. Eastern United States, &c.

C. elliptica, Hort.

C. latifolia, Pers.

C. leucophloeos, Moench.

C. pyrifolia, Ait. (not Desf.).

C. tomentosa var. pvrifolia, A. Gray.

Mespilus Calpodendron, Ehrh.

M. latifolia, Poir.

M. pyrifolia, Willd.

M. tomentosa, Castigl.



- C. uniflora, Mucneh.; Sargent Silva of North America t. 191. Southern United States.
 - C. aemula, Hort. Paris.
 - C. betulaefolia, Lodd.
 - C. flexuosa, DC.
 - C. florida, Lodd.
 - C. grossulariaefolia, Lodd.
 - C. parvifolia, Adans.
 - C. Pinshow, Hort.
 - C. unilateralis, Pers.
 - Mespilus axillaris, Pers.
 - M. flexispina, Muench.
 - M. flexuosa, Poir.
 - M. parvifolia, Willd.
 - M. uniflora, Wenzig.
 - M. xanthocarpa, L. fil.
- C. Vailiae, Britton: Britt. & Br. Illustr. Fl. ii. 245, f. Virginia and North Carolina.
- viridis, L.: Sargent Silva of North America t. 187. Southern United States.
 - C. apiifolia, Lond. (not Michx.).
 - C. arborescens, Elliott.
 - C. trilobata, Hort.
- Cotoneaster acuminata, Lindl. Himalava.
 - C. royleana, Hort.
 - Mespilus acuminata, Lodd, Bot. Cab. t. 919.
- 1. acutifolia, Lindl. (not Turci.). Mongolia.
 - C. Incida, Schlecht.
 - C. sinensis, Hart.
 - Var. pekinensis, Kochno.

12159



M 2

C. affinis, Lindl. Himalaya.

C. rosea, Edgir.

Mespilus affinis, D. Don.

C. arborescens, Zabel. Himalaya.

C. compta, Hort. (not Lemaire).

C. granatensis, Hort. (not Boiss.).

C. Lindleyi, Hort. (not Stend.).

C. nummularia, C. Koch.

C. bacillaris, Wall. Himalaya.

C. obtusa, Wall.

Var. floribunda, Hart.

C. buxifolia, Wall.; Refug. Bot. i. t. 52. Himalaya.

C. hookeriana, Hort.

C. marginata, Hort.

C. repens, Hort.

C. uniflora, Hort. (not Bunge).

C. Wheeleri, Hort.

C. disticha, Lange. Himalaya.

C. Hookeri, Hort.

C. Franchetii, Bois; Rev. Hortic, 1902, 379, ff. 159, 160, 161, 164. Yunnan.

C. frigida, Wall.: Bot. Reg. t. 1229. Himalaya.

C. affinis, Hort. (not Lindl.).

C. himalayensis, Hart.

3. horizontalis, Decne.: Rev. Hort. 1889, 348. Himalaya.

C. davidiana, Hort.

C. acuminata, Lindl. var. prostrata, Dippel.

12159



C. integerrima, Medic. Mountains of Europe, &c.

C. melanocarpa, Bl.

C. nigra, Waidherg.

C. villosa, Hort.

C. vulgaris, Lindl.

Crataegus Cotoneaster, Borkh.

Mespilus Cotoneaster, L.

M. melanocarpa, Fisch.

C. lanata, Decne. Himalaya.

C. laxiflora, Jacq.; Bot. Reg. t. 1305; Bot. Mag. t. 3519.
Siberia.

C. Lindleyi, Steudel. Himalaya.

C. elliptica, Hort.

C. laevis, Hort.

C. nummularia, Lindl. (not Fisch, & Mey.). Lond. Arboret. . . . Brit. ii. 872, f.

C.imicrophylla, Wall.; Bot. Reg. t. 1114. Himalaya.

Var. glacialis, Hook. f.

C. congesta, Baker Refug. Bot. i. t. 51.

C. multiflora, Bunge. China.

C. reflexa, Curr.

C. vulgaris rar. glabrata.

!. Nummularia, Fisch. d. Mey. Europe, Asia.

C. Fontanesii, Spach.

C. racemiflora, C. Koch.

Mespilus racemitlora, Desf.

pannosa, Franch.: Le Jardin 1898, f. 120: Rev. Hortic.
 1902, 381, f. 163. Yunnan.

rotundifolia, Wall.: Refug. Bot. i. t. 54. Himalaya.

C. microphylla var. Uva-ursi, Lindl.

Var. prostrata, Baker Refug. Bot. i. t. 53.



C. Simonsii, Baker Refug. Bot. i. t. 55. Himalaya.

C. acutifolia, Turcz.

C. himalaiensis, Hort.

C. nepalensis, Hort.

C. thymifolia, Baker Refug. Bot. i. t. 50. Himalaya.

C. tomentosa, Lindl. Alps, &c.

Mespilus coccinea, Waldst. & Kit.

M. eriocarpa, DC.

M. tomentosa, Mill.

C. uniflora, Bunge. Siberia, &c.

C. nigra var. uniflora. Regel.

C. Uva-ursi, Pall.

*Photinia benthamiana, Hance. China.

P. serrulata, Lindl. China.

P. dentata, Hort.

P. glabra, Hort. (not Decne.).

Crataegus glabra, Thunh.: Bot. Mag. t. 2105.

C. serratifolia, Desf.

Var. rotundifolia.

P. variabilis, Hemsl. China and Japan.

P. laevis, DC.

P. villosa, DC.

Crataegus laevis, Thumh.

C. villosa, Thunb.

Pourthiaea arguta, Hort. (not Decne.).

Heteromeles arbutifolia, Romania. California. "Toyou or Tollon."

Photinia arbutifolia, Lindl. Bot. Reg. t. 491.



*Eriobotrya japonica, Lindl. China and Japan. "Loquat." Mespilus japonica, Thunb.; Bot. Reg. t. 365, Photinia japonica, Franch. & Sar.

*Raphiolepis japonica, Sich. & Zucc. Japan.

R. integerrima, Hort.

R. japonica, Sieb. & Zucc. var. integerrima, Hook. Pet. Mag. t. 5510.

R. Mertensii, Sieb. & Zucc.

R. ovata, Hort.

Mespilus Seiboldi, Blume.

*Stranvaesia glaucescens, Lindl. Bot. Reg. t. 1956. Himalaya.

S. undulata, Decne. China.

Amelanchier alnifolia, Nutt.: Garden and Forest 1888, 185. North-western America.

A. alpina, Hort.

A. canadensis var. alnifolia, Torr. & Gray.

A. canadensis var. florida, Hort.

A. canadensis var. tlorida parvifolia, Hort.

A. canadensis var. pumila, Torr. & Gray.

A. florida, Lindl. Bot. Reg. t. 1589.

A. japonica, Hort. (not Miquel).

A. montana, Hort.

A. ovalis var. semi-integrifolia. Hook.

A. parvifolia, Hort.

Aronia alnifolia, Nutt.

A. asiatica, Walpers. Japan.

A. canadensis var. japonica, Miq.

A. japonica, Miq.

Aronia asiatica, Such, & Zuec.



A. canadensis, Medic. North America. "June-berry, Service-berry."

A. asiatica, Hort. (not Walp.).

A. Botryapium, Lindl.

A. canadensis var. sanguinea, DC.

A. canadensis var. spicata, Lam.

A. lancifolia, Hort.

A. ovalis, Medic.

A. sanguinea, Lindl. Bot. Reg. t. 1171.

A. spicata, C. Koch.

A. stricta, Hort.

Aronia Botryapium, Pers.

A. sanguinea, Nutt.

Crataegus racemosa, Lum.

C. spicata, Lam.

Mespilus arborea, Micher.

M. canadensis, L.

M. nivea, Marsh.

Pyrus Botryapium, L. f.

P. sanguinea, Pursh.

Var. oblongifolia, Torr & tiray; Bot. Mag. t. 7619. Eastern United States and Canada. "Swamp Sugar Pear."

A. canadensis var. obovalis, Surgent.

A. oblongifolia, Roem.

A. oligocarpa, Roem.: Garden and Forest 1888, 245, f. 41.
Northern United States.

A. utahensis, Koehne. North America.

A. vulgaris, Moench.: Gard. Chron. 1890, vii. 621, f. 104. Europe, &c.

A. rotundifolia, Deene.

Aronia Amelanchier, Reichb.



A. vulgaris-cont.

A. rotundifolia, Pers.

Crataegus Amelanchier, Desf.

C. rotundifolia, Lum.

Mespilus Amelanchier, L.

Pyrus Amelanchier, Willd.

Sorbus Amelanchier, Crantz.

Var. cretica, Boiss. Asia Minor, &c.

Amelanchier cretica, C. Koch.

A. suborbicularis, Borkh.

Aronia cretica, Pers.

Crataegus cretica, Desf.

Pyrus cretica, Willd.

Peraphyllum ramosissimum, Nutt.: Bot. Mag. t. 7420. Oregon, &c.

Saxifragacèae.

*Hydrangea altissima, Wall. Himalaya.

H. arborescens, L.; Bot. Mag. t. 437. Eastern United States.

H. cordata, Pursh; Wats. Dendr. Brit. i. t. 42.

H. frutescens, Marsh.

H. urticaefolia, Hort.

H. vulgaris, Micher.

H. aspera, D. Don. Himalaya and China.

Var. macrophylla, Hemsl. China.

H. Bretschneideri, Dipp. China.

H. pekinensis, Hurt.

H. pubescens, Derne.

H. vestita var. pubescens, Maxim. Garden and Forest 1890, 17, f. 3: 1893, 396, f. 60.



*H. hortensis, Sm.; Bot Mag. t. 438. China and Japan.

H. Hortensia, DC.

H. japonica, Sieh.

H. mutabilis, Hort.

H. opuloides, Lam.

Hortensia mutabilis, Hort.

H. rosea, Dest.

H. speciosa, Pers.

Var. acuminata, A. Gray.

H. acuminata, Sieh. & Zucc. Fl. Jap. t. 56; Rev. Hort. 1874, t. 91.

H. Buergeri, Sieh. & Zucc. Fl. Jap. t. 57.

Var Lindlevi.

H. hortensis roseo-alba.

H. japonica var. coerulescens, Regel.

H. japonica var. Lindleyi.

H. japonica rur. roseo-alba, Regel.

H. roseo-alba, Fl. des Serres tt. 1649-50.

*Var. Mariesii. Garden liv. t. 1196.

*Var. nigra.

Hortensia nigra, Carr.

Hydrangea cyanoclada, Hort.

H. mandschurica nova, Hort.

H. opuloides cyanoclada, Dipp.

H. ramis pictis, Hort.

Var. stellata, Maxim.

H. stellata, Sich. d Zucc. Fl. Jap. t. 59.

Var. stellata fimbriata.

Var. stellata rosea.

*Var. variegata.

H. japonica variegata, Regel.



*H. involucrata, Sieb. & Zucc. Fl. Jap. tt. 63, 64. Japan.

H. longipes, Hemsl. China.

H. paniculata, Sieb. & Zucc. Fl. Jap. t. 61. Japan.

Var. grandiflora, Sieb.

H. paniculata var. floribunda, Regel Gartenflora 1867, t. 530.

H. paniculata var. hortensis, Maxim.

H. petiolaris, Sieb. & Zucc.; Bot. Mag. t. 6788. Japan.

H. bracteata, Sieb, & Zucc.

H. cordifolia, Sieb. & Zucc.

H. scandens, Maxim.

Schizophragma hydrangeoides, Hort. (not Sieb. & Zucc.).

H. quercifolia, Bartr.; Bot. Mag. t. 975. Southern United States.

H. platanifolia, Hort.

H. radiata, Wall.; Britt. & Br. Illustr. Fl. ii. 185, f. South-eastern United States.

H. discolor, Rafin.

H. nivea, Michx.; Wats, Dendr. Brit. i. t. 43.

Var. canescens, Nichols.

H. canescens, C. Koch.

Hydrangea glauca, Hort.

H. sinensis, Hart.

H. serrata, Ser. Japan.

H. Thunbergi, Sieb.; Sieb. & Zuec. Fl. Jap. t. 58. Japan. H. cyanea, Hort.

H. vestita, Wall. Himalaya.

H. heteromalla, D. Don.

H. pubescens, *Deene.*; Gard. Chron. 1884, xxii. 617, f. 107.



- H. virens, Sich.; Sieb. & Zucc. Fl. Jap. t. 60. Japan.
- Schizophragma hydrangeoides, Sieb. & Zucc. Fl. Jap. t. 26. Japan.
- S. integrifolia, Oliver Icon. Plant. t. 1934. China.
- *Deutzia corymbosa, R. Br. Himalaya.
- D. crenata, Sieb. & Zucc. Fl. Jap. i. 19, t. 6. Japan.
 - D. californica, Hort.
 - D. Fortunei, Hort.
 - D. scabra, Lindl. Bot. Reg. t. 1718 (not Thunb.).
 - D. scabra var. crenata, Maxim.
 - D. sieboldiana, Hort. (not Maxim.).
 - D. Watereri, Hort.

Var. flore pleno extus purpurea.

- Var. punctata.
- D. discolor, Hems/. China.

Var. purpurascens. Bot. Mag. t. 7708.

D. gracilis, Sieb. & Zucc.; Flore des Serres vi. 611. Japan.

Var. foliis aureis.

Var. marmorata.

Var. variegata.

- D. gracilis campanulata, Hort. (gracilis $\mathcal{Q} \times discolor$ purpurascens δ).
- D. kalmiaeflora, Lemoine. (gracilis purpurascens $\mathcal{Q} \times \text{parvi-flora } \mathcal{D}$).
- D. Lemoinei, Hort. (gracilis × parviflora). Le Jardin 1895. 243.
- D. parviflora, Bunge: Garden and Forest 1888, 365. China.
- D. scabra, Thunb.: Sieb. & Zucc. Fl. Jap. t. 7. China and Japan.



- D. setchuenensis, Franch. China.
 - D. corymbiflora, Lemoine Rev. Hort. 1898, 402, f. 138.
 - D. corymbosa, André Rev. Hort. 1897, 466, f. 139.
- D. sieboldiana, Maxim. Japan.
- D. staminea, R. Br.; Bot. Reg. xxxiii. t. 13. Himalaya.
 - D. brunoniana, Wall.
 - D. canescens, Hort.
 - D. corymbosa, Lindl. Bot. Reg. xxvi. t. 5.
- *Decumaria barbara, L.: Britt. & Br. Illustr. Fl. ii. 185, f. Southern United States.
 - D. Forsythia, Mich.c.
 - D. radicans, Moench.
 - D. sarmentosa, Bosc.
 - D. scandens, Salish,
 - Forsythia scandens, Wall.
- Philadelphus acuminatus, Lange Bot. Tidsskrift ser. 3, vol. ii. 131, t. 2. Origin uncertain.
- P. cordifolius, Lange Botanisk Tidsskrift ser. 3, vol. ii. t. 3. Origin uncertain.
- P. coronarius, L. Asia. "Mock Orange." P. triflorus, Hort.

Var. dianthiflorus plenus.

Var. flore pleno.

Var. foliis argenteo-variegatis.

Var. foliis aureis.

Var. nanus, Mill.

Var. Satsumi, Maxim.

Var. tomentosus, Houl. f. & Thoms. Himalaya to China. Philadelphus tomentosus, Wail.



- P. Falconeri, Hort. Origin uncertain.
- P. gordonianus, Lindl. Bot. Reg. xxv. t. 32. Western United States.
- P. grandiflorus, Willd.; Britt. & Br. Illustr. Fl. ii. 186, f. Southern United States.

Philadelphus columbiensis, Hort.

P. inodorus var. grandiflorus, A. Gray.

P. laxus, Lodd.

P. speciosus, Schrad.; Bot. Reg. t. 2003.

Deutzia corymbosa, Hort.

D. sanguinea, Hort.

Var. floribundus, Torr. & Gray.

P. floribundus, Schrad.

P. grandiflorus, Lindl. Bot. Reg. t. 570.

P. latifolius, Schrad.

P. verrucosus, Schrad.

P. Zeyheri, Schrad.

Var. laxus, Torr. & Gray.

P. humilis, Hort.

P. ignea, Hort.

P. laxus, Schrud.

P. pubescens, Lodd.

'. hirsutus, Nutt.; Bot. Mag. t. 5334. Oregon.

Philadelphus Godohokeri, Hort.

P. gracilis, Lodd.

P. trinervius, Schrad.

P. villosus, Lodd.

Deutzia Godohokeri, Hort.

inodorus, L.; Britt, & Br. Illustr. Fl. ii. 186. Southern United States.



P. insignis, Carr. Garden origin.

P. Billiardi, Hort.

P. Lemoinei, Hort. (microphyllus × coronarius) Garden and Forest 1889, f. 154. Garden origin.

Var. erectus.

P. Lewisii, Pursh. Western North America.

P. thyrsiflorus, Hort.

P. sanguineus, Hort.

Var. californicus, A. Gray. California.

P. coronarius nivalis, Hort.

P. nivalis, Hort.

- *P. mexicanus, Schlecht.; Gard. Chron 1883, xix. 753, f. 123; Bot. Mag. t. 7600. Mexico.
- P. microphyllus, A. Gray; Gard. Chron, 1887, ii. 156. Colorado, &c.
- P. pekinensis, Rupr. China.
- P. Satsumi, Siebold; Lindl. & Paxt. Fl. Gard. ii. 103, f. 188. Japan, &c.

Philadelphus japonicus, Hort.

P. Ledebourii, Hort.

P. pulchella, Hort.

P. Roylei, Hort.

P. Schrenckii, Rupr.

P. speciosus, Hort.

P. Yokohama, Sich.

Deutzia japonica, Hort.

D. pulchella, Hort.

P. undulatus, Hort. Origin unknown.

Platycrater arguta, Sich, & Zucc. Fl. Jap. i. t. 27. Japan. P. Sieboldii, Hort.



- Jamesia americana, Torr. & Gray; Bot. Mag. t. 6142. Rocky Mountains.
- Fendlera rupicola, A. Gray; Garden and Forest 1889, 112, f. 98. South-west United States.
- *Carpentaria californica, Torrey; Bot. Mag. t. 6911. California.
- Escallonia exoniensis, Hort. Garden origin.
- *E. floribunda, H. B. & K.; Bot. Mag. t. 6404. Colombia, Ecuador, &c.
- *E. illinita, Prest.; Bot. Reg. t, 1900. Chili.
- E. langleyensis, Hort.; Gard. Chron. 1898, xxiv. 11, f. 4.
 E. macrantha × philippiana. Journ. of Hortic. 1897,
 Sept. 9, 237, f. 33.
- *E. littoralis, Phil. Chili.
- *E. macrantha, Hook. & Arn.; Bot. Mag. t. 4473. Chiloe.
 E. bicolor, Hort.
 E. Ingrami, Hort.
 E. rubra Ingrami, Hort.
- *E. montana, Phil. Chili.
- *E. montevidensis, DC.; Bot. Reg. t. 1467. Montevideo, &c. E. floribunda var. montevidensis, Chum. & Schlecht.
- E. philippiana, Masters Gard, Chron. 1878, x. 109, f. 13. Valdivia.
- *E. pterocladon, Hook. Bot. Mag. t. 4827. Western Patagonia.
- *E. pulverulenta, Pres.; Sweet Brit. Fl. Garden ser. ii. t. 310 Chili.



*E. punctata, DC. Chili.

E. rubra var. punctata, Hook. f. Bot. Mag. t. 6599.

E. sanguinea, Hort.

*E. revoluta, Pers.; Bot. Mag. t. 6949. Chili. E. affinis, Ruprecht.

*E. rubra, Pers.; Bot. Mag. t. 2890. Chili.

Var. pallida.

E. poeppigiana, DC.

*E. viscosa, Forhes: Ic. Selectae Horti Thenensis i. t. 16. Chili.

*Itea ilicifolia, Oliver; Hook, Icon. Plant. t. 1538. China.

I. virginica, L.; Bot. Mag. t. 2409. Eastern United States.

"Weinmannia trichosperma, Cav. Chili.

Ribes alpinum, L.: Lodd. Bot. Cab. t. 1486; Eng. Bot. ed. 3, t. 519. Northern Hemisphere.

Ribes grossulariaefolium, Reichb.

R. opulifolium, Hort.

Var. foliis aureis, Hort.

Var. laciniatum, Hort.

Var. pumilum, Lindl.

Var. sterile, Wallr.

R. dioicum, Moench.

Lamericanum, Mill. North America.

Ribes campanulatum, Moench.

R. floridum, L'Hévit.; Britt. & Br. Illustr. Fl. ii. 191, f.

R. missouriense, Hort. (not Nuttall).

R. pensylvanicum, Lam.

R. recurvatum, Michar.

Coreosma florida, Spach.



R. amietum, Greene. California, &c.

R. aureum, Pursh: Bot. Reg. t. 125. Western North America. "Buffalo or Missouri Currant."

Ribes fragrans, Lodd. Bot. Cab. t. 1533.

R. odoratum, Wendl.

R. palmatum, Desf.

R. utahense, Hort.

Chrysobotrya revoluta, Spach.

Var. aurantiacum, Hort.

Var. praecox, Lindl.

Var. serotinum, Lindl.

Var. tenuislorum, Torr.

R. tenuiflorum, Lindl. Bot. Reg. t. 1274.

R. bracteosum, Dougl.: Bot. Mag. t. 7419. Western North America.

R. cereum, Dougl.: Bot. Mag. t. 3008. Western United States, &c.

R. inebrians, Lindl. Bot. Reg. t. 1471.

R. Kunthii, Hort.

R. mexicanum, Hort.

R. reniforme, Nutt.

R. Cynosbati, L.: Loud. Arb. ii. 970, f. 719. Eastern United States.

R. gracile, Torrey.

Grossularia Cynosbati, Spach.

R. Diacantha, Pull. Fl. Ross. t. 66. Siberia, &c.

R. cuneatum, Kar. & Kir.

R. saxatile, Pull.

Grossularia diacantha, Mill.

Var. atrorubens.

Var. melanocarpum.



R. divaricatum, Dougl.; Bot. Reg. t. 1359. Western North

R. triflorum, Hook.

R. villosum, Nutt. (not Gay).

R. fasciculatum, Sieb. & Zuce.; Möller's Deutsche Garten-Zeitung 1889, 571. Japan, &c.

Var. Billiardii.

R. Billiardii, Carr.

Var. chinense.

R. gordonianum, Lem. (sanguineum × aureum); Fl. des Serres ii. 165. Garden origin.

R. Beatoni, Hort.

R. loudonianum, Hort.

R. gracile, Micha. North-western United States.

R. missouriense, Nutt.

R. niveum, Lindl. Bot. Reg. t. 1692.

Grossularia nivea, Spach.

R. Grossularia, L.; Eng. Bot. ed. 3, t. 518. Northern Hemisphere. "Gooseberry."

R. alpestre, Wall.

R. Uva-crispa, DC.

R. grossularioides, Maxim. China and Japan. R. macroealyx, Hance.

R. himalayense, Deene. (not Royle). Himalaya.

R. lacustre, Poir.; Bot. Mag. t. 6492. North America. R. echinatum, Dougl.

R. laxiflorum, Pursh. Western United States. R. affine, Dougl,

12159



R. Lobbii, A. Gray: Gard. Chron. 1883, xix. 11, f. 1. California.

R. subvestitum, Hook. Bot. Mag. t. 4931.

R. Menziesii, Pursh: Bot. Reg. xxxiii. t. 56. Western North America.

R. ferox, Smith.

R. multiflorum, Waldst. & Kil.: Bot. Mag. t. 2368. South-east Europe.

R. album multiflorum, Hort.

R. urceolatum, Tausch.

R. vitifolium, Host.

R. nigrum, L.: Engl. Bot. ed. 3, t. 523. North Europe and North Asia. "Black Currant."

Var. altaicum.

R. Dikuscha, Fisch.

Var. dissectum.

Var. laciniatum.

R. aconitifolium. Hort.

Var. reticulatum aureum.

Var. variegatum.

R. orientale, Desf. Orient, &c.

R. leptostachyum, Decne.; Jacq. Voyage iv. 65 t. 76.

R. punctatum, Lindl. Bot. Reg. t. 1278 (not Rui: & Par.).

R. oxycanthoides, L.: Bot. Mag. t. 6892. North America. (Parent of the American garden Gooseberries.)

R. hirtellum, Micher.

R. irriguum, Dougl.

R. saxosum, Hook.

R. setosum, Lindl.

R. stenophyllum, Hart.

Var. Purpusii, Spiith.

12159



R. petraeum, Wulf.; Reichb. Fl. Germ. xxiii. t. 138. Europe, &c.

R. atropurpureum, C. A. Meyer.

R. Biebersteinii, Berl.

R. carpaticum, Kit.

R. caucasicum, Bieb.

R. macrobotrys, Hort.

R. prostratum ringens, Hort.

R. ringens, Hort.

R. triste, Bunge.

R. pinetorum, Greene. New Mexico.

R. prostratum, L'Hérit. North America.

R. glandulosum, Ait.

R. trifidum, Michx.

R. punctatum, Ruiz & Pav.; Bot. Reg. t. 1658. Chili.

R. robustum, Hort. Origin unknown.

R. rotundifolium, Michael Eastern United States.

R. gracile, Pursh (not Michr.).

R. triflorum, Willd.; Lodd. Bot. Cab. t. 1094.

R. rubrum, L.; Eng. Bot. ed. 3, t. 520. Northern Hemisphere. "Red Currant."

Var. album, Desf. "White Currant."

Var. foliis luteo-variegatis.

Var. Schlechtendalii.

R. Schlechtendalii, Lange Flora Danica t. 2892. North Europe.

Var. smithianum, Syme; Eng. Bot. ed. 3, t. 521.

Var. subglandulosum, Maxim.



R. sanguineum, Pursù: Bot. Mag. t. 3335. California. &c. "Flowering Currant."

Var. albidum, Parton.

Var. atrorubens.

Var. atrosanguineum.

Var. carneum, Hort.

R. carneum grandiflorum, Hort.

Var. davidianum, Hort.

Var. epruinosum, C. Koch.

Var. flore pleno.

Var. glutinosum, A. Gray. R. glutinosum, Benth.

Var. intermedium, Hort.

Var. malvaceum, S. Wats.

R. malvaceum, Sm.; Sweet British Flower Garden ser. ii. t. 340.

R. speciosum, Pursh: Bot. Mag. t. 3530. California.

R. fuchsioides, Mog. et Sessé.

R. stamineum, Sm.

Robsonia speciosa, Spach.

R. stenocarpum, Maxim. China.

R. valdivianum, Phil. Chili.

R. viburnifolium, A. Gray. California.

R. villosum, C. Gay: Bot. Mag. t. 7611. Chili.

R. Bridgesii, Hort.

R. chilense, C. Korh.

R. gayanum, Hort.

R. Lavallei, Hort.



Hamamelidaceae.

Parrotia jacquemontiana, Decne.; Bot. Mag. t. 7501. Western Himalaya.

Fothergilla involucrata, Falconer.

- P. persica, C. A. Meyer: Bot. Mag. t. 5744. Persia. Hamamelis persica, DC.
- Fothergilla Gardeni, Murr. South-eastern United States. Fothergilla alnifolia, L. f.; Bot. Mag. t. 1341. F. carolina, Britt.
- Distylium racemosum, Sieb. & Zucc. Flor. Jap. t. 94. Japan.
- Sycopsis sinensis, Oliver Hook, Icon. Plant. t. 1931. China.
- Corylopsis himalayana, Geoigh; Bot. Mag. t. 6779. Himalaya.
- *C. pauciflora, Sich. & Zucc. Fl. Jap. i. t. 20. Japan.
- C. spicata, Sich. d. Zucc. ; Bot. Mag. t. 5458. Japan.
- Hamamelis arborea, Masters Gard, Chron. 1881, xv. 205,
 f. 38. Japan. "Mansak."
 H. japonica, Hook, f. Bot Mag. t. 6659.
- H. japonica, Sieb. & Zucc. Japan.

Var. zuccariniana.

H. zuccariniana, Hort.

- H. mollis, Oliver Hook. Ic. Plant. t. 1742. China.
- H. virginica, L.: Bot. Mag. t. 6684. Eastern North America. "Witch Hazel."



- *Loropetalum chinense, R. Br.: Gard. Chron. 1883, xix. 152, f. 23. China, &c.
- Disanthus cercidifolia, Maxim.: Garden and Forest 1893, 215. Japan.
- *Liquidambar formosana, Hance; Hook. Icon. Plant. t. 1020. China and Japan.
 - L. acerifolia, Maxim.
 - L. Maximowiczii, Miy.
- L. orientalis, Mill.: Hook, Icon. Plant. t. 1019. Asia Minor.
 - L. imberbe, Ail.
- L. styraciflua, L.: Sargent Silva of North America t. 199. United States, "Sweet Gum,"

Myrtaceae.

- *Eucalyptus coccifera, Hook. f. Bot. Mag. t. 4637. Tasmania.
- E. Gunnii, Hook. f. Flora Tasmaniae t. 27. Tasmania.
- E. urnigera, Hook, f.: Gard. Chron. 1888, iii. 460, f. 64. Tasmania.

E. whittinghamensis, Hort.

- *Myrtus communis, L. Mediterranean region. "Myrtle."
 M. lusitanica, Willd.
 - Var. tarentina, L.
 - M. tarentina, Mill.; Laguna, Comision de la Flora Forestal Española t. 9a.
- *M. Ugni, Molina. Chili. "Myrtilla." Eugenia Ugni, Haok. & Arn.: Bot. Mag. t. 4626.



Lythraceae.

Nesaea salicifolia, H.B.K.; Reichb. Hort. Bot. t. 166. Trepical America.

Heimia salicifolia, Link & Otto.

Var. grandiflora, Lindl. Bot. Reg. xxvii. t. 60.

*Punica Granatum, L.; Bot. Mag. t. 1832. Persia, &c. "Pomegranate."

Var. nana.

Punica nana, L.; Bot. Mag. t. 634.

Onagraceae.

Zauschneria californica, Presl; Bot. Mag. t. 4493. California.

Fuchsia corallina, Hort. Garden origin. F. exoniensis, Hort.

F. globosa, Linell. Bot. Reg. t. 1556. Mexico.

F. macrostemma, Ruiz & Pav. South America.

F. coccinea, Bot. Mag. t. 97 (not Aiton).

F. gracilis, Lindl.

F. magellanica, Lam.

F. virgata, Sweet.

F. Riccartoni, Hart. Garden origin.

Passifloraceae.

Passiflora coerulea, L.; Bot. Mag. t. 28. Southern Brazil. "Passion Flower."



Umbelliferae.

*Bupleurum fruticosum, L.: Wats. Dendr. Brit. i. t. 14.
Mediterranean region.

Araliaceae.

Aralia chinensis, L. var. elata, Dippel. China, &c.

A. mandschurica, Rupr. & Maxim.

Dimorphanthus elatus, Miq. Comment. Phytogr. t. 12.

D. mandschuricus, Maxim,

Var. albo-marginata.

Var. canescens.

A. spinosa canescens, Hort.

Var. pyramidalis, Hort.

A. spinosa, L.: Sargent Silva of North America t. 211.
Eastern United States. "Hercules' Club, Angelica
Tree."

Acanthopanax ricinifolium, Seem. China and Japan.

Aralia Maximowiczii, Van Houtte Fl. des Serres xx. t. 2067.

A. ricinifolia, Hort.

Kalopanax ricinifolium, Miq.

Panax ricinifolium, Sich, & Zucc.

A. sessiliflorum, Seem. China.

Panax sessilitlorum, Rupr. & Maxim.

P. sessilifolium, C. Koch.

A. spinosum, Mig. China and Japan.

Aralia pentaphylla, Thunk.

Panax spinosum, L.

Var. variegatum.

P. quinquefolium variegatum, Hort.



Fatsia horrida, Benth. & Hook. f.; Dippel Handbuch der Laubholzkunde iii. 239. North-west America and North-east Asia.

Echinopanax horridus, Decne. & Planch.

Oplopanax horridum, Miq.

Panax horridum, Sm.

F. japonica, Decne. & Planch.; Gartenflora 1863, t. 420. Japan.

Aralia japonica, Thunb.

A. Sieboldii, Sieb.

Var. variegata.

Helwingia ruseiflora, Willd.; Sieb. & Zucc. Fl. Jap. i. t. 86. Japan.

H. japonica, Morr. & Decne.

H. ruscifolia, Steud.

Eleutherococcus senticosus, Maxim.: Gartenflora 1863, t. 393. China.

*Dendropanax japonicum, Seem. China, Japan, and Himalaya.

Hedera japonica, Jungh.

Textoria japonica, Miq.

Hedera Helix, L.; Eng. Bot. ed. 3, t. 633. Europe, North Africa, North Asia. "Ivy."

Var. algeriensis.

H. viridis, Hort.

Var. algeriensis variegata.

Var. amurensis.

H. acuta.



Var. angularis, Hibberd.

Var. angularis foliis aureis.

Var. arborescens.

Var. arborescens foliis argenteis marginatis.

Var. arborescens foliis aureis

Var. atropurpurea.

Var. aurantiaca, André Rev. Hort. 1884, 84 (coloured plate).

Var. aurea elegantissima.

Var. aureola.

Var. azorica, Hort.; Gard. Mag. October 15, 1887, f. H. ficula.

Var. azorica variegata.

Var. baccifera major.

Var. caenwoodiana.

Var. canariensis. "Irish Ivy."

H. canariensis, Willd.

H. grandifolia.

H. hibernica.

H. vegeta.

Var. canariensis arborescens.

Var. canariensis aureo-maculata.

Var. canariensis foliis argenteis.

Var. canariensis nova.

Var. Cavendishi.

H. marginata elegans.

H. marginata minor.



Var. chrysocarpa.

H. baccifera lutea.

Var. chrysomela.

H. spectabilis aurea.

Var. chrysophylla, Hibberd.

H. digitata aurea.

H. palmata aurea.

Var. colchica.

H. caucasica, Hort.

H. colchica, C. Koch.

H. cordifolia, Hort.

H. coriacea, Hort.

H. rcegneriana, Hort.

Var. colchica arborescens.

Var. conglomerata.

Var. contracta.

Var. corrugata.

Var. crenata.

H. digitata nova.

H. vitifolia.

Var. Crippsii.

Var. cuspidata minor.

Var. deltoidea.

H. rhomboidea obovata.

Var. dentata.

Var. digitata.

H. palmata.

H. pennsylvanica.



Var. digitata nana.

Var. discolor.

H. marmorata elegans.

H. miner marmorata.

H. minor variegata.

Var. donerailensis.

Var. farleyensis.

Var. flavescens.

Var. gigantea.

Var. gracilis.

Var. hallamensis.

Var. heidelbergensis.

Var. heterophylla, Hibberd.

Var. himalaica.

H. cinerea, Hibberd.

Var. hybrida marginata.

Var. intermedia.

Var. lacteola.

Var. lobata major.

Var. lucida.

H. poetica.

Var. macrodonta.

Var. maculata.

H. latifolia maculata.

H. latimaculata.

Var. maderensis variegata.

Var. marginata major.

H. argentea major.



H. argentea scandens.

H. marginata argentea.

H. marginata elegantissima.

H. marginata grandis.

H. marginata pulchella.

Var. marginata media.

Var. marginata purpurea.

Var. marginata rubra.

H. argentea rubra.

H. elegantissima.

Var. marmorata elegans.

Var. minima, Hibberd.

H. donerailensis.

Var. minor.

Var. minor variegata.

Var. netleyensis.

Var. nigra.

H. willsiana.

Var. ovata.

Var. palmata aurea.

Var. pedata.

Var. pustulata.

Var. rhombea (Sieh. & Zucc.).

H. japonica argentea.

H. japonica variegata.

H. submarginata, Hibberd.

Var. rugosa.

Var. sagittaefolia.



Var. spectabilis.

Var. spectabilis aurea.

Var. succinata, Hibberd.

Var. sulphurea, Hibberd.

H. marginata canescens.

Var. taurica.

Var. tortuosa.

H. Glymii

Var. triloba.

Var. venosa.

Var. walthamensis.

Cornaceae.

darlea platanifolia, Sieb. & Zucc. 'China and Japan.

Corokea Cotoneaster, Raoul. Nouv. Zel. t. 20. New Zealand.

ornus alba, L. North Asia.

C. tartarica, Mill.

Var. Froebeli, Hort.

Var. Gouchaulti, Carr.

Var. sibirica.

C. sibirica, Lodd.

Var. sibirica variegata, Hort.

Var. Spaethii, Wittm.

C. sibirica Spaethii, Hort.

C. Spaethii, Hort.

Var. variegata, Hort.



C. alternifolia, L. f.; Sargent Sylva of North America t. 216. North America.

C. alterna, Marsh.

- C. Amomum, Mill.; Britt. & Br. Illustr. Flora ii. 544. f. North America. "Kinnikinnik."
 - C. asperifolia, Hort. (not Michx.).
 - C. citrina, Hort.
 - C. coerulea, Lam.
 - C. cyanocarpa, Moench.
 - C. lanuginosa, Michx.
 - C. rubiginosa, Ehrh.
 - C. sericea, L.; Loud. Arb. et Frut. ii. t. 1013, f. 766.

Var. angustifolia.

Var. grandifolia.

Var. parvifolia.

- C. asperifolia, Michx.; Britton & Brown Illustr. Flora ii. 544, f. North America.
- C. Baileyi, Coulter & Evans; Garden and Forest 1890, 465, f. 58. North America.
- C. brachypoda, C. A. Meyer. Japan.

Var. variegata. Journ. of Hortic. ser. iii. xxviii. 129, f. 20.

- L'Bretschneideri, L. Henry Le Jardin 1899, 309, f. China.
- ¹, candidissima, Marsh.; Britt. & Br. Illustr. Fl. ii. 545. North America.
 - C. albida, Ehrh.
 - C. fastigiata, Michx.
 - C. femina, Dippel (not Miller).
 - C. oblongata, Hort.
 - C. paniculata, L'Hérit.
 - C. stricta, Lam.

Var. variegata.



- *C. capitata, Wall. North India to China.

 Benthamia fragifera, Lindl.: Bot. Mag. t. 4641.
- C. circinata, L'Hérit.; Loud. Arb. et Frut. ii. 1014, f. 767. North America.
 - C. rugosa, Lam.
 - C. tomentosula, Mich.v.
 - C. verrucosa, Hort.
- C. florida, L.; Sargent Silva of North America tt. 212, 213. Eastern North America. "Flowering Dogwood." Benthamia florida, Spach.

Var. flore rubro.

Var. pendula.

- C. glabrata, Benth. Western United States.
- J. Hessei, Kochne. Eastern Asia?
- *C. Kousa, Buerg.: Garden, February 25, 1893. Japan. C. japonica, Koehne (not Thunb.). Benthamia japonica, Sieb. & Zucc. Fl. Jap. i. t. 16.
- '. macrophylla, Wall. North India to Japan.
 - C. brachypoda, Hort. (not Fisch. & Mey.).
 - C. crispula, Hance.
 - C. religiana, Hort.
 - C. Thelicanis, Lebus Rev. Hort. 1875, 395, f. 64.
 - C. theleriana, Hort.

Var. variegata.

Mas, L. Europe, &c. "Cornelian Cherry, Cornel." C. mascula, L.: Bot. Mag. t. 2675.

Var. aurea elegantissima, Hort.
C. elegantissima, Hort.



C. Mas-cont.

Var. fructu violaceo.

Var. lanceolata.

Var. nana.

C pumila, Hort.

Var. variegata.

Var. xanthocarpa.

- C. Nuttallii, Andnh.: Sargent Silva of North America tt. 214, 215. Western North America.
- C. officinalis, Sieb. & Zucc. Fl. Jap. i. t. 50. Japan.
- C. pubescens, Nutt. Western North America.
- C. Purpusi, Koehne. Ohio.
- C. sanguinea, L.: Eng. Bot. ed. 3, t. 635. Europe, North and Western Asia. "Common Dogwood."

Var. candidissima, Hort.

Var. viridissima, Dieck.

C. stricta, Hort. (not L'Hérit.).

Var. variegata, Hort.

. stolonifera, Michx.; Britton & Brown Illustr. Flora ii. 545 f. North America. "Red-Osier Dogwood."

C. alba, Wangenh. (not L.).

Var. flaviramea.

C. alba var. flaviramea, Späth.

* stricta, L'Hérit.; Britton & Brown Illustr. Flora ii. 546 f. South United States.

C. fastigiata, Michx.

C. femina, Mill.

12159



Aucuba himalaica, Hook. f. & Thoms.: Hook. f. Himalay. Plants t. 12. Eastern temperate Himalaya.

A. japonica, Thumb.; Bot. Mag. t. 1197. Japan.

Var. Bruantii.

Var. crassifolia.

Var. dentata.

Var. dentata variegata.

Var. fructu albo.

Var. grandis.

Var. latimaculata.

Var. longifolia.

Var. longifolia picta.

Var. macrodonta.

Var. macrophylla.

Var. macrophylla dentata.

Var. macrophylla maculata.

Var. macrophylla picta.

Var. maculata ₺ ♀.

Var. nana rotundifolia.

Var. picta. ♀.

Var. pygmaea.

Var. rotundifolia.

Var. salicifolia.

Var. splendida.

Var. viridis. ₹, 2.

larrya elliptica, Dougl.: Bot. Reg. t. 1686. California.



- *G. flavescens, S. Wats. Western North America.
- *G. Fremontii, Tarr.; Gard. Chron. 1881, xv. 431, f. 83. Western North America.
- *G. macrophylla, Benth. Mexico.
- G. Thureti, Carr. (Fadyenii × elliptica); Rev. Hort. 1879, 154, ff. 33, 4. Garden origin.
- *Griselinia littoralis, Raon!; Kirk Forest Flora of New Zealand t. 42. New Zealand.
- *G. lucida, Forst.; Kirk Forest Florat. 41. New Zealand. "Kapook."

Var. macrophylla, Hook. f.

Nyssa aquatica, Marsh.: Sargent Silva of North America t. 220. South United States. "Tupelo Gum."

N. tomentosa, Michx.

N. uniflora, Wangenh.

N. Ogeche, Marsh.: Sargent Silva t. 219. South United States. "Ogechee Lime; Sour Tupelo."

N. capitata, Walt.

- V. sylvatica, Marsh.; Sargent Silva of North America t. 217. North America. "Tupelo, Pepperidge."
 N. multiflora, Wangenh.
- 'avidia involucrata, Baill.: Hook. Icon. Plant. t. 1961. Western China.

GAMOPETALAE.

Caprifoliaceae.

mbucus canadensis, L.: Bentl. & Trimen Medicinal Flants t. 138. North America.



S. glauca, Nutt.; Sargent Silva of North America t. 222. Western United States.

S. californica, C. Koch.

S. semperflorens, Hort.

S. melanocarpa, A. Gray. Western North America.

S. mexicana, Prest. California, Arizona, &c.

S. velutina, Dur.

S. plantierensis, Hort.

S. nigra, L.; Eng. Bot. ed. 3, t. 637. Europe, W. Asia, N. Africa. "Common Elder."

70

Var. aureo-marginata.

Var. aureo-variegata.

Var. flore pleno.

Var. foliis aureis. "Golden Elder."

Var. fructu albo.

Var. heterophylla.

S. cannabifolia, Hort.

Var. laciniata.

S. cannabifolia linearis, Hort.

S. heterophylla dissecta, Hort.

S. laciniata, Mill.

Var. leucocarpa.

Var. linearis.

Var. lutescens.

Var. monstrosa.

Var. pendula.

Var. pulverulenta.

Var. pyramidalis.



S. nigra-cont.

Var. roseo flore pleno.

Var. rotundifolia.

Var. swindonensis.

Var. tricolor.

Var. variegata.

Var. virescens.

S. racemosa, L.; Flora Danica t. 2951. Northern Hemisphere. "Red-berried Elder."

S. sieboldiana, Blume.

S. Williamsii, Hance.

Var. arborescens.

Var. dahurica.

Var. foliis aureis.

Var. laciniata.

S. racemosa ovata.

S. racemosa pteridifolia.

Var. plumosa.

Var. plumosa aurea.

Var. pubescens, Dippel.

S. pubens, Michr.

S. pubescens, Pers.

Var. rosaeflora, Dippel.

S. rosaeflora, Carr. Rev. Hort. 1869, 434, f.

Var. serratifolia.

S. ornata, Hort.

Var. spectabilis.

Var. tenuifolia.



- S. thunbergiana, Blume. Japan.
- Viburnum acerifolium, L.; Wats. Dendr. Brit. ii. t. 118. Northern United States. "Dockmackie."
- V. bullatum, Hort. Origin uncertain.
- V. burejaeticum, Regel. & Herd.; Gartenflora 1862, 407, t. 384. China. V. burejanum, Herd.
- *V. Carlesii, Hemsley. Corea.
- V. cassinoides, L. Northern United States, &c. "Withered."
 - V. nudum var. cassinoides. Torr. & Gray.
 - V. pyrifolium, Pursh.
 - V. squamatum, Willd.: Wats. Dendr Brit. i. t. 24.
- *V. coriaceum, Blume. Himalaya, China, &c. V. cylindraceum, Ham.
- V. cotinifolium, D. Dom; Bot. Rég. t. 1650. Himalaya. V. multratum, C. Koch.
- V. dentatum, L.; Wats. Dendr. Brit. i. t. 25. North America. "Arrow-wood."
 - V. acuminatum, Hort.
 - V. montanum, Lodd.

Var. variegatum.

- V. dilatatum, Thunb.; Bot. Mag. t. 6215. Japan.
 V. Mariesii, Hort.
- V. erosum, Thunh.; Garden [and Forest 1896, 85, f. 9. Japan.
 - V. dilatatum var. formosanum, Macim.
- V. furcatum, Blume. China and Japan.
 - V. cordifolium, Hook. f. & Thoms.
 - V. lantanoides, Miq. (not Michx.).



V. hanceanum, Maxim. China.

V. tomentosum, Hance (not Thunb.).

V. Lantana, L.; Eng. Bot. ed. 3, t. 640. Europe, N. & W. Asia, N. Africa. "Wayfaring Tree."

V. macrophyllum, Hort.

V. tomentosum, Lam. (not Thunb.).

Var. foliis aureis variegatis.

Var. foliis punctatis.

V. lantanoides, Micher.; Garden and Forest 1889, 535, t. 141. North America. "Hobble-bush."

V. alnifolium, Marsh.

V. grandifolium, Sm.

V. indicum, Hort.

V. Lantana var. canadense, Pers.

V. Lantana var. grandifolium, Ait.

V. Lentago, L.; Sargent Silva of North America v. 96, tt. 223, 224. North America. "Sheep-berry."

V. acuminatum, Hort. (not Wall.).

V. nitidum, Hort.

V. pirifolium, Hort. (not Poir.).

V. prunifolium, Hort, (not L.).

V. macrocephalum Fortune Bot. Reg. 1847, t. 43 (sterile form). China.

V. Fortunei, Hort. gall.

V. Keteleeri, Carr. Rev. Hort. 1863, 270, f. 31 (fertile form).

V. molle, Micher. Garden and Forest 1891, 30, f. 8. North America.

V. mexicanum, Hort. gall.



V. nudum, L.: Bot. Mag. t. 2281. Eastern and Southern United States.

V. anglicum, Hort.

V. longifolium, Hort.

V. nitidum, Hort.

*V. odoratissimum, Ker-Gawl. Bot. Reg. t. 456. China.

V. Awafuki, Hort.

V. sinensis, Zeyher.

V. Opulus, L.; Eng. Bot. ed. 3, t. 639. Northern hemisphere. "Guelder Rose."

V. americanum, Mill.

V. edule, Pursh.

V. lobatum, Lam.

V. opuloides, Muhl.

V. Opulus var. americanum, Ait.

V. Opulus var. edule, Michx.

V. Oxycoccus, Pursh.

Var. fructu luteo.

Var. nanum.

Var. roseum Tatteri.

Var. sterile. "Snowball Tree."

V. pauciflorum, Pylaie; Garden and Forest 1890, 5, f. 1. North America.

V. phlebotrichum, Sieb. & Zucc. Japan.

V. Wrightii, Miq.

V. prunifolium, L.; Sargent Silva of North America t. 225. North America. "Black Haw."

V. laevigatum, Hort.

V. obovatum, Hort.

V. pirifolium, Poir.

V. punicaefolium, Hort.



V. pubescens, Pursh; Garden and Forest 1890, 125, f. 26.
North America.

V. rhytidophyllum, Hemsl. Central China.

V. rufidulum, Rafin. Southern United States. "Southern Black Haw."

V. prunifolium var. ferrugineum, Torr. & Gray.

V. rufotomentosum, Small; Britt. & Br. Illustr. Fl. iii. 233, f.

V. Sargenti, Koehne. N. China.

V. Sieboldii, Miq. Japan.

V. reticulatum, Hort.

V. stellulatum, Wall. Himalaya.

V. Tinus, L.; Bot. Mag. t. 38. Mediterranean region. "Laurustinus."

Var. Froebeli.

Var. hirtum.

Var. lucidum.

Var. purpureum.

Var. pyramidale.

V. tomentosum, Thunb. Japan.

V. plicatum, Sieh. & Zucc. Fl. Jap. t. 38.

V. plicatum var. tomentosum, Miy.

Var. plicatum, Maxim.

V. plicatum, Thunb.; Sieb. & Zucc. Fl. Jap. t. 37.

Var. plicatum grandiflorum.

V. utile, Hemsl. Central China.

Symphoricarpus Heyeri, *Dippel*. Western United States. S. occidentalis var. Heyeri, *Dieck*.

S. mollis, Nutt. var. ciliatus, (Nutt.). California.



S. occidentalis, R. Br. Western N. America. "Wolfberry."

Symphoria occidentalis, R, Br,

- S. orbiculatus, Moench. North America. "Indian Currant; Coral-berry."
 - S. fructo rubro, Hort.
 - S. glomeratus, C. Koch.
 - S. parviflorus, Desf.
 - S. vulgaris, Micha.

Symphoria glomerata, Pers.

Var. variegatus.

- S. oreophilus, A. Gray. Western N. America.
- S. racemosus, Michx. N. America. "Snowberry." Symphoria racemosa, Pers.; Bot. Mag. t. 2211.
- S. rotundifolius, A. Gray (not C. Kach). Western United States.

S. glaucescens, Hort.

Abelia chinensis, R. Br. China.

A. rupestris, Hort. (not Lindl.).

A. uniflora, R. Br.; Bot. Mag. t. 4694.

Linnaea chinensis, A. Br. & Vatke.

L. rupestris, A. Br. & Vatke.

Var. alba.

- *A. floribunda, Decne.; Bot. Mag. t. 4316. Mexico.
- *A. serrata, Sieb. & Zucc. Fl. Jap. 1, t. 34. Japan.
- *A. spathulata, Sieb. d. Zucc.: Bot. Mag. t. 6601. Japan.
- A. triflora, R. Br.; Lindl. & Paxt. Fl. Gard. iii. 93, t. 91. Temperate Himalaya.

Linnaea triflora, A. Br. & Vatke.



- Linnaea borealis, L.: Lodd. Bot. Cab. t. 183. Northern hemisphere. "Twin-flower."
- * Lonicera acuminata, Wall. Temperate Himalaya.
- L. alpigena, L.; Jacquin Flora Austriaca iii. t. 274. European Alps, Himalaya.

Caprifolium alpigenum, Gaertn.

C. alpinum, Lam.

Chamaecerasus alpigenus, Medic.

Isika alpigena, Borkh.

I. lucida, Moench.

Xylosteum alpinum, Dum.

Var. nana.

- L. Altmannii, Regel & Schmalh. Turkestan.
- L. Amherstii, Dippel. Himalaya.
- L. angustifolia, Wall.; Journ. Hort. Soc. Lond. 1848, iii. 238, f. Temperate Himalaya.
- L. bella, Zabel. (Morrowi × tatarica). Garden origin.L. Morrowi var. rosea, Dippel.
- L. Browni, Carr. Garden origin.
 - L. sempervirens var. Browni, Hort. (probably a hybrid between Sullivanti or glauca and sempervirens).
- L. caerulea, L.: Bot. Mag. t. 1965. Northern hemisphere. Caprifolium caeruleum, Lam.

Xylosteum caeruleum, Dum.-Cours.

Var. glabriuscula.

Var. graciliflora, Dippel.

L. Karelini, Hort. (not Bunge).

Var. viridifolia, Dippel.

L. Kirilowi, Hort.



L. Caprifolium, L; Eng. Bot. ed. 3, t. 641. Central and S. Europe, W. Asia.

L. americana, C. Koch.

L. ciliosa, Hort. (not Poir.).

L. grata, Soland.

L. pallida, Host.

Caprifelium gratum, Pursh.

C. hortense, Lam.

C. perfoliatum, Roehl.

L. chrysantha, Turez.; Gartenflora 1863, t. 404. Amurland, &c.

L. gibbiflora, Ma.rim. (not Dippel).

L. Xylosteum var. chrysantha, Regel.

Xylosteum gibbiflorum, Rupr. & Maxim.

L. ciliata, Muhl.; Britt. & Br. Ill. Flora iii. 241, f. Eastern United States. "Fly Honeysuckle."

L. canadensis, Muhl.

Xylosteum ciliatum, Pursh.

L. ciliosa, Poir. Western North America.

L. occidentalis, *Hook*.

Caprifolium ciliosum, Pursh.

C. occidentale, Lindl. Bot. Reg. t. 1457.

L. coerulescens, Dippel Laubholzk. i. 233, f. 149. Garden origin.

L. tatarica × Xylosteum.

L. conjugalis, Kellogg. Western North America.

L. depressa, Royle. Alpine Himalaya.

L. parvifolia, Edgew.

Var. Myrtillus.

L. Myrtillus, Hook. f. d. Thoms.



L. dioica, L.: Bot. Reg. t. 138. North America.

L. glauca, Hill.

L. macrophylla, Hort.

L. media, Murr.

L. parviflora, Lam.

Caprifolium bracteatum, Micha.

C. dioieum, Roem. & Schultz.

C. glaucum, Moench.

C. parviflorum, Pursh.

*L. etrusca, Santi; Reichb. Fl. Germ. xvii. t. 1172. South Europe, &c.

L. atrosanguinea, Hort.

L. gigantea, Hort.

Caprifolium etruseum, Roem. & Schultz.

C. giganteum, Hort.

Var. superba.

L. gigantea superba, Hort

Var. viscidula, Boiss. Asia Minor.

L. flava, Sims Bot. Mag. t. 1318; Garden and Forest 1890, 190, f. 31. South Carolina.

Caprifolium flavum, Ell.

C. Fraseri, Pursh.

L. fragrantissima, Lindl. & Paxt. Fl. Gard. iii. 75, f. 268. China.

L. candidissima, Hort.

L. caprifolioides, C. Koch.

L. Niaguarilli, Hort.

L. odoratissima, Hort.

L. volgarensis, Hort.

Chamaecerasus Niaguarilli, Hort.

i. gibbiflora, Dippel Laubholzk. i. 237, f. 151. (chrysantha × ruprechtiana). Mandshuria.

. glabrata, Wall. Himalaya.



L. gracilipes, Miy. Japan.

L. Philomelae, Hort.

L. Heckrotti, Hart. (probably hybrid between sempervirens and some European species). Garden origin.

L. hirsuta, Euton: Bot. Mag. t. 3103. N. America.

L. Douglasii, Hort. (not DC.).

L. pilosa, Hort.

L. pubescens, Sweet.

L. villosa, Muhl.

Caprifolium Douglasii, Lindl.

C. pilosum, Hort.

C. pubescens, Goldie.

L. hispida, Pall. Central Asia, Siberia, &c.

L. bracteata, Royle.

L. hispidula, Dougl. Bot. Reg. t. 1761. Western North America.

L. iberica, Bieb. Caucasus.

L. chlamydophora, C. Koch.

L. ciliaris, Hort.

Xylosteum ibericum, Bieb.

L. implexa, Soland.; Bot. Mag. t. 640. South Europe.

L. balearica, DC.

Caprifolium balearicum, Dum.-Cours.

L. involucrata, Banks; Bot. Reg. t. 1179. N.W. America.

L. bordwelliana, Hort.

L. flavescens, Dippel.

L. gibbosa, Hort.

L. intermedia, Kellogg.

L. Ledebourii, Eschsch.

L. moçiniana, DC.

Xylosteum involucratum, Rich.

Var. humilis.



L. italica, Schmidt. (Caprifolium × etrusca?) Garden origin.

L. Caprifolium, Hort. (not L.).

L. etrusca, Hort. (not Santi).

Caprifolium magnevillea, Hort.

L. Magnevillea, Hort.

L. occidentalis, Hort.

L. japonica, Thunb. China and Japan.

Var. aureo-reticulata.

L. brachypoda var. reticulata, Belg. Hort. 1871, 59, t. 5.

I. brachypoda var. foliis aureo-reticulatis. Ill. Hort. 1862, t. 337.

Var. chinensis, Baker.

L. chinensis, Wats. Dendr. Brit. ii. t. 117.

Var. flexuosa.

L. brachypoda, DC.

L. flexuosa, Thumb.; Bot. Reg. t. 712.

Var. halliana: American Gardening xii. 663.

L. flexuosa var. halleana, Dippel.

L. halleana, Hort.

Caprifolium hallianum, Hort.

C. japonicum var. Halli, Hort.

. Karelini, Bunge. Central Asia.

. Kesselringi, Regel Gartenflora 1891, 124. Kamtchatka.

L. orientalis var. kamtschatica, Hort.

L. savranica, Hort.

. Korolkowii, Stapf Garden and Forest 1894, 34, f. 4. Turkestan.

L. floribunda, Zabel (not Boiss, & Buhse); Wittmack Gartenflora 1893, 103, f.



- L. longiflora, DC. China.

 Caprifolium longiflorum, Lindl. Bot. Reg. t. 1232.
- L. Maacki, Herd.; Gartenflora t. 1162. Mandshuria, &c. Xylosteum Maackii, Rupr.
- L. Maximowiczii, Maxim.: Gartenflora t. 597. Amurland, &c.

Xylosteum Maximowiczii, Rupr.

- L. microphylla, Willd.; Ledeb. lcon. Pl. Fl. Ross. t. 213.
 Altai to Kashmir.
 - L. bungeana, Ledeb.

L. sieversiana, Bunge.

- L. minutiflora, Zabel. (micrantha × Nylosteum). Garden origin.
- L. Morrowi, A. Gray: American Gardening xi. 1267.
 Japan.

L. Mouraviae, Hort.

- L. mündeniensis, Rehder (bella × gibbiflora), Gartenflora 1893, 101. Garden origin.
- L. muscaviensis, Reluler (Morrowi × ruprechtiana). Gartenflora 1893, 101.
- L. nervosa, Maxim. China.
- L. nigra, L.; Jacq. Fl. Austriaca t. 314. European Alps, &c. L. altaica, Hort. (not Pall.).

Chamaecerasus nigra, Med.

Xylosteum nigrum, Mill.

- L. notha grandiflora, Zuhel. Garden origin.
- L. Nummulariaefolia, Janh. & Spuch. Orient.
 L. Xylosteum, Sibth, & Sm. Fl. Graeca t 223 (not L.).



L. oblongifolia, Hook.; Britt. & Br. Illustr. Fl. iii., 240, f. Canada and North United States.

L. obovata, Royle. Temperate Himalaya.

L. orientalis, Lam.: Gartenflora t. 359. Orient.

L. caucasica, Bieb.

L discolor, Hort.

L. goveniana, Wall.

L. occidentalis, Hort, (not Hook.).

L. schmitziana, Dippel.

L. Periclymenum, L.: Eng. Bot. ed. 3, t. 642. Europe, &c. "Woodbine; Honeysuckle."

Caprifolium Periclymenum, Roem. & Schultz.

C. sylvaticum, Lam.

Periclymenum germanicum, Mill.

Var. belgica.

Var. quercifolia.

L. verna variegata, Hort.

Caprifolium quercifolium, Hort.

Var. serotina.

L. serotina, Hort.

i. pileata, Oliver Hook, Icon. Plant. t. 1585. Central China.

. plantierensis, E. André Ill. Hort. xviii. t. 86. Garden origin.

L. ciliosa var. plantierensis, Dippel.

(Probably a hybrid of sempervirens with Sullivanti or glauca.)

purpurascens, Walp. Subalpine Himalaya.

L. sericea, Royle.

Xylosteum purpurascens, Jacquem. Voy. Bot. 79, t. 87. P

12159



- **L. pyrenaica**, L.; Bot. Mag. t. 7774. Pyrenees. Caprifolium pyrenaicum, Lam.
- L. quinquelocularis, Hardw. Temperate Himalaya.
 L. diversifolia, Wall.; Bot. Reg. xxx. t. 33.
- L. regeliana, Petz. & Kirchn.: Dippel Laubholzk. i. 220, f. 140. Amerland.

L. chrysantha \times Xylosteum, Rehder.

- L. rupicola, Hook. f. & Thoms. Himalaya.
- L. ruprechtiana, Reyel. Gartenflora 1870, 68, t. 645. Mandshuria, &c.
- L. salicifolia, Zabel. (micrantha × ruprechtiana). Garden origin.

L. ruprechtiana var. salicifolia, Dippel.

L. segreziensis, Lavallée. Origin'uncertain.

L. diversifolia, Hort. (not Wall.).

L. hispida, Hort. (not Pall.).

L. quinquelocularis × Xylosteum?

L. sempervirens, L.; Bot. Mag. t. 781. South United States. "Trumpet Honeysuckle."

L. caroliniana, Marsh.

L. fuchsioides, Hort. (not Hemsl.).

L. virginiana, Marsh.

Caprifolium sempervirens, Michx.

Periclymenum sempervirens, Mill.

Var. minor. Bot. Mag. t. 1753.

spinosa, Jacquem. Eastern Turkestan, &c.

L. Alberti, Regel; Bot. Mag. t. 7394.

Xylosteum spinosum, Decne.

12159



L. Standishii, Hook. Bot. Mag. t. 5709. China.

L. fragrantissima, Carr. (not Paxt.).

L. odoratissima, Hort.

L. sinensis, Hort.

Chamaecerasus Standishii, Lesc.

L. Sullivantii, A. Gray; Garden and Forest 1890, 191, f. 32. North-Eastern United States.

L. flava, Hort. Rev. Hortic. 1856, 221 t. (not Sims).

- L. syringantha, Maxim.; Gartenflora 1892, 564, ff. 115, 116. China.
- L. tangutica, *Ma.cim.*: Gartenflora 1891, 580, ff. 104, 105. China.
- L. tatarica, L.; Bot. Reg. t. 31. Siberia, &c.

Chamaecerasus tatarica, Medic.

Xvlosteum cordatum, Moench.

X. tataricum, Medic.

Var. nana.

Var. pulcherrima.

Var. punicea.

L. punicea, Sims Bot. Mag. t. 2469.

Var. speciosa, Carr. Rev. Hortic. 1868, 392, t. var. splendens, Regel.

- L. thibetica, Bur. & Franch. Tibet.
- L. tomentella, Hook, f. & Thoms.: Bot. Mag. t. 6486. Temperate Himalaya.
- L. tragophylla, Hemsl. Central China.
- L. translucens, Carr. Origin uncertain.



L. Xylosteum, L.; Eng. Bot. ed. 3, t. 643. Europe, Northern Asia.

L. dumetorum, Moench.

L. vulgare, Roehl.

L. xylosteoides, Tausch.

Caprifolium dumetorum, Pers.

Chamaecerasus Xylosteum, Medic.

Leycesteria formosa, Wall.: Bot. Mag. t. 3699. Temperate Himalaya.

L. nepalensis, Hort.

Var. variegata.

Diervilla floribunda, Sieb. & Zucc. Fl. Jap. t. 32. Japan.

D. multiflora, Lemaire.

Var. Lavallei, Hort.

Var. Lowei, Hort.

Var. versicolor, Rehder.

D. versicolor, Sieb. & Ziec. Fl. Jap. t. 33.

D. florida, Sieb. & Zucc. China.

D. rosea, Walp.

Weigela amabilis, Hort.

W. rosea, Lindl.; Bot. Mag. t. 4396.

Var. candida.

Var. variegata.

D. grandiflora, Sich. & Zucc. Fl. Jap. t. 31. Japan.

D. coraeensis, DC.

D. amabilis, Carr.; Flore des Serres t. 855.

D. hybrida, Hart. (This has been proposed as a collective name for the hybrids of the above-mentioned species, which are more common in cultivation than the species themselves.)



D. japonica, DC. Japan.

Weigela japonica, Thunb.

Var. hortensis, Rehder.

D. hortensis, Sieb. & Zucc. Fl. Jap. 1. 70, t. 29. Japan.

Var. Looymansi aurea.

- D. Lonicera, Mill. North America.
 - D. canadensis, Willd.
 - D. humilis, Pers.; Bot. Mag. t. 1796.
 - D. lutea, Pursh.
 - D. Tournefortii, Micha.
 - D. trifida, Moench.
- D. middendorfiana, Carr. Siberia, &c.

Calyptrostigma middendorfianum, Trautv. & Mey.; Gartenflora 1857, 347, t. 183.

Weigela middendorfiana, Hort.

- 1. praecox, Lemoine; Gartenflora 1897, t. 1441. Japan.
- sessilifolia, Buckl.; Lavallée Arbor. Segrez. Ic. 25, t. 8. Carolina and Tennessee.

Var. splendens.

D. splendens, Carr.

Rubiaceae.

'phalanthus occidentalis, L.: Rev. Hort. 1889, 280, f. 70. North America. "Button-bush."

(prosma acerosa, A. Cunn. New Zealand.

Var. prostrata.



Compositae.

*Aplopappus ericoides, Det.; Gard. Chron. 1896, xx. 301, f. 57. California.

Diplopappus ericoides, Less.

Ericameria microphylla, Nutt.

Haplopappus ericoides, Benth. & Hook. f.

Bigelovia Douglasii, A. Gray. Western North America.

B. viscidiflora, DC.

Brickellia linearifolia, Klatt.

Chrysothamnus pumilus, Nutt.

C. viscidiflorus, Nutt.

Linosyris viscidiflora, Torr. & Gray.

Var. tortifolia, A. Gray.

Linosyris lanceolata, Hook.

B. graveolens, A. Gray. Western North America.

B. dracunculoides, DC.

Chrysocoma dracunculoides, Pursh (not Lam.).

C. graveolens, Nutt.

Chrysothamnus dracunculoides, Nutt.

C. speciosus, Nutt.

Linosyris graveolens, Torr. & Gray.

Olearia Haastii, Hook. f.; Bot. Mag. t. 6592. New Zealand.

*0. macrodonta, Baker Bot. Mag. t. 7065. New Zealand.

O. dentata, Hook. f.

*0. stellulata, DC. Australia.

O. gunniana, Hook. f. Bot. Mag. t. 4638.

Eurybia gunniana, DC.



*0. Traversii, F. Muell.; Gard. Chron. 1887, ii. 187, f. 42. New Zealand.

Eurybia Traversii, F. Muell.

Microglossa albescens, C. B. Clarke; Bot. Mag. t. 6672. Himalaya.

M. cabulica, C. B. Clarke.

Amphiraphis albescens, DC.

Aster albescens, Walp.

A. cabulicus, Lindl.

Baccharis halimifolia, L.: Dippel Laubholzk. i. 294, f. 195. N. America. "Groundsel Tree."

- B. patagonica, Hook. & Arn. Magellanic region.
- B. salicina, Torr. & Gray. Colorado to Texas.B. salicifolia, Nutt.
- *Helichrysum antennarium, F. Mwell. Australia. Swammerdamia Antennaria, DC.
- *H. glomeratum, Nichols. New Zealand. Ozothamnus glomeratus, Hook. f. Swammerdamia glomerata, Raoul.
- *H. rosmarinifolium, DC. Victoria and Tasmania. "Snow in Summer."

Ozothamnus rosmarinifolius, DC.

- H. serotinum, Boiss. South-Western Europe.
- Cassinia fulvida, Hook. f.: Gartenflora, 1890, 241, f. 56. New Zealand.

Diplopappus chrysophyllus, Hort.

*C. leptophylla, Hort. New Zealand. Calea leptophylla, Forst.



*C. Vauvilliersii, Hook. f. New Zealand.

Diplopappus Vauvilliersii, Hort.

Ozothamnus Vauvilliersii, Homb. Jacq. & Mont. Voyage de l'Astrolabe t. 55.

Iva frutescens, L.; Britt. & Br. Illustr. Fl. iii. 292, f. Massachusetts to Florida, &c. "Marsh Elder."

Santolina Chamaecyparissus, L. South Europe. "Lavender Cotton."

S. incana, Lam.

S. rosmarinifolia, L. Spain and Portugal.

S. pectinata, Lag.

S. viridis, Willd. South Europe.

S. virens, Mill.

Artemisia Abrotanum, L. South Europe. "Southernwood."

A. arborescens, L. South Europe.

A. austriaca, Jucq. Eastern Europe, &c.

A. procera, Willd. South-East Europe, Asia Minor. "Sagebush."

A. tridentata, Nutt. Western United States.

*Senecio laxifolius, J. Buch.: Bot. Mag. t. 7378. New Zealand.

S. Grayii, Hort.

S. latifolius, Hort. (not Banks & Soland.). Gard. Chron. 1894, xvi. 315, f. 43.



Vacciniaceae.

Gaylussacia brachycera, Torr. & Gray: Pennsylvania to Virginia. "Box Huckleberry."

Adnaria brachycera, O. Kuntze.

Vaccinium brachycerum, Mich.r.

V. buxifolium, Salish.; Bot. Mag. t. 968.

G. dumosa, Torr. a tiray: Newfoundland and Eastern United States. "Dwarf Huckleberry."

Vaccinium dumosum, Andr. Bot. Rep. t. 112 : Bot. Mag. t 1106.

V. frondosum, Michel. (not L.).

G. frondosa, Torr. & Gray; Gard. Chron. 1890, vii. 580, f. 93. Eastern United States. "Blue Tangle; Dangleberry."

Vaccinium frondosum, L.; Andr. Bot. Rep. t. 140.

V. glaucum, Michx.

V. venustum, Ait.

G. resinosa, Torr. & Gray. North America. "Black Huckleberry."

Vaccinium parviflorum, Andr. Bot. Rep. t. 125.

V. resinosum, Ait.; Bot. Mag. t. 1288.

1. ursina, Torr. & Gray. Mountains of North and South Carolina.

Vaccinium ursinum, M. A. Curt.

Yaccinium arboreum, Marsh.: Lodd. Bot. Cab. t. 1885; Sargent Silva of North America v. 119, t. 230. Florida and Texas to North Carolina and South Illinois. "Farkle-berry."

V. diffusum, Ait.; Bot. Mag. : 1607.

. Arctostaphylos, L.: Bot. Mag. t. 974. Caucasus, &c.



V. canadense, Kalm; Bot. Mag. t. 3446. North America. "Canadian Whortleberry."

V. album, Lam. (not L.).

V. ciliatum, Thunb. Japan.

V. corymbosum, L.; Bot. Mag. t. 3433. North America. "Common Blueberry; Swamp Blueberry."

V. disomorphum, Michx.

V. marianum, Wats. Dendr. Brit. t. 124.

Var. amoenum, A. Gray.

V. amoenum, Ait.; Andr. Bot. Rep. t. 138.

Var. fuscatum, A. Gray; Southern United States. V. fuscatum, Ait.

V. crassifolium, Andr. Bot. Rep. t. 105; Bot. Mag. t. 1152. North Carolina to Georgia.

V. carnosum, Pers.

V. myrtifolium, Michx.

V. erythrocarpum, Michw.; Bot. Mag. t. 7413. Virginia to Georgia.

Oxycoccus erectus, Pursh.

O. erythrocarpus, Pers.

*V. glauco-album, Hook. f. Himalaya.

V. hirsutum, Buckl.: Garden and Forest 1889, 365, f. 119. Mountains of North Carolina.

V. intermedium, Ruthe (Myrtillus × Vitis-Idaea): Journ. Linn. Soc. xxiv. 125, t. 3. Europe.

V. japonicum, Miq. Japan.

V. Mortinia, Benth.; Bot. Mag. t. 6872. Andes of Ecuador.



*V. Myrsinites, Lam. South United States.

V. Sprengelii, Hort. (not Wall.).

V. nitidum var. decumbens, Sims Bot. Mag. t. 1550.

V. Myrtillus, L.; Eng. Bot. ed. 3, t. 879. Northern hemisphere. "Whortleberry; Bilberry; Blaeberry."

Var. fructu albo.

- V. occidentale, A. Gray. Mountains of California and Utah.
- V. ovatum, Pursh; Bot. Mag. t. 4732. Vancouver's Island to Monterey, &c.

V. prunifolium, Hort.

V. padifolium, Sm.; Bot. Mag. t. 7305. Madeira.

V. Arctostaphylos var. padifolium, Loud.

V. maderense, Link.

- V. parvifolium, Sm.: Hook. Fl. Bor. Am. t. 128. North California to Alaska and the Aleutian Islands. "Dwarf Blueberry."
- V. pensylvanicum, Lam.; Bot. Mag. t. 3434. North America.

V. humile, Willd.

V. myrtilloides, Michx. (not Hook.).

V. ramulosum, Willd.

V. tenellum, Pursh.

Var. angustifolium, A. Gray.

V. angustifolium, Ait.

V. salicinum, Aschers.

V. stamineum, L.: Andr. Bot. Rep. t. 263. Maine and Michigan to Florida and Louisiana. "Deerberry."

V. album, Pursh (not L.).

V. elevatum, Solund.



V. uliginosum, L.; Eng. Bot. ed. 3, t. 878. Northern hemisphere.

V. gaultherioides, Bigel.

V. pubescens, Wormsk.

- V. vacillans, Soland. New England to North Carolina and Missouri.
- V. Vitis-idaea, L.; Eng. Bot. ed. 3, t. 877. Northern hemisphere. "Cowberry."

V. punctatum, Lam.

Vitis-Idaea punctata, Moench.

Var. major, Lodd. Bot. Cab. t. 616.

Var. minor.

Oxycoccus macrocarpus, Pers. North America. "American Cranberry."

Vaccinium macrocarpon, Ait.; Bot. Mag. t. 2586.

V. Oxycoccus var. oblongifolium, Michx.

palustris, Pers. Northern hemisphere. "Cranberry."
 vulgaris, Pursh.

Vaccinium Oxycoccus, L.; Eng. Bot. ed. 3, t. 876.

Chiogenes serpyllifolia, Salisb.; Britt. & Br. Illustr. Fl. ii. 581, f. North America. "Creeping Snowberry."

C. hispidula, Torr. & Gray.

Gaultheria hispidula, Muhl.

G. serpyllifolia, Pursh.

Oxycoccus hispidulus, Pers.

Vaccinium hispidulum, L.

Ericaceae.

Arbutus Andrachne, L.: Bot. Mag. t. 2024. Levant, &c.

A. integrifolia, Lam.

A. Sieberi, Klotzsch.



A. hybrida, Ker. Gawl. Bot. Reg. t. 619. (Andrachne × Unedo). Garden origin.

A. Andrachne var. serratifolia, Hort.

A. andrachnoides, Link.

A. magnifica, Hort.

A Milleri, Hort.

A. photiniaefolia, Hort.

A. Rollissoni, Hort.

A. serratifolia, Lodd.

A. Menziesii, Pursh; Sargent Silva of North America t. 231. California, &c. "Madroño."

A. procera, Dougl.; Bot. Reg. t. 1753.

A. Andrachne, Hort. (not L.).

A. Unedo, L.; Gard. Chron. 1878, x. 689, f. 115. Southern Europe (Ireland). "Strawberry Tree."

Unedo edulis, Hoffmgg. & Link.

Var. compacta.

Var. integerrima, Sims Bot. Mag. t. 2319.

A. rotundifolia, Hort.

Var. microphylla.

A. microphylla, Hort.

Var. quercifolia.

Var. rubra. Ait.

A. Croomii, Hort.

retostaphylos alpina, Spreng.; Eng. Bot. ed. 3, t. 880. Northern hemisphere.

Arbutus alpina, L.

L. diversifolia, Parry. California.



A. pungens, H.B.K. California.

A. Hookeri, G. Don.

Arbutus pungens, Hook. & Arn.

*A. tomentosa, Lindl. Bot. Reg. t. 1791. California, &c. "Manzanita."

Arbutus tomentosa, Pursh.

A. Uva-ursi, Spreng.; Eng. Bot. ed. 3, t. 881. Northern hemisphere. "Bearberry."

A. officinalis, Wimm. & Grab.

Arbutus Uva-ursi, L.

Pernettya arctica, Hort.

Var. californica.

A. californica, Hort.

A. viscida, Parry. Pacific coast of N. America.

ernettya mucronata, Gandich. Magellanic region.

P. angustifolia, Hort.

P. Cummingi, Hort.

P. Drummondi, Hort.

P. speciosa, Hort.

Arbutus mucronata, L.; Bot. Mag. t. 3093.

Many garden varieties.

I rupicola, *Philippi*; Koehne Dendrologie 470, f. 75. Chili.

altheria antipoda, Forst. Tasmania and New Zealand.

nummularioides, D. Don; Gard. Chron. 1884, xxii. 457, f 84. Himalaya, &c.

G. Nummulariae, DC.

** Creeping Wintergreen." North America.

Gautiera procumbens, Torr.



- G. pyrolaefolia, Hook. f. Himalaya.G. pyroloides, Hook. f. & Thoms.
- G. Shallon, Pursh.; Bot. Mag. t. 2843. Western North America. "Shallon; Salal."
- Cassandra calyculata, D. Don. Northern hemisphere.
 "Leather-leaf."

Andromeda calvculata, L.; Bot. Reg. t. 1286.

Chamaedaphne calyculata, Moench.

Lyonia calyculata, Reichb.

Var. latifolia.

Var. nana.

Cassiope fastigiata, D. Don; Bot. Mag. t. 4796. Alpine Himalaya.

Andromeda fastigiata, Wall.

C. hypnoides, D. Don. Arctic regions of northern hemisphere.

Andromeda hypnoides, L.; Bot. Mag. t. 2936.

C. tetragona, D. Don. Arctic regions of northern hemisphere.

Andromeda tetragona, L.: Bot. Mag. t. 3181.

- Leucothoe axillaris, D. Don. South-eastern United States.
 Andromeda axillaris, Lam.: Bot. Mag. t. 2357.
- L. Catesbaei, A. Gray. Virginia to Georgia.

L. spinulosa, D. Don.

Andromeda angustata, Hort.

A. axillaris, Michx.

A. Catesbaei, Walt.; Bot. Mag. t. 1955.

A. spinulosa, Pursh.



L. Davisiae, Torr.; Bot. Mag. t. 6247. California. L. Lobbi, Hort.

L. racemosa, A. Gray. North America.

L. spicata, G. Don.

Andromeda paniculata, L.

A. racemosa, L.

A. spicata, Wats. Dendr. Brit. t. 36.

A. tomentosa, Dum.-Cours.

Lyonia racemosa, G. Don.

L. recurva, A. Gray. Virginia to Alabama.

Andromeda recurva, Buckl.

Oxydendron arboreum, DC.; Sargent Silva of North America t. 235. North America. "Sorrel Tree; Sourwood."

Andromeda arborea, L.; Bot. Mag. t. 905.

Lyonia arborea, D. Don.

Epigaea repens, L.: Andr. Bot. Rep. t. 102. North America.

Lyonia ligustrina, DC. North America.

L. capreaefolia, Wats. Dendr. Brit. t. 37.

L. multiflora, Wats. Dendr. Brit. 128.

L. paniculata, Nu t.

L. parabolica, C. Koch.

L. salicifolia, Wats. Dendr. Brit. 127.

Andromeda ligustrina, Muhl.

A. parabolica, Duham.

A. tomentosa, Hort.

Xolisma ligustrina, Britt. & Br. Illustr. Fl. ii. 570, f.

Var. pubescens, A. Gray.



Zenobia speciosa, D. Don. Florida to North Carolina.

Andromeda cassinefolia, Sims.; Bot. Mag. t. 970.

A. nitida, Hort.

A. nuda, Hort.

A. speciosa, Michx.

A. viridis, Hort.

Var. pulverulenta. Gard. Chron. 1890, viii. 612, f. 100.

A. dealbata, Lindl. Bot. Reg. t. 1010.

A. pulverulenta, Bartr.

A. speciosa var. glauca, Wats. Dendr. Brit. t. 126.

Lyonia pulverulenta, C. Koch.

Var. quercifolia, Hort.

Andromeda polifolia, L.; Eng. Bot. ed. 3, t. 883. Northern and Arctic regions.

A. glaucophylla, Link.

A. rosmarinifolia, Pursh.

Rhododendron polifolium, Scop.

Var. angustifolia.

Var. major.

ieris floribunda, Benth. & Hook. f. Virginia to Georgia.

Andromeda floribunda, *Pursh*; Bot. Mag. t. 1566; Bot. Reg. t. 807.

Leucothoe floribunda, D. Don.

Portuna floribunda, Nutt.

Zenobia floribunda, DC.

². formosa, D. Don; Gard. Chron. 1881, xv. 568, f. 107. Temperate Himalaya, China.

Andromeda formosa, Wall.

12159



P. japonica, D. Don; Gard. Chron. 1882, xvii. 796, f. 120.
Japan.

Andromeda japonica, Thunb.; Fl. Jap. 181, t. 22.

Var. variegata.

P. mariana, Benth. & Hook. f. Rhode Island to Florida, &c. "Stagger-Bush."

Andromeda mariana, L.; Bot. Mag. t. 1579.

A. pulchella, Salisb.

Leucothoe mariana, DC.

Lyonia mariana, D. Don.

P. nitida, Benth. & Hook. f. North Carolina to Florida and Louisiana.

Andromeda coriacea, Ait.; Bot. Mag. t. 1095.

A. lucida, Lam. (not Jacq.).

A. marginata, Duham.

A. mariana, Jacq. (not L.).

A. myrtifolia, Salisb.

A. nitida, Bartr.

Leucothoe coriacea, DC.

Lyonia marginata, D. Don.

P. ovalifolia, D. Don. Temperate Himalaya.

Andromeda ovalifolia, Wall.; Loud. Arbor. Brit. 570, f. 1070.

Enkianthus campanulatus, Nichols.: Bot. Mag. t. 7050. Japan.

Andromeda campanulata, Miq.

E. cernuus, Benth. & Hook. f. Japan.

Andromeda cernua, Miq.

Meisteria cernua, Sieb. & Zucc.

E. himalaicus, Hook. f. & Thoms.; Bot. Mag. t. 6460. Himalaya, China.

12159



E. japonicus, Hook. f. Bot. Mag. t. 5822. Japan.

Calluna vulgaris, Salish.; Eng. Bot. ed. 3, t. 894. Europe, &c. "Ling."

Erica vulgaris, L.

Var. alba.

Var. alba aurea.

Var. alba minor.

Var. alba pilosa.

Var. alba pumila.

Var. alba rigida.

Var. alba Serlei.

Var. alba tenella.

Var. Alporti.

Var. argentea.

Var. aurea.

Var. cuprea.

Var. flore pleno.

Var. Foxii.

Var. Hammondi.

Var. hypnoides.

Var. lanulosa.

Var. minima.

Var. pygmaea.

Var. rosea.

Var. rubra.

Var. tenuis.



*Erica arborea, L.; Moggridge Flora of Mentone t. 59 b.
Mediterranean and Caucasus.

Var. alpina, Dieck.

*E. australis, L. Portugal, &c.

E. carnea, L.: Bot. Mag. t. 11. Europe.

E. herbacea, L.

Var. alba.

E. ciliaris, L.: Eng. Bot. ed. 3, t. 887; Bot. Mag. t. 484. South-Western Europe. (Cornwall, &c.)

Var. mawiana. Portugal.

E. mawiana, Hort.

E. cinerea, L.: Eng. Bot. ed. 3, t. 891. West Europe to Germany and North Italy.

Var. alba.

Var. alba minor.

Var. atropurpurea.

Var. atrosanguinea.

[Var. coccinea.

Var. polypetala.

Var. purpurea.

Var. rosea.

*E. lusitanica, Rudolph. Spain and Portugal.

E. codonodes, Lindl. Bot. Reg. t. 1698; Gard. Chron. 1877, vii. 463, f. 70.

E. polytrichifolia, Salisb.

E. lusitanica × arborea. Garden origin.

E. Mackaii, Hook. Spain, Galway.

E. mackaiana, Bab.; Eng. Bot. ed. 3, t. 890.

E. Tetralix var. mackayana, Hort.



E. mediterranea, L. South-west France, Spain.

Var. alba.

Var. glauca.

Var. hibernica, Hook.

E. hibernica, Syme Eng. Bot. t. 892.

Var. hybrida.

Var. nana.

E. multiflora, L.; Moggridge Flora of Mentone t. 59a. South Europe.

E. peduncularis, J. & C. Prest. (not Salish.).

E. scoparia, L.; Moggridge Flora of Mentone t. 59c. Western Mediterranean region.

E. arborea, Hort. (not L.).

E. virgulata, Wendl.

E. stricta, Donn; Andr. Heathery, ii. t. 92. South Europe.

E corsica, DC.

E. multicaulis, Salisb.

E. pendula, Wendl.

E. ramulosa, Viv.

E. Tetralix, L.; Eng. Bot. ed. 3, t. 889. North and West Europe to Russia. "Cross-leaved Heath."

Var. alba.

Var. mollis.

Var. rubra.

E. vagans, L.; Eng. Bot. ed. 3, t. 893. South-western Europe (Cornwall). "Cornish Heath."

Var. alba.

Var. grandiflora.

Var. rubra.



E. Watsoni, DC. South-western England.

E. Tetralici-ciliaris, Syme Eng. Bot. ed. 3, t. 888.

Bruckenthalia spiculifolia, Reichb. Eastern Europe, Asia Minor.

Erica spiculifolia, Sibth. Fl. Graeca t. 353.

Menziesia Bruckenthalii, Baumg.

Loiseleuria procumbens, Desc.; Lodd. Bot. Cab. t. 762.

Arctic and Alpine Europe, Asia, America. "Alpine Azalea."

Azalea procumbens, L.

Chamaeledon procumbens, Link.

Bryanthus Breweri, A. Gray. Sierra Nevada, California.

B. empetriformis, A. Gray. British Columbia to California, &c.

Menziesia empetriformis, Sha.; Bot. Mag. t. 3176.

M. Grahami, Hook.

Phyllodoce empetriformis, D. Don.

P. Grahami, Nutt.

B. erectus, Lindl. & Paxt. Fl. Gard. i. 97, pl. 19. Garden origin.

B. empetriformis × Rhodothamnus Chamaecistus.

B. taxifolius, A. Gray. Cold regions of northern hemisphere.

B. caeruleus, Dippel.

Andromeda caerulea, L.

A. taxifolia, Pall.

Menziesia caerulea, Sw.; Eng. Bot. ed. 3, t. 886.

Phyllodoce caerulea, Bab.

P. taxifolia, Salish.



Daboëcia polifolia, D. Don; Eng. Bot. ed. 3, t. 885. Ireland, West France, Spain, Portugal, Azores. "St. Dabeoc's Heath."

D. cantabrica, C. Koch.

Andromeda Daboecia, L.

Menziesia polifolia, Juss.

Var. alba.

Var. bicolor.

Var. pygmaea, Hort. Kew.

Kalmia angustifolia, L.; Bot. Mag. t. 331. North America. "Sheep Laurel."

Var. glauca.

Var. lucida.

Var. nana.

Var. nitida.

Var. ovata.

Var. rosea.

Var. rubra.

K. glauca, Ait.: Bot. Mag. t. 177. North America.

K. latifolia, L.; Bot. Mag. t. 175. North America. "Calico-Bush."

Var. myrtifolia.

Var. polypetala. Garden and Forest 1890, 453, f. 56.

Rhodothamnus Chamaecistus, Reichb. Austrian Alps. Rhododendron Chamaecistus, L.; Bot. Mag. t. 488.



Leiophyllum buxifolium, Ell.; Bot. Mag. t. 6752. New Jersey to Florida, and the mountains of Carolina. "Sand Myrtle."

L. serpyllifolium, DC.

L. thymifolium, G. Don.

Ammyrsine buxifolia, Pursh.

Ledum buxifolium, Berg.

L. intermedium, Hort.

L. thymifolium, Lam.

Var. prostratum.

L. Lyoni, Sweet.

L. prostratum, Loud.

Ammyrsine prostrata, Sweet.

Elliottia paniculata, Benth. & Hook. f. Japan. Tripetaleia paniculata, Sieb. & Zucc.

E. racemosa, Muhl.; Garden and Forest 1894, 205, f. 37 Georgia.

Ledum glandulosum, Nutt.; Bot. Mag. t. 7610. California, British Columbia, and northern Rocky Mountains.

L. latifolium, Ait. North America. "Labrador Tea."

L. canadense, Lodd.; Bot. Cab. t. 1049.

L. groenlandicum, Retz.

L. hirsutum, Hort.

L. palustre var. canadense, Hort.

L. palustre var. decumbens, Hort.

L. palustre var. latifolium, Michx.

L. palustre var. medium, Hort.

Var. compactum.

L. compactum, Hort.



L. palustre, L.; Lodd. Bot. Cab. t. 560. Northern and Arctic Regions.

L. augustifolium, Hort.

L. longifolium, Hort.

L. odoratum, Hort.

Var. dilatatum.

† AZALEASTRUM.

Rhododendron albiflorum, Hook.: Bot. Mag. t. 3670.

Northern Rocky Mountains and Oregon to British
Columbia.

R. ovatum, Planch. China.
Azalea ovata, Lindl.; Bot. Mag. t. 5064.

†† AZALEA.

- R. Albrechti, Maxim. Japan.
- R. arborescens, *Torr.*; Garden and Forest 1888, 404, f. 64.

 Mountain region from Pennsylvania to North
 Carolina and Tennessee.

Azalea arborescens, Pursh.

A. fragrans, Rafin.

R. calendulaceum, Torr. Pennsylvania to Georgia.

Azalea calendulacea, Michx.

A. pontica var. calendulacea, Pers.

Var. flammea. Bot. Mag. t. 2143.

Var. Morteri, Sweet Brit. Fl. Gard. iv. t. 10.

"R. calendulaceum × red variety of R. nudiflorum."

Many garden varieties and hybrids.



R. dilatatum, Miq. Japan.

R. flavum, G. Don. Caucasus, &c.

Azalea pontica, L.; Bot. Mag. t. 433.

Anthodendron flavum, Reichb.

Var. albiflorum.

Azalea pontica var. albiflora, Bot. Mag. t. 2383.

Var. ardens, Sweet Brit. Fl. Gard. vii. t. 306.

Many garden varieties and hybrids.

*R. indicum, Sweet. China and Japan. "Indian Azalea."

Azalea indica, L.

Var. amoenum, Maxim.

R. amoenum, Planch.

Azalea amoena, Lindl. & Paxt. Fl. Gard. iii. t. 89; Bot. Mag. t. 4728.

Var. amoenum splendens.

Var. balsaminaeflorum.

Azalea balsaminaeflora, Carr.; Rev. Hort. 1882, pl.

A. Rollisoni, Hort.

A. rosaeflora, Hort.

Var. Caldwelli.

Var. calyciflorum.

Var. Kaempferi, Maxim.

R. Sieboldi, Miq.

Var. obtusum.

R. obtusum, Planch.

R. Sieboldi var. minus, Miq.

Azalea obtusa, Lindl. Bot. Reg. xxxii. t. 37.

Var. obtusum album.



*R. ledifolium, G. Don. Japan, China, &c.

R. leucanthum, Blume.

R. rosmarinifolium, Dippel.

Azalea indica var. alba, Lindl. Bot. Reg. t. 811.

A. ledifolia, Hook. Bot. Mag. t. 2901.

A. liliiflora, Poit.

Var. narcissiflorum.

*R. linearifolium, Sieb. & Zucc. Japan.

R. rosmarinifolium, Hort. (not Dippel).

Azalea linearifolia, Hook. Bot. Mag. t. 5769.

R. nudiflorum, Torr. Canada to Florida and Texas. "Pinxter Flower."

R. bicolor, Sweet.

R. canescens, G. Don.

Azalea bicolor, Pursh.

A. canescens, Mich.r.

A. lutea, L.

A. nudiflora, L.; Bot. Mag. t. 180.

A. periclymenoides, Michx.

Var. carneum.

Azalea nudiflora var. carnea, Bot. Reg. t. 120.

Var. eximium, D. Don; Sweet Brit. Fl. Gard. vi. t. 291.
"R. nudiflorum coccineum majus × R. arboreum."

Var. rubrum.

Azalea nudiflora var. rubra, Lodd. Bot. Cab. t. 51.

Many garden varieties and hybrids.

R. occidentale, A. Gray; Bot. Mag. t. 5005. California.
A. occidentalis, Torr. & Gr.

R. quinquefolium, Bisset & S. Moore. Japan.



R. Rhodora, J. F. Gimel. North America.

R. canadense, Dippel.

R. pulchellum, Salisb.

Rhodora canadensis, L.; Bot. Mag. t. 474.

R. congesta, Moench.

R. rhombicum, Miq.: Bot. Mag. t. 6972. Japan.

R. reticulatum, D. Don.

Azalea reticulata, C. Koch.

A. rhombica, Hort.

*R. Schlippenbachii, Maxim.; Bot. Mag. t. 7373. Mand-shuria and Japan.

*R. serpyllifolium, Miq. Japan.

Azalea serpyllifolia, A. Gray.

R. sinense, Sweet Brit. Fl. Gard. t. 290; Bot. Mag. t. 5905. China and Japan.

R. molle, Sich. & Zucc.

Azalea japonica, A. Gray.

A. mollis, Blume.

A. pontica, L. var. sinensis, Lindl. Bot. Reg. t. 1253.

A. sinensis, Lodd. Bot. Cab. t. 885.

Many garden varieties.

R. Tschonoskii, Maxim. Rhod. As. Orient. t. 3, f. Sa. Japan.

R. Vaseyi, A. Gray; Garden and Forest 1888, 376, f. 60.
Mountains of North and South Carolina.

Var. album.

R. viscosum, Torr. North America. "Swamp Honey-suckle."

Anthodendron viscosum, Reichb.

Azalea viscosa, L.



R. viscosum-cont.

Var. glaucum, A. Gray.

R. glaucum, G. Don (not Hook. f.).

Azalea glauca, Lam.

A. viscosa var. glauca, Michx.

††† EURHODODENDRON.

- R. afghanicum, Aitch. & Hemsl. Journ. Linn. Soc. xix. t. 21. Afghanistan.
- R. altaclerense, Lindl. Bot. Reg. t. 1414. Garden origin.

R. arboreum (hybridum) altaclerense; Bot. Mag. t. 3423.

- "R. arboreum × (catawbiense × ponticum)."
- R. Anthopogon, D. Don; Bot. Mag. t. 3947. Alpine Himalaya and Northern Asia.
- R. arboreum, Sm. var. Campbelliae. Temperate Himalaya. R. Campbelliae, Hook. f. Rhod. Sikkim Himal. t. 6.
- R. aucubaefolium, Hemsl. Central China.
- R. Augustinii, Hemsl. Central China.
- R. auriculatum, Hemsl. Central China.
- blandianum, Martr. L'Horticulteur Français 1859,
 t. 13. Garden origin.

R. arboreum × ?

- t. brachycarpum, G. Don; Garden and Forest 1888, 293, f. 46. Japan.
- L. californicum, Hook. Bot. Mag. t. 4863. California, &c.



R. campanulatum, D. Don; Bot. Mag. t. 3759. Alpine Himalaya.

R. aeruginosum, Hook. f.

Var. album.

Var. pictum.

Var. Wallichii, Hook. f.

R. Batemani, Hook. Bot. Mag. t. 5387.

- R. campylocarpum, Hook. f. Bot. Mag. t. 4968. Sikkim, &c.
- R. catawbiense, Michaeler, Bot. Mag. t. 1671. High mountains from Virginia to Georgia.

Var. fastuosum.

R. fastuosum, Van Houtte Flore des Serres t. 143.

Many garden varieties and hybrids.

R. caucasium, Pall. Caucasus.

R. caucaseum, Sims Bot. Mag. t. 1145.

Var. flore albo.

Var. pictum.

- R. ciliatum, Hook. f. Rhod. Sikkim. Himal. t. 24. Sikkim.
- R. cinnabarinum, Hook. f. Rhod. Sikkim Himal. t. 8. Sikkim, &c.

R. blandfordiaeflorum, Hook. f. Bot. Mag. t. 4930.

R. collettianum, Aitch. & Hemsl.; Bot. Mag. t. 7019. Afghanistan.

R. afghanicum, Hort. (not Aitch. & Hemsl.).

- R. Cunninghami, Hort. (maximum \times arboreum). Garden origin.
- R. dauricum, L. Dahuria to Mandshuria and Sachalin. R. dahuricum, Dippel.

Var. atrovirens.



- R. decorum, Franch. Yunnan.
- R. Delavayi, Franch. Yunnan.
- R. ferrugineum, L.: Lodd. Bot. Cab. t. 65. Alps of Europe. "Rose des Alpes."

Var. album, Sweet Brit. Fl. Gard. 1838, t. 258.

Var. atrococcineum.

Var. erectum.

Var. hybridum.

Var. myrtifolium. Austrian Alps. R. myrtifolium, Schott. & Kotschy (not Lodd.).

Var. variegatum.

The three following are plants of garden origin in all probability derived from R. ferrugineum and punctatum.

R. arbutifolium, Hort.

R. daphnoides, Hort.

R. Hammondi, Hort.
R. tenellum, Hort.

- L. Wilsoni, Hort. (not Hook.).
- !. Fortunei, Lindl.; Bot. Mag. t. 5596. China.
- . fulgens, Hook. f. Rhod. Sikkim Himal. t. 25. Nepal and Sikkim.
- glaucum, Hook. f. Bot. Mag. t. 4721. Sikkim and Bhotan.
 - halense, Gremb. (subferrugineum x hirsutum.) Austrian Alps.
 - hirsutiforme, *Gremb*. (subferrugineum × hirsutum). Austrian Alps.



- R. hirsutum, L.; Bot. Mag. t. 1853. Alps of Europe. "Rose des Alpes."
- R. hypoglaucum, Hemsl. Central China.
- R. intermedium, Tausch. Tyrol, &c.
- R. kamtchaticum, Pall.; Gartenflora t. 1260. North Asia.
- R. kewense, W. Wats. (griffithianum × Hookeri.) Garden, 1892, xlii. t. 474. Garden origin.
- *R. Keysii, Nutt.; Bot. Mag. t. 4875. Bhotan.
- *R. lacteum, Franch. Yunnan.
- R. lepidotum, Wall.; Bot. Mag. t. 4657. Temperate and Alpine Himalaya.
- R. Luscombei, W. Wats. (Fortunei × Thomsoni.) Garden origin.

Var. splendens.

- R. Manglesii, Hort. (Aucklandi x album elegans); Gard. Chron. 1885, xxiv. 49, f. 9. Garden origin.
- 3. maximum, L.; Bot. Mag. t. 951. North America.

R. procerum, Salisb.

R. purpureum, G. Don.

R. Purshii, G. Don.

- L. micranthum, Turcz. China.
- l. Metternichii, Sieb. & Zucc. Fl. Jap. t. 9. Japan.

Var. pentamerum.

". myrtifolium, Lodd. Bot. Cab. t. 908. Garden origin.

? R. hirsutum × punctatum.

R. ovalifolium, Hort.

R. ovatum, Hort. (not Maxim.).

R. pontieum var. myrtifolium, Louel.



- R. niveum, Hook. f. Bot. Mag. t. 4730. Sikkim.
- R. nobleanum, Lindl. Bot. Reg. t. 1820. Garden origin.

R. arboreum × caucasicum.

R. caucasicum var. nobleanum, Loud.

R. parvifolium, Adams.; Gartenflora 1877, t. 904. Siberia. China, &c.

R. parviflorum, Ait.

Azalea ferruginosa, Pall. Fl. Ross. t. 72.

- R. pittosporaefolium, Hemsl. Central China.
- R. ponticum, L.; Bot. Mag. t. 650. Spain, Portugal, Asia Minor.

R. baeticum, Boiss. & Reut.

Var. album.

Var. cheiranthifolium.

R. cheiranthifolium, Hort.

Var. daphnoides, Hort.

R. daphnoides, Hort. (in part).

Var. lancifolium.

R. lancifolium, Moench.

Var. variegatum.

- . praecox, Carr. Rev. Hortic. 1868, 211, t. (ciliatum × dauricum). Garden origin.
- . Przewalskii, Maxim. China.
- . pulcherrimum, Lindl. (arboreum × caucasicum).

R. caucasicum var. pulcherrimum, Loud.

punctatum, Andr. Bot. Rep. t. 36.; Bot. Reg. t. 37.
Alleghany Mountains from North Carolina to Georgia.

R. minus, Mich.r.



- R. racemosum, Franch.: Bot. Mag. t. 7301; Garden 1892, xlii. 311, pl. Western China.
- B. roseum odoratum, Hort. Davies. Garden origin.
 "Hardy white Azalea × hardy scarlet Rhododendron."
- R. rubiginosum, Franch.; Bot. Mag. t. 7621. Yunnan.
- R. russellianum, Sweet Brit. Fl. Gard. iv. t. 91. (catawbiense × arboreum).
- R. Smirnowi, Trantr.; Gartenflora t. 1226, f. 2. Caucasus.
- R. Smithii, Hort. var. elegans. Garden origin.
- R. Thomsoni, Hook. f.: Bot. Mag. t. 4997. Nepal and Sikkim.
- R. tortonianum, Hort. Garden origin.
- R. Ungerni, Trantv.; Gartenflora t. 1226, f. 1. Caucasus.
- R. venustum, D. Don.; Sweet Brit. Fl. Gard. ser. ii. t. 285 (caucasicum × arboreum).
 - R. Jacksoni, Hort.
- R. virgatum, Hook. f.; Bot. Mag. t. 5060. Sikkim.
- R. yunnanense, Franch.: Bot. Mag. t. 7614. Yunnan.
 - ††† HYBRIDS BETWEEN AZALEA AND RHODODENDRON.
- R. azaleoides, Dest. (viscosum × maximum). Garden origin.
 - R. hybridum, Ker-Gawl. Bot. Reg. t. 195.
 - R. odoratum, Lodd.
 - R. fragrans, Part. Mag. of Bot. x. t. 147.
 - R. ponticum var. deciduum, Andr. Bot. Rep. t. 379.
 - R. ponticum var. azaleoides.
 - R. maximum hybridum, Bot. Mag. t. 3454.
 - 12159 R 2



- R. Cartoni, Hort.: Bot. Reg. t. 1449. Garden origin. "Azalea nudiflora × Rhododendron catawbiense."
- R. gemmiferum, Hort. Garden origin.
- R. gowenianum, Sweet Brit. Fl. Gard. ser. i. t. 263. Garden origin. "(Azalea nudiflora or viscosa) × (R. ponticum × catawbiense)."

R nudiflorum var. govenianum, Loud.

Rhododendron Smithii, Hort. (not Sweet) var. aureum, Part.

Mag. Bot. ix. t. 79. "Rhododendron seedling ×

Azalea sinensis."

Under the generic name Azaleodendron a number of hybrids between R. sinensis (Azalea mollis) and an evergreen hybrid Rhododendron have been distributed from Belgium.

Menziesia globularis, Salish. Alleghany Mountains from Pennsylvania to Georgia."

M. ferruginea var. globularis, Sims Bot. Mag. t. 1571. M. pilosa, Britt. & Br. Illustr. Fl. ii. 562, f.

Clethra acuminata, Mich.r.; Lodd. Bot. Cab. t. 1427. Virginia to Georgia. "White Alder."

C. montana, Bartr.

C. alnifolia, L. Maine to Florida. "Sweet Pepperbush."

Var. Michauxii.

C. Michauxii, Court.

Var. paniculata.

C. paniculata, Ait.

Var. scabra.

C. scabra, Pers.



C. alnifolia-cont.

Var. tomentosa, Michec.; Garden and Forest 1891, 64, f. 14.

C. incana, Pers.

C. pubescens, Willd.

C. tomentosa, Lam.; Bot. Mag. t. 3743.

C. canescens, Reinw. China, Japan, &c.

C. barbinervis, Sieb. & Zucc.; Gartenflora 1870, t. 654.

C. lancifolia, Turcz.

C. Fabri, Hance.

Diapensiaceae.

Diapensia lapponica, L.: Bot. Mag. t. 1108. Mountains in high latitudes of northern hemisphere.

Myrsinaceae.

*Myrsine africana, L. Himalaya, Tropical and South Africa, Azores.

*Ardisia japonica, Blume. China and Japan.

A. odontophylla, Lindl. Bot. Reg. t. 1892.

Bladhia glabra, Thunb.

B. japonica, Thunb.

Sapotaceae.

*Bumelia lanuginosa, Pers.; Sargent Silva of North America, t. 247. Southern United States, &c.

Sideroxylon lanuginosum, Micha.

*B. lycioides, Gweth, f.; Sargent Silva of North America, t. 248. South United States. *Southern Buckthorn."

Sideroxylon lycioides, L.



Ebenaceae.

- *Diospyros Kaki, L. Japan. "Kaki."
- D. Lotus, L.; Loud. Arb. et Frut. Brit. 625, f. 1214.

 Temperate Asia (naturalized in South Europe?).

 "Common Date Plum."
 - D. calycina, Hort.
- D. virginiana, L.; Sargent Silva of North America, t.t. 252-3. United States. "Persimmon."
 - D. concolor, Moench.
 - D. digyna, Hort.
 - D. distyla, Hort.

Styraceae.

- Symplocos crataegoides, Buch-Hum.; Garden and Forest 1892, 89, f. 15. Himalaya to Japan.
- *S. japonica, A.DC.; Lindl. & Paxt. Fl. Gard. i. 61, f. 39. China and Japan. "Kuroki."
 - S. lucida, Sieb. & Zucc. Fl. Jap. t. 24.
- S. paniculata, Miq. Japan.
- *S. tinctoria, L'Hérit. Delaware to Florida and Louisiana. "Horse-sugar."
- Halesia corymbosa, Nichols. Japan.
 Pterostyrax corymbosum, Sieb. & Zucc. Fl. Jap. t. 47.
- H. diptera, L.; Lodd. Bot. Cab. t. 1172. Georgia and Florida to Louisiana.
 - Mohrodendron dipterum, Britton; Sargent Silva of North America t. 249.



- H. hispida, Mast. Gard. Chron. 1884, xxii. 176, f. 34. China and Japan. "Asagara."
 - Pterostyrax hispidum, Sich. & Zucc.; Rev. Hort. 1875, 308, f. 50.
- H. parviflora, Michx. Georgia and Florida.
- H. tetraptera, L.: Bot. Mag. t. 910. West Virginia and Illinois to Florida. "Snowdrop or Silver-bell Tree."
 - Mohrodendron Carolinum, Britton; Sargent Silva tt. 257-8. Florida.
 - Var. Meehani, Sargent Garden and Forest 1892, 535, f. 91.
 - H. Meehani, Hort.
- Styrax americanum, Lam. Virginia to Florida, Louisiana and Arkansas.
 - Halesia parviflora, Lindl, Bot, Reg. t. 952 (not Michr.).
- 8. japonicum, Sieb. & Zucc. Fl. Jap. t. 23: Regel Gartenflora, t. 583. China and Japan.
- 8 Obassia, Sieb. d. Zucc.: Bot. Mag. t. 7039. Japan.
- S. officinale, L.: Moggr. Flora of Mentone t. 60. South Europe, Asia Minor. "Storax."
- *8. serrulatum, Roxb.; Bot. Mag. t. 5950. Eastern India.

Oleaceae.

- *Jasminum floridum, Bunge.: Bot. Mag. t. 6719. China. J. subulatum, Lindl.
- J fruticans, L.; Bot. Mag. t. 461. Mediterranean region and Orient.
 - J. collinum, Salisb.
 - J. heterophyllum, Moench.



- J. humile, L.; Bot. Reg. t. 350. Sub-tropical Himalaya.
 - J. chrysanthum, Roxb.
 - J. Fulleri, Hort.
 - J. pubigerum, Hort. (not D. Don).
 - J. Reevesii, Hort.
 - J. revolutum, Sims. Bot. Mag. t. 1731.
 - J. wallichianum, Lindl.
- J. nudiflorum, Lindl.; Bot. Mag. t. 4649. China and Japan.

Var. foliis aureis.

- J. officinale, L.; Bot. Mag. t. 31. Persia and Northwestern India. "Jessamine."
 - J. ochroleucum, Hort.

Var. affine, Dippel.

- J. affine, Royle; Bot. Reg. xxxi. t. 26; Carr. Rev. Hort. 1878, 428, f. 87.
- J. grandiflorum, Hort. (not L.).

Var. foliis aureis.

*J. primulinum, Hemsl.; Hook. Icon. Plant. t. 2384. Yunnan.

Forsythia europaea, Degen & Baldacci. Albania.

F. intermedia, Zabel; Gartenflora 1891, 397, f. (suspensa × viridissima). Garden origin.

Var. densiflora, Koehne.

Var. vitellina, Koehne.

F. suspensa, Vahl; Bot. Mag. t. 4995. China.

F. Fortunei, Hort.

F. Sieboldi, Hort.

F. viridissima, Lindl. Bot. Reg. 1847, t. 39. China.



Syringa amurensis, Rupr.; Garden and Forest 1889, 271, f. 112. China, Japan, and Mandshuria.

Ligustrina amurensis, Rupr.; Gartenflora 1863, t. 396.

S. chinensis, Willd.: Nouveau Duhamel ii. t. 63 (vulgaris x persica). Garden origin. "Rouen Lilac."

S. correlata, A. Br.

S. dubia, Pers.

S. rothomagensis, Mirb.

S. sibirica, Hort.

Var. metensis, Hort.

Var. rubra, Lodd.

Var. saugeana, Hort.

S. Emodi, Wall.; Bot. Reg. xxxi. t. 6. Himalaya.

Var. rosea, Cornu; Rev. Hort. 1888, 492, t. North China.
S. Bretschneideri, Hort.

S. villosa, Surgent Garden and Forest 1888, 521, f. 83.

Var. variegata.

S. japonica, Decne.; Garden and Forest 1889, 295, f. 115. Japan.

Ligustrina amurensis var. japonica, Maxim.

- 8. Josikaea, Jacq. f.; Bot. Mag. t. 3278. Transsylvania. Var. eximia.
- 8. oblata, Lindl.; Garden and Forest 1888, 221, f. 39. China. S. chinensis, Blume (not Willd.).
- S. pekinensis, Rupr. Mountains of Northern China.
 S. amurensis var. pekinensis, Maxim.
 Ligustrina pekinensis, Regel.

Var. pendula.



S. persica, L.; Bot. Mag. t. 486. Afghanistan. "Persian Lilac."

Var. alba.

S. Steencruyssii, Hort.

Var. laciniata, Vahl; Lodd. Bot. Cab. t. 1107.

S. filicifolia, Hort.

S. laciniata, Mill.

S. pteridifolia, Hort.

S. pinnata, Hort.

8. villosa, Vahl; Bot. Mag. t. 7064; Garden and Forest 1888, 414, f. 67. North China.

S. pubescens, Turcz.

S. verrucosa, Hort.

S. vulgaris, L.; Bot. Mag. t. 183. Eastern Europe. "Common Lilac."

Var. foliis aureis.

Many garden varieties.

† ORNUS.

Fraxinus bracteata, Hemsl. Central China.

F. bungeana, DC.; Garden and Forest 1894, 5, f. 1. China and Japan.

F. chinensis, Herd. (not Wall.).

F. floribunda, Bunge (not Wall.).

F. obovata, Blume.

F. Ornus var. bungeana, Hance.

Var. microphylla.

. chinensis, Roxb. China.



F. dipetala, Hook. & Arn.; Sargent Silva of North America t. 261. California. "Fringe-flowered Ash."

Ornus dipetala, Nutt.

F. floribunda, Wall. Himalaya.

Ornus floribunda, A. Dietr.

- F. longicuspis, Sich. & Zucc. Japan.
- F. Mariesii, Hook. J. Bot. Mag. t. 6678. China.
- F. Ornus, L.: Bentl. & Trim. Medicinal Plants t. 170. Mediterranean region and Orient. "Manna Ash."
 - F. florifera, Scop.
 - F. paniculata, Mill.

Ornus europaea, Pers.: Loud. Arbor. et Frut. Brit. 652, f. 1266.

Var. angustifolia.

Var. latifolia, Ait.; Wats. Dendr. Brit. t. 107.

F. rotundifolia, Hort. (not Lam.).

F. Theophrasti, Hort.

Ornus rotundifolia, Hort.

Ornus Theophrasti, Hort.

Var. variegata.

'. platypoda, Oliver: Hook. Icon. Plant. t. 1929. China.

F. sieboldiana, Hort. (not Blume).

F. Sieboldii, Hort.

. raibocarpa, Regel: Dippel Laubholzk. i. 93, f. 50. Turkestan.

. Frotundifolia, Lam.; Dippel Laubholzk. i. 61, f. 25. South Europe, &c.

F. argentea, Loisel.

F. mannifera, Hort.

Ornus rotundifolia, Pers.

sieboldiana, Blume: Dippel Laubholzk. i. 63, f. 27.



tt Fraxinaster.

Fraxinus americana, L.; Sargent Silva of North America t.t. 268, 269. North America. "White Ash."

F. acuminata, Lam.

F. alba, Marsh.

F. canadensis, Gaertn.

F. cinerea, Bosc.

F. curvidens, Hort.

F. discolor, Muhl.

F. epiptera, Michx.

F. glauca, Hort.

F. juglandifolia, Lam.

F. mixta, Bosc.

F. pannosa, Bosc.

Var. microcarpa, A. Gray.

F. albicans, Buckl.

F. americana var. epiptera, C. Koch.

F. americana longifolia, Hort.

F. Curtissii, Vasey.

F. lancea. Bosc.

F. Novae-Angliae, Hort.

Var. aucubaefolia, Hort.

Var. foliis argenteis variegatis.

*. angustifolia, Vahl; Dippel Laubholzk. i. 91, f. 48. South Europe, &c.

F. australis, J. Gay.

F. calabrica, Hort.

F. chinensis, Lodd. (not Roxb.).

F. excelsior var. australis, Gay.

F. excelsior var. salicifolia, Hort.



F. angustifolia-cont.

- F. lucida, Hort.
- F. oxycarpa, Willd.
- F. oxyphylla, Bieh.
- F. rostrata, DC.
- F. salicifolia, Hort.

Var. lasiorachis.

F. anomala, Torr.: Sargenti Silva of North America t. 266. Utah.

- F. berlandieriana, DC: Sargent Silvas of North America t. 273. Southern Mexico.
 - F. americana var. berlandieriana, Wesmael.
 - F. pubescens var. Lindheimeri, Wenzig.
 - F. trialata, Buckl.
 - F. viridis var. berlandieriana, Torr.
- F. caroliniana, Mill.: Sargent Silva of North America t.t. 274, 275. Southern United States. "Water Ash; Swamp Ash."
 - F. americana, Marsh. (not Lam.).
 - F. cubensis, Grisch.
 - F. curvidens, Hoffingg.
 - F. nigra var. caroliniana, Wesmael.
 - F. nigrescens, Buckl.
 - F. Nuttallii, Buckl.
 - F. pallida, Bosc.
 - F. pauciflora, Nutt.
 - F. platycarpa, Mich.r.
 - F. pubescens, Bose (not Lam.).
 - F. triptera, Nutt.

F. chinensis, Ro.rb. China.



F. dimorpha, Coss. & Dur. North Africa.

F. incana, Carr.

F. xanthophylla, Hort.

F. xanthoxyloides, Hort.

Var. dumosa, Curr.

F. Elonza, Dippel Laubholzk, i. 87, f. 46. Origin uncertain.

F. excelsior, L.; Eng. Bot. ed. 3, t. 1402. Europe, North Africa. "Common Ash."

Var. amarissima, Dippel.

F. amarissima, Hort.

Var. angustifolia, Loud.

F. heterophylla, Hort. (not Vahl).

F. salicifolia, Hort. (in part).

Var. atrovirens nana.

Var. aurea, Loud.

F. aurea, Pers.

Var. aurea pendula, Hort.

Var. concavifolia.

Var. cortice variegato.

Var. crispa, Loud.

F. americana crispa, Hort.

F. atrovirens, Desf.

F. coriacea, Hort.

F. crispa, Bosc.

F. excelsior var. atrovirens, Dippel.

F. excelsior var. cucullata, Hort.

F. glomerata, Hort.

F. nigra, Hort. (not Marsh.).

Var. cucullata.

Var. foliis argenteis.



F. excelsior-cont.

Var. fungosa, Lodd.

Var. globosa, Hort.

Var. heterophylla, Lond. Arb. et Frut. Brit. 643, f. 1249.

F. excelsior var. diversifolia, Ait.

F. heterophylla, Vahl.

F. integrifolia, Hort.

F. monophylla, Desf.

F. rufa, Bosc.

F. simplicifolia, Willd.

Var. heterophylla laciniata.

F. excelsior var. imbricata, Hort.

F. monophylla laciniata, Hort.

Var. heterophylla pendula.

Var. longibotrys.

Var. lutea, Hort.

Var. monstrosa, Hort.

Var. myrtifolia, Hort.

F. polemoniifolia, Hort.

F. viridis nobilis, Hort.

Var. obliqua.

F. obliqua, Tausch.

Var. pendula, Ait. "Weeping Ash."

Var. pendula Wentworthi. "Wentworth Weeping Ash."

Var. scolopendrifolia.

Var. spectabilis, Hort.

Var. stricta, Loud.

Var. Transoni.

Var. verrucosa.

Var. verticillata, Hort.

F. verticillata, Lodd.



- F. expansa, Hart. (americana x viridis? Kochne).
- F. glabra, Lawson. (pennsylvanica x viridis? Koehne).
- F. mandshurica, Rupr. Corea, Mandshuria to Sachalin and Japan.
- F. nigra, Marsh.; Sargent Silva of North America t. 265.
 "Black Ash"
 - F. americana var. sambucifolia, D. J. Browne.
 - F. Novae-Angliae, Duroi.
 - F. sambucifolia, Lam.
- F. numidica, Dippel Laubholzk. i. 96, f. 52. North Africa.
- F. oregona, Nutt.; Sargent Silva of North America t. 276. Western United States.
 - F. californica, Hort. (in part).
 - F. latifolia, Benth.
 - Var. foliis pulverulentis.
- F. parvifolia, Lam.; Loud. Arb. et Frut. Brit. 644, f. 1251. S. Europe, Orient.
 - F. lentiscifolia, Desf.
 - F. oxycarpa var. parvifolia, Boiss.
 - F. persica, Boiss.

Var. pendula.

- F. lentiscifolia var. pendula, Kirchn.
- F. tamariscifolia var. pendula, Dippel.

Var. nana.

- F. lentiscifolia nana, Hort.
- F. tamariscifolia var. nana, Dippel.
- '. pennsylvanica, Marsh: Sargent Silva of North America t. 271. North America. "Red Ash."
 - F. americana var. pubescens, D. J. Browne.
 - F. epiptera, Hort. (not Michx.).
 - F. longifolia, Bosc.
 - F. Novae Angliae, Mill. (not Hort.).
 - F. oblongocarpa, Buckl.



F pennsylvanica-cont.

F. pubescens, Lam.

F. subvillosa, Bosc.

F. tomentosa, Michx.

F. viridis var. pubescens, Hitchcock.

Var. foliis argenteis marginatis.

Var. lanceolata, Surgent Silva of North America t. 272. North America. "Green Ash."

F. caroliniana, Willd. (not Mill. nor Lum.).

F. expansa, Willd.

F. juglandifolia, Willd.

F. lanceolata, *Borkh.*: Britt. & Br. Illustr. Flora ii. 601, f.

F. pubescens, Torr. (not Lam.).

F. viridis, Michx.

F. platypoda, Oliver Hook. Icon. Pl. t. 1929.

F. serratifol.a, Hort. (not Michx.).

F. Sieboldi.

F. siebold ana, Dippel (not Blume).

F. potamophila, *Herd.*; Dippel Laubholzk. i. 98, f. 54. Turkestan, &c.

F. quadrangulata, Michr.; Sargent Silva of North America, t. 263. United States. "Blue Ash."

F. quadrangularis, Lodd.

F. tetrigona, Bosc.

F. Regelii, Dippel Laubholzk, i. 97, f. 53. Turkestan.
F. sogdiana, Her'. (not Bunge).

F. rhynchophylla, Hance: Garden and Forest 1893, 484, f. 70. China.

F. chinensis var. rhyncophylla, Hemsl.

sogdiana, Bunge: Dippel Laubholzk. i. 92, f. 49.
 Turkestan.

F. turkestanica, Hort.



F. Veltheimi, *Dieck* (parvifolia × excelsior monophylla). Garden origin.

F. lentiscifolia var. monophylla.

F. parvifolia var. monophylla, Dippel.

F. velutina, Torr.: Sargent Silva of North America t. 267. Western United States.

Fontanesia Fortunei, Carr. Rev. Hort. 1859, 43, f. 9. China. F. chinensis, Hance.

F. philliraeoides var. chinensis, Debeaux.

F. philliraeoides, Labill.; Dippel Laubholzk. i. 102, f. 57.
Asia Minor.

F. linearis, Hort.

F. nana, Hort.

Var. longifolia, Dippel Laubholzk. i. 103, f. 58. F. californica, Hort.

*Forestiera acuminata, Poir.: Dippel Laubholzk. i. 120, f. 70. Southern United States.

F. ligustrina, Willd. (not Poir.).

Adelia acuminata, Michx.

Borya acuminata, Willd.

Phillyraea angustifolia, L. Mediterranean region.

P. media var. augustifolia. Lond. Arb. et. Frut. Brit. 632, f. 1227.

Var. rosmarinifolia, Ait.

P. rosmarinifolia, Mill.

P. decora, *Bniss. & Bal.*; Gard. Chron. 1888, iv. 673, f. 96.

Lazistan.

P. laurifolia, Hort.

P. Medwedewi, Sredinski.

P. vilmoriniana, Boiss, ; Bot. Mag. t. 6800.

P. vilmoriensis, Hort.

12159



P. latifolia, L.; Hempel & Wilhelm Die Bäume und Sträucher . . . iii. 123, f. 333. Mediterranean region.

P. media var. latifolia, Loud. Arb. et Frut. Brit. 633, f. 1231.

P. spinosa, Tenore.

Var. ilicifolia.

Var. rotundifolia.

P. media, L.; Loud. Arb. Brit. 632, f. 1226. Mediterranean region.

P. variabilis var. media.

Var. buxifolia, Ait.

Var. oleaefolia, Ait.

P. oleaefolia, Mill.

Osmanthus Aquifolium, Siebold; Gard. Chron. 1877, vii. 239, f. 37. Japan.

Ilex Aquifolium, Thunb. (not L.).

Olea Aquifolium, Sieb. & Zucc.

O. aquifolia, Dippel.

Var. heterophyllus variegatus.

Var. ilicifolius.

Olea aquifelia var. ilicifolia, Dippel Laubholzk. i. 141, f. 89.

Var. ilicifolius latifolius.

Var. ilicifolius latifolius variegatus.

Var. ilicifolius purpureus.

Var. ilicifolius variegatus.

Var. myrtifolius.

O. myrtifolius, Hort.

Olea aquifolia var. myrtifolia, Dippoi.

Var. rotundifolius.



Chionanthus retusus, Lindl. & Paxt. Fl. Gard. iii. 85, f. 273; Gard. Chron. 1885, xxiii. 821, f. 178. China and Japan.

C. chinensis, Marim.

C. virginica, L.: Lold. Bot. Cab. t. 1264. South Pennsylvania to Florida and Texas. "Fringe-tree."

C. trifida, Moench.

Var. latifolia, Dippel.
C. montana, Pursh.

Var. pubescens.

C. maritima, Pursh; Gartenflora t. 564.

C. pubescens, H. B. K.

*Olea europaea, L.; Bentl. & Trim. Medicinal Plants t. 172. Asia Minor and Syria (cultivated elsewhere). "Olive."

Ligustrum deciduum, Hems/. Central China.

L. delavayanum, Hariot, Rev. Hortic. 1901, 496, f. China.

L. Ibota, Sieb.; Garden and Forest 1893, 425, f. 61. China, Japan and Sachalin.

L. amurense, Hort. (not Carr.).

L. ciliatum, Sieb.

L. obtusifolium, Sieb. & Zurc.

L. regelianum, Hort.

L. Roxburghii, Hort. (not Blume).

L. Stauntoni, Hort. (not DC.).

Daphniphyllum Roxburghii, Hort.

Var obovatum.

Var. regelianum, Rehder.

L. regelianum, Hort.



- L. insulare, Decne.; Dippel Laubholzk. i. 122, f. 71.
 Origin uncertain.
 - L. angustifolium, Hort.
 - L. insulense, Hort.
 - L. linearis, Hort.
 - L. longifolium, Hort. (in part).
 - L. Stauntoni, Hort. (in part).
- L. japonicum, Thunb.; Lindl. & Paxt. Fl. Gard. ii. 117. f. 196. China, Japan, &c.
 - L. bullatum, Hort.
 - L. glabrum, Hort.
 - L. kellerianum, Hort.
 - L. Kellermanni, Van Houtte.
 - L. latifolium robustum, Hort.
 - L. lucidum, Hort. (not Ait.).
 - L. macrophyllum, Hort.
 - L. ovalifolium, Hort. (not Hassk.).
 - L. Roxburghii, Blume.
 - L. Sieboldi, Hort.
 - L. spicatum, Hort.
 - L. syringaeflorum, Hort.

Var. coriaceum.

- L. coriaceum, Carr. Rev. Hort. 1874, 418, f. 56;Bot. Mag. t. 7519. China.
- L. lucidum var. coriaceum, Decne.

Var. coriaceum involutum.

- L. lucidum, Ait.; Bot. Mag. t. 2565. Chine.
 - L. japonicum, Hort. (not Thunb.).
 - L. longifolium, Hort. (in part).
 - L. magnoliaefolium, Hort.
 - L. sinense latifolium robustum, *Hort.*: Bard, Chron. 1878, x. 753, f. 125.



L. lucidum-cont.

Var. Alivoni, Hort.

Var. tricolor, Hort.

L. japonicum tricolor, Hort.

Var. aureo-variegatum, H wt.

L. japonicum aureo-variegatum, Hort.

L. macrophyllum aureo-variegatum.

*L. massalongianum, Vis.; Gard. Chron. 1881, xvi. 149, f. 33.

L. angustifolium, Hort. (in part).

L. japonicum, Hort. (in part).

L. longifolium, Hort. (in part).

L. myrtifolium, Hort.

L. rosmarinifolium, Hort.

L. spicatum, Hort. (in part).

L. ovalifolium, Hassk.; Dippel Laubholzk. i. 134, f. 84. Japan.

L. amurense, Curr. Rev. Hort. 1861, 352, f. 85.

L. californicum, Hort. (in part).

L. japonicum, var. ovalifolium, Blume.

L. ovatum, Hort.

L. reticulatum, Hort.

Var. foliis aureis.

L. californicum aureum, Hort.

L. elegantissimum, Hort.

L. Quihoui, Carr.: Gard. Chron. 1882, xviii. 277. f. 51. China.

L. brachystachium, Decne.



L. sinense, Lour.; Gard. Chron. 1858, 621, f.; 1878, x. 365.
f. 64; Garden and Forest 1890, 213, f. 36. China.

L. californicum, Hort. (in part).

L. chinense, Carr.

L. chinense nanum, Hort.

L. Fortunei, Hort.

L. frondosum, Hort.

L. Ibota, var. villosum, Hort.

L. Stauntoni, DC.

L. villosum, May.

Var. foliis aureis variegatis.

L. strongylophyllum, Hemsl. China.

L. vulgare, L.; Eng. Bot. ed. 3, t. 904. Europe, North Africa. "Common Privet."

Var. aureum.

Var. buxifolium.

Var. chlorocarpum, Loud.

Var. glaucum.

Var. italicum.

L. italicum, Mill.

L. sempervirens, Fl. Corc.

Var. pendulum.

Var. variegatum, Loud.

Var. xanthocarpum, Lond.

Apocynaceae.

Vinca difformis, Pourr. South-western Europe.

V. acutiflora, Bert.

V. media, Huffingg. & Link.: Reichb. Ic. Fl. Germ. 1063, f. ii.



V. major, L.; Eng. Bot. ed. 3, t. 905. Europe, &c.

Var. elegantissima, Hort.

V. minor, L.; Eng. Bot. ed. 3, t. 906. Europe, Western Asia. "Periwinkle."

Var. azurea.

Var. flore albo.

Var. foliis argenteis, Lodd.

Var. foliis aureis, Lodd.

Var. flore pleno.

Var. flore puniceo, Lodd.

*Trachelospermum jasminoides, Lemaire. China and Japan.

Malouetia asiatica, Sieb. & Zucc.

Parechites Thunbergii, A. Gray.

Rhynchospermum jasminoides, Lindl.; Bot. Mag. t. 4737.

T. crocostomum, Stapf. China?

Asclepiadaceae.

*Araujia sericofera, Brot. Brazil, &c. Physianthus albens, Mart.; Bot. Mag. t. 3201.

Periploca graeca, L.; Bot. Mag. t. 2289. South-eastern Europe, Orient.

P. maculata, Moench.

*Metaplexis Stauntoni, Roem. & Schult.; Dippel Laubholzk. i. 160, f. 97. China, Japan, &c.

M. chinensis, Decne.

M. rostrata, Turcz.

Urostelma chinense, Bunge.



*Marsdenia erecta, R. Br.; Dippel Laubholzk. i. 161, f. 98. Eastern Europe, Asia Minor.

Cynanchum erectum, L.

Loganiaceae.

Buddleia albiflora, Hemst. Central China.

*B. Colvillei, Hook. f. & Thoms.; Bot. Mag. t. 7449. Sikkim.

B. globosa, Hope; Bot. Mag. t. 174. Chili, Peru.

B. capitata, Jacq.

B. globiflora, Mirb.

B. intermedia, Carr. Rev. Hortic. 1873, 150, t. (curvi-flora × lindleyana). Garden origin.

B. japonica, Hemsl. Japan.

B. curviflora, André (not Hook. & Arn.); Ill. Hort. xvii. t. 25.

Var. insignis.

B. insignis, Carr. Rev. Hort. 1878, 330, f. 76.

*Buddleia lindleyana, Fortune Bot. Reg. xxxii. t. 4. China and Japan.

B. salicifolia, Hort. (not Vahl).

B. paniculata, Wall. Afghanistan and Burma to China.B. crispa, Benth.; Bot. Mag. t. 4793.

B. variabilis, Hemsl.; Bot. Mag. t. 7609. China. Var. veitchiana.

*Desfontainea spinosa, Ruiz. d. Puv.; Bot. Mag. t. 4781. Chili, Peru, &c.



Boraginaceae.

Ehretia acuminata, R. Br. Himalaya, Japan, &c. E. serrata, Rocb.; Bot. Reg. t. 1097.
Cardiandra alternifolia, Hort. (not Sieb. & Zucc.).

Cordia thyrsiflora, Sieb. & Zucc.

E. macrophylla, Wall. Himalaya.

Lithospermum prostratum, Lois.; Journ. Hort. s. 3, xxv. 404. South Europe.

L. fruticosum, *Hort.* (not *L.*). Lithodora prostrata, *Griseb*.

Moltkia petraea, Boiss. Dalmatia.

Echium petraeum, Tratt.; Bot. Reg. 1843, t. 26. Lithospermum petraeum, A.DC.; Bot. Mag. t. 5942. L. rosmarinifolium, Reichb.

Convolvulaceae.

*Calystegia macrostegia, Nichols. Lower California. Convolvulus macrostegius, Greene: Bot. Mag. t. 7717. C. occidentalis, S. Wats

*Convolvulus Cneorum, L.; Bot, Mag. t. 459. South Europe. C. argenteus, Lam.

Solanaceae.

- *Solanum crispum, Ruiz. & Pav.; Bot. Mag. t. 3795. Chili.
- Dulcamara, L.; Bentl. & Trimen Medicinal Plants t. 190. Europe, &c. "Bitter-sweet."



S. Dulcamara—cont.

Var. flore lacteo.

Var. foliis variegatis.

Var. fructu luteo.

- *S. jasminoides, Part. Magaz. of Botany viii. t. 5. Brazil. S. boerhaviaefolium, Sendtn.
- S. lyratum, Thunb. China and Japan.
- *Lycium afrum, L.; Bot. Reg. t. 354. Cape of Good Hope, &c.

L. purpureum, Hart.

- *L. chilense, Miers Illustr. S. Amer. Plants t. 72. Chili.
- L. chinense, Mill.; Dippel Laubholzk. i. 25, f. 11; Wats.
 Dendr. Brit. t. 8. China. "Box Thorn; Tea
 Tree."
 - L. barbarum, Hort. (not L.).
 - L, chinense var. trewianum.
 - L. lanceolatum, Hort.
 - L. megistocarpum, Dun.
 - L. ovatum, C. Koch. (not Poir.).
 - L. peruvianum, Hort.
 - L. trewianum, Roem. & Schult.

Var. variegata.

- L. barbarum foliis aureis variegatis, Hort.
- L. grevilleanum, Gillies; Miers Illustr. S. Amer. Plants t. 73. Argentina.
- L. halimifolium, Mill. Origin uncertain.
 - L. barbarum, Ait. (not L.).
 - L. europaeum, Gouan (not L.).



L. halimifolium-cont.

L. turbinatum, Poir.

L. vulgare, Dun.

Jasminoides flaccida, Moench.

- L. pallidum, Miers; Garden and Forest 1888, 341, f. 54. New Mexico, Arizona, &c.
- L. rhombifolium, Dippel Laubholzk. i. 24, f. 10. China.

L. barbarum, Wats. Dendr. Brit. t. 9 (not L.).

L. ovatum, Poir.

Jasminoides rhombifolium, Moench.

- L. Richii, A. Gray. California.
- *Cestrum Parqui, L'Hérit.; Bot. Mag. t. 1770. Chili. C. virgatum, Ruiz & Pav.
- *Fabiana imbricata, Ruiz. & Pav.: Bot. Reg. xxv. t. 59. Peru, &c. "Pichi."

Scrophulariaceae.

- *Brandisia racemosa, Hemsl.; Hook, Icon. Plant, t. 2383. Yunnan,
- Paulownia imperialis, Sieb. & Zuec.; Bot. Mag. t. 4666. Japan. "Kiri."

P. tomentosa, Steud.

Bignonia tomentosa, Thunb.

Incarvillea tomentosa, Spreng.

- Pentstemon corymbosus, Benth. California.
- P. heterophyllus, Lindl.; Bot. Mag. t. 3853. California.



- P. Menziesii, Hook. Bot. Mag. t. 6834. British Columbia California, &c.
 - Var. Lewisii, (Benth.).
 - Var. Scouleri, A. Gray.
 - P. Scouleri, Lindl. Bot. Reg. t. 1277.
- Veronica amplexicaulis, Armstr.; Bot. Mag. t. 7370. New Zealand.
- *V. Andersoni, Lindl. & Paxt. Fl. Gard. ii. t. 38. Garden origin.
- V. anomala, Armstr.; Bot. Mag. t. 7360. New Zealand.
- V. arborea, J. Buch. New Zealand.
- V. Armstrongii, T. Kirk Trans. New Zeal. Inst. xxxi. tt. 28-29. New Zealand.
- V. azurea, Link. Garden origin.
- V. buxifolia, Benth. New Zealand.
- V. candida, Lodd. Origin uncertain.
- V. carnea, Amstr. New Zealand.
- V. Catarractae, Forst. New Zealand.
- V. chathamica, J. Buch. Trans. N. Z. Inst. vii. t. 13, f. 1. New Zealand.
- 1. Colensoi, Hook. f. Bot. Mag. t. 7296. New Zealand.
- 7. cupressoides, Hook, f. Bot. Mag. t. 7348. New Zealand.
 V. salicornoides, Hort. (not Hook, f.).
 - Var. variabilis, N. E. Br. Gard. Chron. 1888, iii. 20, f.f. 4-7.
- . decumbens, Armstr. New Zealand.



- V. Derwentia, Andr. Bot. Rep. t. 531. New Zealand.
- V. Dieffenbachii, Benth.; Bot. Mag. t. 7656. New Zealand.
- *V. diosmifolia, R. Cunn. New Zealand.
 - Var. trisepala, Kirk; Bot. Mag. t. 7539. V. trisepala, Colenso
- V. elliptica, Forst. New Zealand.
 - V. decussata, Ait.; Bot. Mag. t. 242.
 - V. Menziesii, Benth.
- V. Fairfieldii, Hook. f. Bot. Mag. t. 7323. Garden origin.
- V. fruticulosa, L.; Reichb. Ic. Crit. x. f. 905. Europe. &c.
- V. glauco-caerulea, Armstr. New Zealand.
- V. guthriana, Hort. Garden origin.
- V. Hectori, Hook. f. Bot. Mag. t. 7415. New Zealand.
- V. hulkeana, F. Muell.; Bot. Mag. t. 5484. New Zealand.
- V. ignota, Waugh. New Zealand.
- V. Kirkii, Armstr. New Zealand.
- V. lavaudiana, Raoul; Bot. Mag. t. 7210. New Zealand.
- V. Lindsayi, Hort. (amplexicaulis × pimeleoides): Gard. Chron. 1898, xxiv. 331, f. 97. Garden origin.
- V. Lewisii, Armstr. New Zealand.
- V. ligustrifolia, A. Cunn. New Zealand.
- V. loganioides, Armstr.; Bot. Mag. t. 7404. New Zealand.
- V. Lyallii, Hook. f. Bot. Mag. t. 7338. New Zealand.
- *V. macrocarpa, Vahl. var. stricta. New Zealand.



- V. macroura, Hook. f. New Zealand.
- V. monticola, Armstr. New Zealand.
- V. newryensis, Hort. Garden origin.
- *V. parviflora, Vahl. var. angustifolia, Hook. f. Bot. Mag. t. 5965. New Zealand. "Koro-miko."
 - V. angustifolia, A. Rich.
 - V. stenophylla, Steud.
- V. pimeleoides, Hook. f. New Zealand.
- V. pinguifolia, Hook. f. Bot. Mag. t. 6147. New Zealand.
 - V. carnosula, Hook. f. Bot. Mag. t. 6587 (not Handb. New Zeal. Fl.).
- V. rakaiensis, Armstr. New Zealand.
 - V. Colensoi var. gracilis, Hort.
- V. salicifolia, Forst.; Kirk Forest Flora of New Zealand t. 120. "Korumeek."

Var. gracilis.

- V. speciosa, R. Cunn.; Bot. Mag. t. 4057. New Zealand.
- 7. tobarcorensis, Hort. Garden origin.
- . Traversii, Hook. f. Bot. Mag. t. 6390. New Zealand.
- . vernicosa, Hook. f. New Zealand.

Bignoniaceae.

ignonia capreolata, L.; Bot. Mag. t. 864. South United States. "Cross-vine."

Anisostichus capreolatus, Bur.



Catalpa bignonioides, Walt. South United States. "Indian Bean."

C. arguta, Hort.

C. cassinaefolia, Hort.

C. Catalpa, Kursten; Sargent Silva of North America t.t. 288, 289.

C. communis, Dum.-Cours.

C. cordifolia, Moench.

C. syringaefolia, Sims Bot. Mag. t. 1094.

Bignonia Catalpa, L.

Var. aurea.

Var. nana.

C. Bungei nana, Hort.

Var. variegata.

C. Bungei, C. A. Mey.; Nouv. Arch. Mus. Paris ser. 3, vi. t. 4. China.

C. cordifolia, Jaume Nouv. Duham t. 5. Western Kentucky and Tennessee, &c. "Western Catalpa."

C. speciosa, Warder; Sargent Silva of North America t.t. 290, 291.

C. cordifolia × Kaempferi. Garden origin.

C. Fargesi, Bureau Nouv. Arch. Mus. Paris ser. 3, vi. t. 3. China.

C. Kaempferi, Sieb. & Zucc.; Bot. Mag. t. 6611. Japan.

C. bignonioides var. Kaempferi, DC.

C. Bungei, Hort. (not C. A. Mey.).

C. himalayensis, Hort.

C. himalaica, Hort.

C. ovata, G. Don.

Bignonia Catalpa, Thunb.



C. Kaempferi-cont.

Var. flavescens, Hort. Kew.

C. Wallichii, Hort.

Var. purpurea.

*Tecoma grandiflora, Loisel. China and Japan.

T. chinensis, C. Koch.

Bignonia chinensis, Lam.

B. grandiflora, Thunb.; Bot. Mag. t. 1398.

Incarvillea grandiflora, Poir.

Var. sanguinea.

Bignonia sanguinea, Hort.

T. radicans, Juss. North America. "Trumpet-flower." Bignonia radicans, L.; Bot. Mag. t. 485.

*Eccremocarpus scaber, Ruiz & Pav.; Bot. Reg. t. 930. Chili.

Calampelis scaber, D. Don.

Selaginaceae.


Globularia cordifolia, L.; Jacq. Flora Austriaca t. 245. South Europe, &c.

Verbenaceae.

*Lippia citriodora, H. B. & K. South America. "Scented Verbena."

Aloysia citriodora, Orteg.

Verbena triphylla, L'Hérit.; Bot. Mag. t. 367.



*Rhaphithamnus cyanocarpus, Miers; Bot. Mag. t. 6849. Chili.

Citharexylon cyanocarpum, Hook. & Arn.

Duranta umbellata, Miers.

Poeppigia cyanocarpa, Bertero.

Callicarpa americana, L.; Britt. & Brown Illustr. Fl. iii. 71. Virginia to Texas. "French Mulberry."

C. japonica, Thunh.; Gard. Chron. 1871, 173, f. 39. China. Japan, Corea. "Murasaki."

C. longifolia, Bot. Reg. t. 864.

C. Murusaki, Hort.

Galphimia hirsuta, Hort. (not Car.).

*C. purpurea, Juss. China and Japan.

C. gracilis, Sieb. & Zucc.

Porphyra dichotoma, Lour.

Diostea juncea, Miers: Bot. Mag. t. 7695. Chili.

D. chamaedryfolia, Hort.

Baillonia juncea, Benth.

Dipyrena dentata, Philippi.

Lippia juncea, Schauer.

Verbena juncea, Hook. & Arn.

*Vitex Agnus-castus, L.; Moggridge Flora of Mentone t. 14. Mediterranean region, &c. "Chaste Tree."

*V. incisa, Lam. Illustr. t. 541, f. 2. China.

V. Agnus-castus var. arborea, Hort.

V. Negundo, Curt. Bot. Mag. t. 364 (not La a.).

V. Negundo var. incisa, C. B. Charler.

12159



- *Clerodendron foetidum, Bunge; Bot. Mag. t. 4880. China. C. Bungei, Steud.
- C. trichotomum, Thunb.; Bot. Mag. t. 6561. China and Japan. "Kusagi."
- Caryopteris Mastacanthus, Schauer; Bot. Mag. t. 6799. China and Japan.

C. incana, Miq.

Barbula sinensis, Lour.

Mastacanthus sinensis, Endl.

Nepeta incana, Thunb.

N. japonica, Willd.

Var. candicans.

C. candicans, Hort.

Labiatae.

*Lavandula dentata, L.; Bot. Mag. t. 400. Mediterranean region.

Stoechas dentata, Mill.

- *L. pedunculata, Cav.; Laguna Fl. Forest. Esp. ii. t. 46 2. Spain and Portugal.
- L. Spica, Cav.: Laguna Fl. Forest. Esp. ii. t. 463.
 Mediterranean region.

Var. alba.

Var. nana.

L. vera, DC.: Bentl. & Trim. Medicinal Plants t 199.
Mediterranean region.

L. angustifolia, Hayne.

L. officinalis, Chaix.

L. pyrenaica, DC.

12159



Elsholtzia polystachya, Benth. Temperate Himalaya. Colebrookia oppositifolia, Lodd. Bot. Cab. t. 487.

Thymus azoricus, Lodd. Bot. Cab. t. 1530. Azores.

T. Chamaedrys, Fries; Eng. Bot. ed. 3, t. 1044. Europe, &c. "Common Thyme."

Var. comosus.

T. comosus, Heuff.

T. rotundifolius, Schur.

T. transsilvanicus, Schur.

Var. montanus.

T. collinus, Bieb.

T. montanus, Waldst. & Kit.

T. citriodorus, Schreb. South Europe.

T. Serpyllum, L.; Eng. Bot. ed. 3, t. 1043. Europe, &c.

Var. pulchellus (Bluff & Fingerh.).

Var. variegatus.

Var. lanuginosus.

T. lanuginosus, Mill.

T. vulgaris, L.; Bentl. & Trim. Medicinal Plants t. 205. South Europe. "Garden Thyme."

T. Zygis, L.; Laguna Fl. Forest. Esp. ii. t. 70 4. Spain and Portugal.

T. tenuifolius, Mill.

Satureia montana, L.; Sibth. & Sm. Flora Graeca t. 543. Europe, &c. "Winter Savory."

S. hyssopifolia, Bert.

S. Kitaibeli, Wierzb.

S. variegata, Host.



Satureia montana-cont.

Micromeria montana, Reichb.

M. variegata, Reichb.

Var. illyrica.

S. illyrica, Host.

Hyssopus officinalis, L.; Reich. Fl. Germ. t. 1259. South Europe, &c. "Hyssop."

Var. decumbens.

H. decumbens, Jord. & Fourr. Icones Fl. Eur. t. 198.

Var. aristatus.

H. aristatus, Godr.; Jord. & Fourr. Icones Fl. Eur. t. 196.

Micromeria graeca, Benth. Mediterranean region.

Satureia graeca, L.; Sibth. & Sm. Fl. Graeca t. 542.

S. micrantha, Hoffmgg. & Link.

S. nervosa, Desf.

Thymus hirtus, Soland.

T. micranthus, Brot.

M. rupestris, Benth. Eastern Europe.

Calamintha rupestris, Hort.

Melissa alba, Waldst. & Kit. Pl. Hung. t. 205.

Nepeta croatica, Spreng.

N. pumila, Spreng.

Satureia rupestris, Wulf.

S. thymifolia, Scop.

lalvia officinalis, L.; Bentl. & Trim. Medicinal Plants t. 206. South Europe. "Sage."

Var. flore albo.

Var. variegata.



Rosmarinus officinalis, L.; Benth. & Trim. Medicinal Plants t. 207. "Rosemary."

Var. foliis aureis.

Ballota spinosa, Link; Moggridge Flora of Mentone t. 84. Riviera.

Moluccella frutescens, L.

*Phlomis fruticosa, L.; Bot. Mag. t. 1843. South Europe, &c. "Jerusalem Sage."

P. ferruginea, Hort. (not Tenore).

P. lunarifolia, Sibth. & Sm.; Bot. Mag. t. 7699. Asia Minor.

Teucrium fruticans, L. South Europe, &c.

T. latifolium, L.; Bot. Mag. t. 245.

T. tomentosum, Moench.

T. Marum, L. South-western Europe.

T. maritimum, Lam.

T. subspinosum, Pourr.

Chamaedrys Marum, Moench.

T. montanum, L.; Sibth. & Sm. Fl. Graeca t. 534. South Europe, &c.

T. supinum, L.

Polium montanum, L.

T. Polium, L.; Sibth. Fl. Graeca t. 535. Mediterranean region.

Plantaginaceae.

Plantago Cynops, L.; Jacq. Fragmenta Botanica t. S1. South Europe.

P. genevensis, Poir.



MONOCHLAMYDEAE.

Chenopodiaceae.

Atriplex Breweri, S. Wats. California.

A. canescens, James. Western North America.

A. confertifolia, S. Wats.; U. S. Dep. Agric. Rep. 1887, t. 16. Western United States.

Obione confertifolia, Torr.

A. Halimus, L.; Sibth. Fl. Graeca t. 962. South Europe, &c. "Tree Purslane."

A. occidentalis, Hort.

Chenopodium Halimus, Thunb.

A. Nuttallii, S. Wats. North-western America.

A. portulacoides, L.; Eng. Bot. ed. 3, t. 1208. Europe, &c. Obione portulacoides, Mog.

Halimus portulacoides, Dum.

Eurotia ceratioides, C. A. Mey. Caucasus, Asia Minor, &c.

Suaeda fruticosa, Forsk.; Eng. Bot. ed. 3, t. 1178. Northern temperate regions.

Chenopodium fruticosum, L.

Cochliospermum fruticosum, Lag.

Salsola fruticosa, L.

Schoberia fruticosa, C. A. Mey.

Sarcobatus Maximiliani, Nees. North America. "Grease-wood."

S. vermiculatus, Torr.; Britt. & Br. Illustr. Ft. i. 584, f.



Phytolaccaceae.

*Ercilla volubilis, A. Juss. Chili, Peru, &c.
E. spicata, Moq.; Hook. Bot. Misc. iii. 169, f. 102.
Bridgesia spicata, Hook. & Arn.
Galvesia spicata, Bert.

Polygonaceae.

- *Eriogonum rubescens, Greene. California.
- E. suffruticosum, S. Wats. Texas.
- E. umbellatum, Torr. Colorado to Oregon and California.

Atraphaxis buxifolia, Janb. & Spach. Caucasus. Polygonum buxifolium, Bieb.

P. caucasicum, Hoffm.

P. crispulum, Sims Bot. Mag. t. 1065.

Tragopyrum buxifolium, Bieb.

- A. lanceolata, Bunge. Temperate Asia.

 Tragopyrum lanceolatum, Bieb.

 Polygonella lanceolata, Meisn.
- A. Muschketowi, Krassn.; Bot. Mag. t. 7435. Central Asia.
 Tragopyrum lanceolatum var. latifolium, Regel Gartenflora t. 1344.
- A. spinosa, L. Orient.
 A. Fischeri, Jaub. & Spach.
 Tragopyrum spinosum, Presl.
- A. Tournefortii, Jaub. & Spach III. Plant. Orient. t. 112. Syria.



- Polygonum baldschuanicum, Regel; Bot. Mag. t. 7514.
 Bokhara.
- P. multiflorum, Thunb. China and Japan.
- Muehlenbeckia adpressa, Meisn. Australia.

 Polygonum adpressum, Labill.; Bot. Mag. t. 3145.
- M. axillaris, Hook. f. New Zealand, &c. M. nana, Hort.
- M. complexa, Meisn. New Zealand.
- M. varians, Meisn. Origin uncertain.
 M. varium, Hort.
- Brunnichia cirrhosa, Banks. Southern United States. Rayania ovata, Walt. Polygonum claviculatum, Hort.

Aristolochiaceae.

Aristolochia californica, Torr. California.

- *A. altissima, Desf.; Bot. Mag. t. 6586. Sicily and Algeria.
- A. Sipho, L'Hérit.; Bot. Mag. t. 534. United States.

A. frutescens, Marsh.

A. macrophylla, Lam.

Siphisia Sipho, Klotzsch.

A. tomentosa, Sims Bot. Mag. t. 1369. Southern United States.

A hirsuta, Muhl.

Siphisia tomentosa, Rafin.



Chloranthaceae.

*Chloranthus brachystachys, Blume. China, Japan, &c.

Lauraceae.

"Cinnamomum Loureirii, Nees. Cochin China. "Nikei."

*Persea*Lingue, Nees. Chili.

Laurus Lingue, Ruiz & Pav.

Sassafras officinale, Nees. United States.

S. albidum, Nees.

S. Sassafras, Karst.; Sargent Silva of North America tt. 304-5.

S. variifolium, O. Kunze.

Laurus albida, Nutt.

L. diversifolia, Stokes.

L. Sassafras, L.; Loud. Arb. et Frut. Brit. 684, f. 1333.

L. variifolia, Salisb.

Persea Sassafras, Spreng.

Tetranthera albida, Spreng.

*Litsaea cupularis, Hemsl. China.

L. geniculata, Benth. & Hook. f. Southern United States. "Pond Spice."

Laurus geniculata, Michae.; Bot. Mag. t. 1471.

Tetranthera geniculata, Nees.

*L. japonica, Mirb. China, Japan, &c.

Tetranthera japonica, Spreng.; Sieb. & Zucc. Fl. Jap. t. 87.

Tomex japonica, Thunb.



*Umbellularia californica, Nutt. California.

Drimophyllum pauciflorum, Nutt.

Oreodaphne californica, Nees; Bot. Mag. t. 5320.

Tetranthera californica, Hook. & Arn.

Lindera Benzoin, Blume. United States. "Spice Bush; Benjamin Bush."

Benzoin Benzoin, Coulter; Britt. & Br. Illustr. Fl. ii. 98, f.

B. odoriferum, Nees.

B. aestivale, Nees.

Laurus aestivalis, L.

L. Benzoin, L.

- *L. glauca, Blume; Shirasawa Iconogr. Ess. Forest. du Japon t. 44. Japan. "Mura datsi."
- *L. hypoglauca, Maxim. Japan.
- L. obtusiloba, Blume; Garden and Forest 1893, 295, f. 42. Japan.
- *L. sericea, Blume. Japan.
 Benzoin sericeum, Sieb. & Zucc.
- L. triloba, Blume. Japan.
- Laurus nobilis, L.; Bentl. & Trim. Medicinal Plants t. 221. Mediterranean region. "Sweet Bay."

Var. angustifolia.

Proteaceae.

- *Grevillea rosmarinifolia, A. Cunn.; Bot. Mag. t. 5971. New South Wales.
- *G. juniperina, R. Br. var. sulphurea, Benth. New South Wales.
 - G. sulphurea, A. Cunn.; Lodd. Bot. Cab. t. 1723.



Thymelaeaceae.

Daphne alpina, L.: Lodd. Bot. Cab. t. 66. South Europe.

D. candida, Vitm.

Thymelaea alpina, All.

T. candida, Scop.

- D. altaica, Pall.; Bot. Mag. t. 1875. Siberia.
- D. blagayana, Freyer; Bot. Mag. t. 7579; Garden 1878, xiv. 200, t. 143. Carniolia.
- D. caucasica, Pall.; Bot. Mag. t. 7388. Caucasus.
 - D. euphorbioides, Pusch.
 - D. salicifolia, Lam.
- D. Cneorum, L.; Bot. Mag. t. 313. South Europe, &c. "Garland-flower."

D. odoratum, Lam.

Thymelaea Cneorum, Scop.

Var. major.

Var. Verloti. Dauphiny.

D. Verloti, Gren. & Godr.; Rev. Hortic. 1901, 304, f. 130.

- D. Dauphini, Hort. (sericea x odora). Garden origin.
 - D. Delphini, Hort.
 - D. Delphinium, Hort.
 - D. hybrida, Lindl. Bot. Reg. t. 1177.
 - D. hyemalis, Hort.
- *Daphne Genkwa, Sieb. & Zucc. Fl. Jap. i. 137, t. 75. China and Japan.
 - D. Fortunei, Lindl.



D. Laureola, L.; Bentl. & Trim. Medicinal Plants t. 226. Europe, North Africa, West Asia. "Spurge Laurel."

D. major, Lam.

Thymelaea Laureola, Scop.

Var. Philippi.

D. Philippi, Gren. & Godr. Pyrenees.

Var. purpurea.

D. houtteana, Planch.

D. Mezereum foliis atropurpureis. Flore des Serres vi. t. 592.

D. Mezereum var. atropurpurea, Dippel.

D. Mezereum, L.; Bentl. & Trim. Medicinal Plants t. 225. Europe, Siberia. "Mezereon."

Mezereum officinarum, C. A. Mey.

Thymelaea Mezereum, Scop.

T. praecox, Gilib.

Var. flore albo. Garden 1886, xxix, 602, t. 550.

Var. flore albo pleno. Garden 1886, xxix, 602, t. 550.

Var. grandiflora.

D. autumnalis, Hort.

*D. odora, Thunh.; Bot. Mag. t. 1587. China and Japan.

D. indica, Loisel. (not L.).

D. japonica, Sieb. & Zucc.

D. sinensis, Lam.

D. oleoides, Schreb.; Bot. Mag. t. 1917. South Europe, &c.

D. Cneorum maxima, Hort.

D. collina var. neapolitana, Lindl. Bot. Reg. t. 822.

D. delahayana, Hort.

D. fioniana, Hort.

D. neapolitana, Lodd.



D. oleoides-cont.

Var. elegantissima, Hort.

D. neapolitana elegantissima, Hort.

D. petraea, Leybold; Dippel Laubholzk, iii. 196, f. 102. Tyrol.

D. rupestris, Facch.

D. pontica, L.; Bot. Mag. t. 1282. Orient.

D. sericea, Valil. South Europe.

D. alpina, Savi (not L.).

D. australis, Cyr.; Bot. Reg. xxiv. t. 56.

D. collina, Sm.; Bot. Mag. t. 428.

D. striata, Tratt.: Reichb. Fl. Germ. xi. t. 554. Europe.

Direa palustris, L.; Bot. Reg. t. 292. North America. "Leatherwood."

*Edgeworthia chrysantha, Lindl. Bot. Reg. 1847, t. 48. China, Japan.

*Wikstroemia canescens, Meissn. var. Ganpi, Miq. Japan. Passerina Ganpi, Sieb. & Zucc.

Stellera japonica, Sieb.

Elaeagnaceae.


Elaeagnus angustifolia, L.: Bot. Reg. t. 1156. Mediterranean region and Orient.

E. argentea, Moench (not Pursh).

E. flava, Hort.

E. hortensis, Bieb.

E. incana, Lam.



Elaeagnus angustifolia-cont.

E. songorica, Fisch.

E. spinosa, L.

Var. elliptica.

Var. microcarpa.

E. argentea, Pursh: Wats. Dendr. Brit. ii. t. 161. North America. "Silver Berry."

Shepherdia argentea, Hort. (not Nutt.).

E. glabra, Thunb. China, Japan, &c. "Yama Gumi." E. tenniflora, Benth.

Var. variegata.

- E. macrophylla, *Thumb.*; Bot. Mag. t. 7638. Japan and Formosa. "Fon Gumi."
- E. multiflora, Thunb.; Bot. Mag. t. 7341. China, Japan.

E. crispa, Thunb.

E. edulis, Sieb.

E. longipes, A. Gray; Gard, Chron. 1873, 1114, f. 206.

E. odorata edulis, Hort.

E. rotundifolia, Gagn.

E. orientalis, L.; Pallas Flora Rossica t. 5. Orient.

E. sativa, Hort.

E. tomentosa, Moench.

Elaeagnus pungens, Thumb. China and Japan. "Natsu Gumi."

E. reflexa, E. Morr. & Deene.

E. sinensis, Hort.

Var. aurea, Hort.

Var. aureo-picta.



Elaeagnus pungens-cont.

Var. Simonii.

E. Simonii, Carr.

Var. Simonii aureo-variegata.

Var. tricolor, Hort.

Var. variegata, Hort.

E. umbellata, Thunh.; Rev. Hortic. 1901, 85, f. Japan. "Masiro Gumi."

E. conferta, Hort.

E. japonica, Hort.

E. latifolia, Hort. (not L.).

E. longipes crispa, Hort.

E. parvifolia, Wall.; Bot. Reg. xxix. t. 51.

E. tenuifolia, Hort. (not Benth.).

Hippophae rhamnoides, L. Gardeners' Magazine 1894, 791. f. Europe, Temperate Asia. "Sea Buckthorn."

Osyris rhamnoides, Scop.

Var. angustifolia.

Var. taurica.

H. salicifolia, D. Don. Himalaya.

Shepherdia argentea, Nutt.; Gartenflora 1889, 626, f. North America. "Buffalo Berry."

Hippophae argentea, Pursh.

Lepargyrea argentea, Greene; Britt. & Br. Illustr. Fl. ii. 467, f.

S. canadensis, Nutt. North America.

Hippophae canadensis, L.

Lepargyrea canadensis, Greene: Britt. & Br. Illustr. Fl. ii. 467, f.



Loranthaceae.

- Loranthus europaeus, Jacq. Flora Austriaca i. t. 30. South Europe and Orient.
- Viscum album, L.; Gard. Chron. 1873, 1703, f. 340; Garden 1872, ii. 536, ff. Europe, N. Asia. "Mistletoe."

Santalaceae.

Buckleya distichophylla, *Torr.*; Garden and Forest 1890, 236, f. 37. North Carolina.

Berya distichophylla, *Nutt*.

Euphorbiaceae.

Securinega ramiflora, Muell. Arg. Eastern Asia.

Flueggea suffruticosa, Baill.

Geblera suffruticosa, Fisch. & Mey.

Phyllanthus ramiflorus, Pers.

Xylophylla ramiflora, Ait.

*Sarcococca hookeriana, Baill.; Garden 1884, xxv. 359, f. Himalaya.

Buxus balearica, Lam. Balearic Islands.

B. sempervirens var. gigantea; Nouv. Duham. i. 82, t. 23.

. Harlandi, Hance. China.

chinensis, Hort.

japonica, Muell. Arg. Japan.

microphylla, Sieb. & Zucc. Japan.



B. sempervirens, L.; Eng. Bot. ed. 3, t. 1252. Europe, N. Africa, N. & W. Asia.

Var. arborescens, Loud.

B. arborescens, Mill.

Var. argentea, Hort.

B. argenteo-marginata, Hort.

Var. aurea maculata, Hort.

Var. aurea pendula, Hort.

Var. aureo-marginata, Hort.

Var. elegantissima, Hort.

Var. Handsworthii, Hort.

Var. latifolia, Hort.

Var. latifolia bullata, Hort.

Var. latifolia macrophylla, Hort.

Var. latifolia maculata, Hort.

Var. latifolia nova, Hort.

Var. longifolia, Hort.

Var. myosotifolia, Hort.

Var. myrtifolia, Loud,

B. myrtifolia, Lam.

B. sempervirens var leptophylla, Nouv. Duham. i. 23, f. 3.

Var. navicularis.

B. navicularis, Hort.

Var. pendula.

Var. Ponteyi, Hort.

Var. prostrata, Hort.

Var. pyramidalis.

12159

Τ,



B. Sempervirens-cont.

Var. rosmarinifolia, Baill.

B. rosmarinifolius, Hort.

B. thymifolia, Hort.

Var. salicifolia elata.

Var. suffruticosa, Loud. "Edging Box."
B. suffruticosa, Mill.

Var. undulifolia.

B. wallichiana, Baill. Himalaya.

B. himalayensis, Hort.

B. longifolia, Jacquem.

B. sempervirens var. arborea, Wall.

Pachysandra procumbens, Michx.; Bot. Mag. t. 1964. North America

P. terminalis, Sieb. & Zucc. Japan.

Andrachne colchica, Fisch. & Mey. Caucasus.

Daphniphyllum macropodum, Miq.: Shirasawa Iconogr. Ess. Forest. du Japon t. 54. China and Japan. "Sioumi."

D. glaucescens, Hort. (not Blume).

D. Teysmanni, Hort. (not Kurz).

Var. jezoensis.

D. jezoensis, Hort.

Var. concolor, Dippel.

D. glaucescens var. viridis, Hort.

Var. variegata.

12159



Urticaceae.

Ulmus alata, Mich.r.; Sargent Silva of North America t. 313. Southern United States. "Wahoo; Winged Elm."

U. americana vur. alata, Spach.

U. pumila, Walt. (not L.).

U. americana, L.; Sargent Silva of North America t. 311. North America. "American or White Elm."

U. alba, Rafin.

U. floridana, Chapm.

U. mollifolia, Marsh.

U. pendula, Willd.

Var. pendula.

U. campestris, L.; Bentl. & Trim. Medic. Plants t. 232. Europe, North Africa, Siberia. "Common Elm."

U. angustifolia, Moench.

U. minor, Mill.

U. nana, Borkh.

U. nemorosa, Borkh.

U. nuda, Ehrh.

U. suberosa, Ehrh.

U. suberosa var. genuina, Syme Eng. Bot. ed. 3, t. 1285.

Var. antarctica, Hort.

Var. antarctica aurea, Hort.

U. campestris var. aurea, Morren Belg. Hortic. 1866, 356, t. 19.

U. Rosseelsii, Hort.

Var. antarctica pendula, Hort.

Var. Berardi, Simon-Louis Cat. Gen. 1869, f. 7; Dippel Laubholzk. ii. 24, f. 7.



U. campestris-cont.

Var. betulaefolia, Loud.

U. betulaefolia, Lodd.

Var. cretensis, Hort.

Var. erecta, Loud.

Var. gracilis, Hort.

Var. japonica, Sargent. Japan.

· Var. latifolia variegata, Hort.

Var. Louis Van Houtte.

Var. microphylla pendula, Hort.

Var. modiolina, Hort.

Var. myrtifolia, Hort.
V. buxifolia, Hort.

Var. pendula nova, Hort.

Var. pyramidalis, Hort.

Var. sarniensis, Loud. "Jersey Elm." U. sarniensis, Lodd.

Var. suberosa, Loud. "Cork-barked Elm." U. suberosa, Moench.

Var. suberosa pendula, Hort.

Var. tortuosa, Loud.

U. tortuosa, Lodd.

Var. umbraculifera, Trautv.

Var. umbraculifera gracilis.

Var. variegata, Hort.

Var. variegata nova, Hort.

Var. viminalis, Loud.

U. viminalis, Lodd.



U. campestris-cont.

Var. viminalis stricta, Hort.

Var. viminalis variegata, Hort. U. campestris.

Var. viscosa, Hort.

Var. webbiana, Hort.

Var. Wheatleyi, Hort.

U. crassifolia, Nutt.; Sargent Silva of North America t. 315. Arkansas, Texas, &c. "Cedar Elm."

U. opaca, Nutt.

U. elliptica, C. Koch; Dippel Laubholzk. ii. 31, f. 9. Turkestan.

U. Heyderi, Spaeth.

U. longifolia, Hort.

U. sibirica, Hort.

U. fulva, Micher.: Sargent Silva of North America t. 314; Bentl. & Trim. Medic. Plants t. 233. North America. "Slippery Elm."

U. americana var. fulva, Loud.

U. americana var. rubra, Ait.

U. rubra, Micher.

Var. pendula.

U. glabra, Mill. Europe.

U. campestris var. laevis, Spach.

U. carpinifolia, Lindl.

U. inaequalis, Bosc.

U. montana rar. glabra, Lond.

U. nitens, Magnete.

U. suberosa var. glabra, Syme Eng. Bot. t. 1286.



U. glabra-cont.

Var. cornubiensis. "Cornish Elm."

U. campestris var. cornubiensis, Loud.

U. stricta, Lindl.

Var. pendula, Nichols.

Var. pendula nova, Hort.

U. campestris pendula nova, Hort.

Var. rubra.

U. corylifolia rubra, Hort.

U. montana, With.; Eng. Bot. ed. 3, t. 1287; Flora Danica t. 2533. Europe, North Asia. "Scotch or Wych Elm."

U. alba, Waldst. & Kit.

U. fulva, Hort. (not Michx.).

U. major, Sm.

U. scabra, Mill.

Var. atropurpurea, Hort.

Var. aurea, Hort.

U. campestris var. aurea, Hort.

Var. cinerea, Lavall.

U. cinerea, Hort.

Var. crispa, Loud.

U. adiantifolia, Hort.

U. asplenifolia, Hort.

U. campestris var. crispa, Desf.

U. campestris var. urticaefolia, Hort.

U. erispa, Willd.

U. effusa crispa, Hort.

U. effusa cristata, Hort.

U. urticaefolia, Hort.



U. montana-cont.

Var. cucullata, Hort.

Var. Dauvessei, Hort.

U. campestris var. Dauvessei, Hort.

Var. Dovaei, Hort.

U. campestris var. Dovaei, Hort.

U. scabra var. Dovaei, Hort.

Var. etrusca, Hort.

U. campestris var. etrusca, Hort.

Var. fastigiata, Lond. "Exeter Elm; Ford's Elm."

U. Dampieri, Hort.

U. exoniensis, Hort.

U. Fordi, Hort.

U. glabra replicata, Hort.

U. montana var. pyramidalis, C. Koch.

U. ohioensis, Hort.

U. plumosa, Hort.

Var. fastigiata aurea, Hort.

U. Dampieri aurea, Hort.

U. Dampieri Wredei, Hort.

U. Wredei, Hort.

Var. gigantea, Hort.

Var. laciniata, Trautv.

U. intermedia, Hort.

U. montana var. tiliaefolia, Hort.

U. montana var. tricuspis, Dippel.

U. montana var. tridens, Hort.

U. montana var. triserrata, Hort.

U. triserrata, Hort.

Var. latifolia nigricans, Hort.



U montana-cont.

Var. libro rubro, Hort.

Var. lutescens, Dippel.

U. campestris var. lutescens, Dieck.

Var. macrophylla, Hort.

U. campestris var. macrophylla, Spach.

Var. macrophylla fastigiata, Hort.

Var. nana.

U. latifolia nana, Hort.

Var. nigra, Loud. "Black Irish Elm." U. nigra, Lodd.

Var. pendula, Loud. Arb. & Frut. Brit. 721, f. 1398.

U. americana pendula, Hort.

U. fulva pendula, Hort.

U. glabra decumbens, Hort.

U. glabra pendula, Hart.

U. horizontalis, Hort.

Var. pendula variegata, Hort.

Var. purpurea.

U. corylifolia purpurea, Hort.

Var. scotica, Hort.

Var. serpentina, Hort.

Var. superba, Hort.

Var. vegeta, Loud.

U. glabra var. vegeta, Dippel.

U. parviflora, Jacq.; Dippel Laubholzk. ii. 35, f. 11. China and Japan.

U. campestris var. chinensis, Hort.

U. chinensis, Pers.



U. parviflora-cont.

U. pumila, Hort. (not L.).

U. virgata, Roxb.

Microptelea parvifolia, Spach.

Planera parvifolia, Sweet.

U. pedunculata, Fouger. Europe, &c.

U. ciliata, Ehrh.

U. effusa, Willd.; Loud. Encycl. Trees and Shrubs 720, f. 1397; Flora Danica t. 2830.

U. laevis, Pall.

U. octandra, Schkuhr.

U. racemosa, Borkh. (not D. Thomas).

U. pinnato-ramosa, Dieck. Siberia.

U. pumila, L. Northern Asia.

U. Koopmanni, Hort.

U. microphylla, Pers.

U. racemosa, D. Thomas: Sargent Silva of North America t. 312. North America. "Rock Elm."

U. serotina, Sargent. Southern United States.

U. turkestanica, Regel. Turkestan.

Planera aquatica, Gmel.; Sargent Silva of North America t. 316.

Zelkova acuminata, Planch.: Shirasawa Iconogr. Ess. Forest. du Japon t. 36. Japan. "Keaki."

Z. Keaki, Maxim.; Dippel Laubholzk. ii. 41, f. 15.

Planera acuminata, Lindl.

P. cuspidata, Hort.

P. japonica, Miq.

Ulmus Keaki, Sieb.



Zelkova acuminata-cont.

U. monumentalis, Hort.

Z. crenata, Spach. Caucasus.

Z. carpinifolia, Dippel.

Abelicea ulmoides, O. Kuntze.

Planera carpinifolia, Wats. Dendr. Brit. ii. t. 106.

P. crenata, Desf.

P. Gmelini, Hort. (not Michx.).

P. Richardi, Michx.

Ulmus polygama, Rich.

Var. pendula, Hort.

Z. Verschaffelti, Dippel Laubholzk. ii. 40, f. 14. East Asia.

Z. japonica var. Verschaffelti, Hort.

Ulmus pendula laciniata Pitteursii, Hort.

Ulmus Verschaeffelti, Hort.

Celtis australis, L.; Wats. Dendr. Brit. ii. t. 105. Mediterranean region.

C. serrata, Hort.

C. caucasica, Willd. Caucasus, &c.

C. glabrata, Stev. Orient, &c.

- C. caucasica, Hohen. (not Stev.).
- C. glabra, Hort. (not Planch.).
- C. kotschyana, Stev.
- C. Tournefortii var. glabrata, Boiss.

C. mississippiensis, Bosc: Sargent Silva of North America t. 318. South United States. "Sugarberry."

- C. Berlandieri, Klotzsch.
- C. integrifolia, Nutt.
- C. laevigata, Willd.



- C. mississippiensis—cont.
 - C. Lindheimeri, C. Koch.
 - C. occidentalis, Surgent Garden and Forest iii. 39 (in part), ff. 9, 10, 11.
 - C. texana, Scheele.
- C. occidentalis, L.; Sargent Silva of North America t. 317. North America. "Hackberry."
 - C. americana, Hort. (not L.).
 - C. audibertiana, Spach.
 - C. cordata, Pers.
 - C. crassifolia, Lam.
 - C. Douglasii, Planch.
 - C. obliqua, Moench.
 - C. procera, Salisb.
 - C. reticulata, Cooper (not Torr.).

Ulmus cordata, Hort.

Var. grandidentata, Dippel., C. grandidentata, Tenore.

Var. pumila, A. Gray. South-eastern United States to Utah, &c.

- C. sinensis, Pers.; Shirasawa Iconogr. des Ess. Forest. du Japon t. 36, ff. 18-21. China and Japan. "Senoki."
 - C. japonica, Planch.
- C. Tournefortii, Lam. Orient.
 - C. glabrata, Hort. (not Stev.).
 - C. orientalis, Mill.
- Aphananthe aspera, Plunch.; Shirasawa Iconogr. des Ess. Forest. du Japon t. 37, ff. 10-20. China and Japan. "Muku."

Celtis Muku, Sieb. & Zucc,



Aphananthe aspera-cont.

Homoiceltis aspera, Blume.

Sponia nudiflora, Sieb. & Zuce.

Prunus aspera, Thumb.

Broussonetia Kazinoki, Sieb.: Icones Horti Thenensis ii. t. 45. Japan.

B. Kaempferi, Sich.

B. Sieboldii, Blume.

Morus Kaempferi, Seringe.

B. papyrifera, Vent.: Bot. Mag. t. 2358. China, Japan, Polynesia, &c.

Morus papyrifera, L.

Papyrius japonica, Poir.

Var. cucullata, Loud.

B. cucullata, Hort.

B. navicularis, Lodd.

B. spathulata, Hort.

Var. laciniata, Seringe.

B. dissecta, Hort.

B. heterophylla, Hort.

Var. macrophylla, Hort.

Maclura aurantiaca, Nutt.; Gard. Chron. 1894, xvi. 693, f. 88. South United/States. "Osage Orange."

M. Calcargothi, Hort. (not A. Cunn.).

Broussonetia tinctoria, Torr. (not Kunth).

Toxylon pomiferum, Rafin.: Sargent Silva of North America tt. 322, 323.

Var. inermis, André Revue Hortic. 1896, 33, f. 10.



Morus alba, L.; Brandis Forest Flora t. 47. Temperate and subtropical Asia. "White Mulberry."

M. alpina, Hort.

Var. Colombassa, Seringe Description . . . des Muriers, t. 14.

M. serotina, Mart.

Var. constantinopolitana, Lond.: Dippel Laubholzk. ii. 11, f. 2.

M. constantinopolitana, Poir.

M. byzantina, Sieber.

Var. Gasparini, Hort.

Var. heterophylla, Hort.

Var italica, Loud.

M. italica, Poir.

Var. laciniata, Hort.

M. nigra laciniata, Hort.

Var. latifolia, Bur.

M. alba var. Lhow, Seringe.

M. alba var. multicaulis, Loud.

M. chinensis, Lodd.

M. intermedia, Perottet.

M. latifolia, Poir. (not Hort.).

M. multicaulis, Perottet.

M. sinensis, Hort.

M. tatarica, Desf.

Var. macrophylla, Loud.

M. alba var. latifolia, Hort. (not Poir.).

M. alba var. Moretti, Seringe.

M. hispanica, Hort.

M. macrophylla, Moretti.

M. Moretti, Audib.



Morus alba-cont.

M. morettiana, Jacq.

M. neapolitana, Hort.

Var. pendula, Hort.

Var. pumila, Loud.

M. alba var. nana, Hort.

M. pumila, Balb.

Var. roses, Seringe.

M. lucida, Hort.

Var. stylosa, Bureau.

M. japonica. Audib.

Var. Tokwa, Bur.

M. Tokwa, Sieh.

Var. urticaefolia, Hort.

Var. venosa, Delile; Dippel Laubholzk. ii. 13, f. 4.

M. alba var. fibrosa, Seringe.

M. alba var. nervosa, Lodd.

M. nervosa, Hort.

M. Cedrona, Hort. Garden origin.

M. globosa, Rothe (alba x rubra?). Garden origin.

M. nigra, L.; Wats. Dendr. Brit. ii.t. 159; Bentl. & Trim. Medic. Plants t. 229. Native country unknown. "Black Mulberry."

M. rubra. L.; Sargent Silva of North America t. 320. North America. "Red Mulberry."

M. canadensis, Poir.

M. missouriensis, Audib.



M. rubra-cont.

M. pensylvanica, Nois.

M. scabra, Willd.

M. virginica, Duham.

Var. laciniata.

M. canadensis var. laciniata, Hort.

*Ficus Carica, L.: Trans. Lin. Soc. ser. ii. 3, t. 46: Bentl. & Trim. Medic. Plants t. 228. Afghanistan, Eastern Persia. "Common Fig."

F. communis, Lam.

F. hirta, Hort. (not Vahl).

Cudrania triloba, Hance; Icones Plantarum t. 1792. China. "Silkworm Thorn."

C. tricuspidata, Bureau.

Maclura tricuspidata, Carr. Rev. Hort. 1864, 390, f. 37; 1872, 56, f. 7.

Platanaceae.

Platanus acerifolia, Willd.; Jaennicke Die Gattung Platanus t. viii. Orient. "London Plane."

P. algeriensis, Hort.

P. californica, Hort. (not Benth.).

P. hispanica, Tenore.

P. integrifolia, Hort.

P. intermedia, Hort.

P. macrophylla, Cree.

P. occidentalis, Wats. Dendr. Brit. t. 100 (not L.).

P. orientalis var. acerifolia Loud. Arb. Brit. 928, f. 1733.

P. pyramidalis, Hort.

P. racemosa, Hort. (not Nutt.).

P. vulgaris var. acerifolia, Hort.



Platanus acerifolia-cont.

Var. Süttneri, Hort.

P. occidentalis Süttneri, Hort.

P. occidentalis argentea variegata.

P. cuneata, Willd. Orient.

P. digitata, Gord.; Jaennicke Die Gattung Platanus t. ii. f. 13.

P. nepalensis, Hort.

P. nepalensis laciniata, Hort.

P. orientalis var. cuneata, Lond. Arb. Brit. 929, f. 1734; Jaennicke Die Gattung Platanus t. iii. ff. 3-7.

P. palmata superba, Hort.

P. occidentalis, L.; Sargent Silva of North America tt. 326, 327. North America. "Button Wood."

P. vulgaris var. angulosa, Spach.

P. orientalis, L.; Wats. Dendr. Brit. t. 101; Sibth, Flora Graeca t. 945. Orient. "Oriental Plane."

P. heterophylla, Hort.

P. liquidambarifolia, Hort.

P. vitifolia, Hort.

P. vulgaris, Spach.

Juglandaceae.

Carya alba, Nutt.; Loud. Arb. Brit. iii. 1446, f. 1269. North America. "Shell-bark Hickory."

C. ovata, C. Koch.

Hicoria ovata, Britton; Sargent Silva of North America tt. 316, 347.

Juglans ovata, Mill.

J. squamosa, Michx. f.



C. amara, Nutt. North America. "Bitter-Nut."

Hicoria minima, Britton: Sargent Silva of North America tt. 340, 341.

Juglans alba var. minima, Marsh.

J. amara, Micher. f.

J. angustifolia, Poir.

J. cordiformis, Wangenh.

C. aquatica, Natt. South United States. "Water Hickory, Bitter Pecan."

Hicoria aquatica, Britt.: Sargent Silva of North America t. 344.

C. myristicaeformis, Nutt. Southern United States "Nutmeg Hickory."

Hicoria myristicaeformis, Britton; Sargent Silva of North America tt. 342, 343.

H. fernowiana, Sudworth.

Juglans myristicaeformis, Michar. 1.

C. olivaeformis, Nutt. Southern United States. "Pecan."

C. angustifolia, Sweet.

C. illinoensis, C. Koch.

C. tetraptera, Liebm.

Hicoria Pecan, Britton; Sargent Silva of Nortl. America tt. 338, 339.

H. texana, Le Conte.

Juglans cylindrica, Poir.

J. illinoinensis, Wangenh.

J. olivaeformis, Micher.

J. Pecan, Marsh.

C. porcina, Nutt. North America. "Pig-nut."

C. amara var. porcina, Durly.

C. glabra, Spuch.

12159



C. porcina-cont.

C. obcordata, Sweet.

Hicoria glabra, Britton; Sargent Silva of North America, tt. 352, 353.

Juglans glabra, Mill.

J. obcordata, Muchlenb. & Willd.

J. poreina, Michx.

J. squamosa, Poir. (not Mich.r. f.).

Var. microcarpa.

C. microcarpa, Nutt.

Hicoria glabra var. odorata, Surgent Silva of North America, t. 354.

H. microcarpa, Britton.

H. odorata, Dippel.

Juglans alba var. odorata, Marsh.

C. sulcata, Nutt.; Loud. Arb. Brit. iii. 1448, f. 1271. United States. "Big Shell-bark; King-nut."

C. cordiformis, C. Korh.

C. pubescens, Sweet.

Hicoria acuminata, Dippel.

H. laciniosa, Sargent Silva of North America tt. 348, 349.

H. sulcata, Britton.

Juglans laciniosa, Michx. f.

J. sulcata, Pursh.

C. tomentosa, Nutt.; Loud. Arb. Brit. iii. 1445, f. 1267. North America.

C. alba, C. Koch. (not Nutt.).

Hicoria alba, Britton; Sargent Silva of North America tt. 350, 351.

Juglans alba, L.

J. tomentosa, Poir.

12159



- Juglans alata, Carr. (cinerea × regia), Garden and Forest 1894, 435, f. 69. Garden origin.
- J. californica, S. Wats.: Sargent Silva of North America t. 337. California.
- J. cinerea, L.: Sargent Silva of North America tt. 331, 332. North America. "Butternut."
 - J. cathartica, Michx. f.
 - J. oblonga, Mill.
 - J. oblonga var. alba, Marsh.

Carva cathartica, Burton.

Var. microcarpa.

- J. cordiformis, Maxim.: Shirasawa leonogr. des Essen. Forest. du Japon t. 17: Gard. Chron. 1901, xxx. Suppl. Oct. 19. Japan.
 - J. japonica, Hort.
- J. mandshurica, Maxim.: Gard, Chron. 1888, iv. 384, f. 53.
 Amurland.
 - J. regia var. octogona, Carr.
- J. nigra, L.; Sargent Silva of North America tt. 333, 334.
 North America. "Black Walnut."
 - J. Pitteursii, Morr.

Var. racemosa.

- J. pyriformis, Carr. (not Lichm.). (nigra × regia). Garden origin.
 - J. hybrida, Hort.
 - J. intermedia, Lavallée.
- J. regia, L.: Loud. Encycl. of Trees and Shrubs 732, f. 1416. Caucasus and Armenia to Himalaya. "Common Walnut."
 - J. kumaonensis, Hort.

Var. barteriana, Hort.



J. regia-cont.

- Var. laciniata, Loud.
 - J. filicifolia, Lodd.
 - J. heterophylla, Hort.

Var. maxima.

J. macrocarpa, Hort.

Var. monophylla.

Var. pendula.

Var. praeparturiens, Hort.

- J. fertilis, Hort.
- J. frutescens, Hort.

Var. racemosa.

Var. rubra, Wien. Illustr. Gart.-Zeit. 1898, t. 1.

- J. rupestris, Engelm; Sargent Silva of North America t. 335. Western United States.
 - J. californica, Rothrock (not S. Wats.).
 - J. fruticosa, Hort.
- J. sieboldiana, Maxim. Japan.
 - J. ailantifolia, Carr. Rev. Hort. 1878, 414, f. 86.
 - J. mandshurica var. ailantifolia, Lavallée.
 - J. macrophylla, Hort.
- J. vilmoriniana, Carr. (? nigra × regia). Garden and Forest 1891, 52, ff. 11, 12.
 - J. intermedia var. vilmoriniana, Dippel. Garden origin.
- Pterocarya caucasica, C. A. Mey.; Gard. Chron. 1894, xvi. 365, f. 47. Caucasus, &c.
 - P. dumosa, Lavallée.
 - P. fraxinifolia, Spuch; Lavall. Arbor. Segrez. t. xxi.; Gard. Chron. 1888, 380, f. 52.



Pterocarya caucasica-cont.

P. pterocarpa, Kunth.

P. spachiana, Lavall. Arbor. Segrez. t. xx.

Juglans fraxinifolia, Poir. (not Lam.).

P. rhoifolia, Sieb. & Zucc.; Flora Japonica t. 150. Japan.

P. japonica, Hort.

P. sorbifolia, Sieb. & Zucc.

P. stenoptera, C. DC.; Lavall. Arbor. Segrez. t. xix. China.

P. chinensis, Hort.

P. laevigata, Hort.

P. sinensis, Hort.

Myricaceae.

Myrica asplenifolia, L. North America.

Comptonia asplenifolia, Bunks; Wats. Dendr. Brit.
1. 166.

M. Comptonia, C. DC.

Liquidambar asplenifolium, L.

M californica, Cham. & Schlecht.; Journ. Hort. Soc. vii. 283, f. California. "Californian Wax Myrtle."

Gale californica, Greene.

M. carolinensis, Mill.: Garden and Forest 1894, 477, t. 46. United States.

M. pensylvanica, Lam.; Nouv. Duham. ii. 190, t. 55.

- M. cerifera, L.; Garden and Forest 1894, 476, f. 75. United States, &c. "Wax Myrtle."
- M. Gale, L.; Engl. Bot. ed. 3, t. 1298. Northern Hemisphere. "Sweet Gale."

Var. tomentosa.



Cupuliferae.

† BETULEAE.

Betula alba, L. Northern Hemisphere.

B. aetnensis, Raf.

B. gummifera, Bert.

B. odorata, Reichb. (not Bechst.).

B. pendula, Roth.

B. verrucosa, Ehrh.; Engl. Bot. ed. 3, t. 1295.

Varieties of Subspecies.—I. Verrucosa.

Var. dalecarlica.

B. dalecarlica, L. f.

B. hybrida, Blom.

B. laciniata, Wahlenb, .

B. lobulata, C. Anders.

Var. dentata viscosa.

Var. fastigiata, Hort.

Var. oycowiensis, Regel.

B. oycoviensis, Bess.

Var. pendula, Hort. "Weeping Birch."

B. nigra pendula, Hort.

B. tristis, Hort.

Var. pendula nana, Hort.

Var. pendula Youngi, Hort. "Young's Weeping Birch."

Var. purpurea, Hort.

Var. pyramidalis, Hort.

B. pendula var. pyramidalis, Dippel.



Varieties of Subspecies.—II. Pubescens.

Betula alba-cont.

Var. carpathica, C. Koch.

(pendula × pubescens : Korhue).

Var. crenata nana, Hort.

Var. foliis aureis, Hort.

Var. latifolia.

B. latifolia, Tausch.

Var. Murithii.

B. Murithii, Gand.: Bull. Soc. Bot. Suisse 1895, Heft v. 16, f.

B. nigra, Murith.

Var. pontica, Hort.; Loud. Arb. Brit. 838, f. 1527: Wats. Dendr. Brit. t. 94.

Var. pubescens, Loud.

B. bella, Hort.

B. glutinosa, Wallr.

B. odorata, Bechst.

B. pubescens, Ehrh.

Var. Tauschii, Franch. & Savat.

B. alba var. japonica, Miq.

Var. turkestanica Fetisowi, Hort.

Var. undulata, Hort.

Var. urticifolia, Spach.

B. heterophylla, Hort.

B. urticifolia, Regel.

B. virgultosa, Fries.

B. alba × humilis, Zulul. North Asia.

B. humilis var. Zabelii, Dippel.



- B. alnoides, Wall. var. pyrifolia, Franch. Central China.
- B. alpestris, Fries; Flora Danica Suppl. t. 37. North Europe.
 - B. humilis, Hartm. (not Schrank).
- B. corylifolia, Regel & Maxim.; Bot. Mag. Jap. 1894, viii.
 t. 6, ff. 20-22. Japan.
- B. davurica, Pall. Flora Rossica t. 39, f. a. North Asia, North America.
- B. Ermani, Cham. ; Bot. Mag. Jap. 1894, viii. t. 6, ff. 7-9. Japan.
- B. fruticosa, Pall. Flora Rossica t. 40, ff. a, b, c. North Europe, North Asia.
 - Var. Gmelini, Regel.
 - B. divaricata, Ledeb.
 - B. Gmelini, Bunge.
- B. globispica, Shirai Bot. Mag. Jap. viii. 1894, t. C. Japan.
- B. grossa, Sieh & Zucc.; Shirasawa Iconogr. Ess. Forest. du Japon t. 22. Japan.
- B. humilis, Schrank. Northern Hemisphere.
 - B. fruticosa, Wats. Dendr. Brit. t. 154 (not Pall.).
 - B. oycowiensis, Reichb.
 - B. Socolowii, Jacq. f.
 - Var. fastigiata, Hort.
 - Var. kamtschatica, Hort.
 - Var. Mansfieldi, Hort.
 - Var. quebecensis.
 - B. quebecensis, Burgsd.
- B. intermedia, Thomas; Flora Danica t. 2852. Alpine and Artic Europe.
 - B. hybrida var. Kochii, Regel.



- B. lenta, L.; Wats. Dendr. Brit. t. 144; Sargent Silva of North America t. 448. North America. "Cherry Birch."
 - B. carpinifolia, Elech.
 - B. nigra, Du Roi (not L.).
- B. lutea, Micher.: Sargent Silva of North America t. 449. North America. "Yellow Birch."
 - B. excelsa, Pursh. (not Ait.).
 - B. lenta var. lutea, Regel.
 - B. persicifolia, Hort.
- B. Maximowiczii, Regel: Bot. Mag. Jap. viii. 1894, t. 6, ff. 36-8. Japan.
- B. Medwediewi, Regel Gartenflora 1887, 384, f. Caucasus.
- B. nana, L.: Engl. Bot. ed. 3, t. 1297. Northern Hemisphere.
- B. nigra, L.: Wats. Dendr. Brit. t. 153: Sargent Silva of North America t. 452. United States. "Red Birch."
 - B. angulata, Lodd.
 - B. canescens, Hort.
 - B. flavescens, Hort.
 - B. lanulosa, Michx.
 - B. rubra, Micher.
- B. occidentalis, Hook.; Sargent Silva of North America. t. 453. Western North America. "Black Birch."
 - B. alba subsp. occidentalis, Regel.
- B. papyrifera, Marsh.: Sargent Silva of North America t. 451. North America. "Paper Birch: Canoe Birch."
 - B. alba var. papyrifera, Spach.
 - B. amygdalifolia, Hort.
 - B. cordifolia, Regel.



B. papyrifera-cont.

B. Ermani, Rothrock (not Cham.).

B. excelsa, Ait.

B. glandulosa, Hort. (not Michx.).

B. grandis, Schrad.

B. latifolia, Hort.

B. occidentalis, Lyall (not Hook.).

B. papyracea, Dryand.; Wats. Dendr. Brit. t. 152.

B. platyphylla, Hort.

B. pyrifolia, Hort.

Var occidentalis, Dippel.

B. americana, Hort.

B. papyrifera × pumila. Garden origin.

B. populifolia, Marsh.; Sargent Silva of North America t. 450; Wats. Dendr. Brit. ii. t. 151. North America. "Gray Birch."

B. acuminata, Ehrh.

B. alba var. populifolia, Spach.

B. laciniata, Hort. (not Wahlenb.).

B. populifolia, Ait.

B. populifolia pendula, Hort.

B. pumila, L.: Wats, Dendr. Brit. t. 97. North America. "Low Birch."

B. dahurica, Hort. (not Pall.).

B. fruticans, Hort. (not Pall.).

B. nana rotundifolia, Hort.

B. rotundifolia, Hort.

Var. fastigiata, Hort.

B. ulmifolia, Sieh. & Zucc.; Bot. Mag. Jap. viii. 1894. t. 6, ff. 16-19. Japan, &c.

B. alba var. costata, Hort.

B. costata, Trautv.



B. utilis, D. Don. Himalaya, &c.

B. Bhojpattra, Wall.

B. Jacquemontii, Spach.

Alnus barbata, C. A. Mey. (not F vies). Cancasus.

A. glutinosa var. acutifolia, Spach.

A. glutinosa vur. barbata. L. lo.

A. cordifolia, Tenore: Gard. Chron. 1883, xix. 285, f. 42. South Europe.

A. cordata, Desf.

A. macrocarpa, Req. (not Lodd.).

A. neapolitana, Savi.

A. rotundifolia, Bert.

Betula cordata, Lois.

A. firma, Sieb. & Zucc.: Dippel Laubholzk. ii. 147, f. 69. Japan.

A. firma var. multinervis, Hort.

A. glutinosa, Medic.: Engl. Bot. ed. 3, t. 1294. Europe. N. Africa, W. & N. Asia. "Common Alder."

A. nigra, Gilib.

A. sibirica, Hort. (not Fisch.).

Var. aurea, Lemaire III. Horris, 1866, t. 490.

Var. imperialis, Hort.

A. glutinosa imperialis esplenifolia, *Hort.*: 111. Hortic, 1859, 97, f.

A. imperialis, Hort.

Var. incisa, Willd.

A. glutinosa var. oxyacanthaefolia, Spetch; Loud. Encycl. Trees and Shrubs, 833, f. 1513.

A. oxyacanthaefolia, Lud 1.



A. glutinosa-cont.

Var. laciniata, Willd.; Loud. Encycl. Trees and Shrubs 832, f. 1512.

A. glutinosa var. pinnatifida, Spach.

Var. pyramidalis, Hort.

A. birkiana, Hort.

Var. quercifolia. Willd.

A. quercifolia, Willd.

Var. rubrinervia, Hort.

Var. sorbifolia, Hort.

A. incana, Moench; Loud. Encycl. Trees and Shrubs 834.
f. 1517. Northern temperate regions. "Speckled Alder."

A. autumnalis, Hort. (not Hartig).

A. lanuginosa, Gilib.

A. maritima japonica viridis, Hort.

A. serrulata, Hort. (not Willd.).

Var. aurea.

Var. glauca, Regel.

A. glauca, Michx.

A. incana var. glabrescens, Spach.

A. incana var. tirolensis, Saut.

Var. hirsuta.

A. hirsuta, Turcs.

Var. incisa, Hort.

A. incana pinnatifida, *Hort*. Betula pinnata, *Lundm*.

Var. monstrosa, Späth.

Var. pendula nova, Hort.

Var. ramulis coccineis, Hort.



- A. japonica, Sich. & Zucc.; Garden and Forest 1893, 345. f. 53. Japan.
 - A. firma, Hart. (not Sieb. & Zucc.).
 - A. glutinosa prunifolia, Hort.
 - A. Harinoki, Sichold.
 - A. maritima var. japonica, Rogo!.
- A. maritima, Nutt.: Garden and Forest 1891, 269, f. 47.
 North America. "Senside Alder."
 - A. oblongata. Dippel, Laubholzk. ii. 152, ff. 72-3.
- A. nitida, Endl.; Brandis Forest Flora 461, t. 57; Bot. Mag. t. 7654. Western temperate Himalaya. "Gira."

Clethropsis nitida. Syntch.

- A. oregona, Null.; Sargent Silva of North America t. 454. Western North America.
 - A. incana cur. rubra, Regel.
 - A. rhombifolia, Hort. (not Nutt.).
 - A. rubra, Bongard.
 - A. rugosa, Hort. (not Ehrh.).
 - A. tinctoria, Hort. (in part).
- A. orientalis, Decne. Orient.
 - A. macrophylla, Hort. (in part).

Var. pubescens.

- A. pubescens, Tausch. Europe.
 - A. autumnalis, Hort. (in part).
 - A. badensis, Lange.
 - A. barbata, Fries (not (". A. Mey.)
 - A. barbata car. pubescens, Dinnel.
 - A. glutinosa x incana.
 - A. incano-glutinosa, A. Bruun.
 - A. serrulata. Hort. (in part).



- A. rhombifolia, Nutt.; Sargent Silva of North America t. 456. California, &c. "White Alder."
- A. serrulata, Willd.; Dippel Laubholzk, ii. 155, f. 75. North America. "Smooth Alder."
 - A. americana, Hort.
 - A. autumnalis, Hartig.
 - A. canadensis, Lodd.
 - A. fruticosa, Hort. (not Rupr.).
 - A. latifolia, Desf.
 - A. macrophylla, Desf.
 - A. rubra, Desf.
 - A. rugosa, C. Koch; Britt, & Br. Illustr. Fl. i. 512, f.
 - A. serrata, Hort.
 - Betula serrulata, Ait.
- A. subcordata, C. A. Mey.; Dippel Laubholzk. ii. 150, f. 70. Caucasus.
 - A. cordifolia var. subcordata, Regel.
 - A. macrophylla, Hort. (in part).
 - A. vilmoriniana, Hort.
- A. tenuifolia, Nutt. Western North America.
 - A. occidentalis, Dippel.
 - Var. Purpusi, Kochne. Colorado.
 - A. incana virescens, S. Wats.
- A. viridis, DC.: Loud. Encycl. Trees and Shrubs 836, f. 1521. Northern regions. "Mountain Elder."
 - A. Alnobetula, C. Koch.; Britt. & Br. Illustr. Fl. i. 512, f.
 - A. alpina, Borckh.
 - A. crispa, Pursh.
 - A. fruticosa, Rupr.
 - A. mitchelliana, M. A. Curt.



A. viridis-cont.

A. ovata, Lodd. Bot. Cab. t. 1141.

A. undulata, Willd.

Alnaster fruticosa, Ledeb.

A. viridis, Spach.

Betula Alnobetula, Ehrh.

B. crispa, Ait.

B. ovata, Schrank; Wats. Dendr. Brit. t. 96.

B. viridis, Chaix.

Var. parvifolia, Dippel.

A. brembana, Rota.

tt CORYLEAE.

Carpinus Betulus, L.; Engl. Bot. ed. 3, t. 1293. Europe. W. Asia. "Hornbeam."

Var. asplenifolia, Hort.

C. Betulus laciniata, Hort.

Var. Carpinizza.

C. Carpinizza, Kit.

Var. columnaris, Hort.

Var. incisa, Ait.

C. Betulus var. quercifolia, Desf.

C. Betulus var. heterophylla, Hort.

Ostrva quercifolia, Hort.

Var. marmorata, Hort.

Var. pendula, Hort.

Var. purpurea, Hort.

Var. pyramidalis, Hort.

Var. rubra, Hort.

Var. variegata, Hort.



- C. caroliniana, Wult.; Sargent Silva of North America t. 447; Dippel Laubholzk. ii. 141, f. 66. North America. "American Hornbeam."
 - C. americana, Michx.; Wats. Dendr. Brit. t. 157.
 - C. virginiana, Michx. (not Mill).
- C. cordata, Blume; Garden & Forest viii. 295, f. Japan. Distegocarpus cordata, A.DC.

Var. chinensis, Franch. Central China.

- C. japonica, Blume. Japan.
 - C. Carpinus, Sargent Forest Flora of Japan f. 21. Distegocarpus Carpinus, Sieb, & Zucc.
- C. laxiflora, Blume; Shirasawa Iconogr. Ess. Forestieres

Var. macrostachya, Oliver. Central China.

du Japon i. t. 25. Japan.

- C. orientalis, Mill.; Wats. Dendr. Brit. t. 98. South Europe, Orient.
 - C. duinensis, Scop.
- C. Turczaninovii, Hance. China.
- Ostryopsis davidiana, *Decne*; Dippel Laubholzk. ii. 136, f. 65. China, &c.
- Ostrya carpinifolia, Scop.; Garden, 1877, xii. 372, f. S. Europe, Orient. "Hop Hornbeam."
 - O. italica, Spach.
 - O. vulgaris, Willd.; Wats. Dendr. Brit. t. 143.

Carpinus Ostrya, L.

 japonica, Sargent Garden and Forest 1893, 384, f. Japan.



O. virginica, Willd. North America. "Ironwood."

O. virginiana, C. Koch; Sargent Silva of North America t. 445.

Carpinus triflora, Moench.

C. virginiana, Mill.

Corylus americana, Walt.; Dippel Laubholzk. ii. 131, f. 62.

Eastern North America.

C. calyculata, Dippel

C. cornuta, Hort.

C. humilis, Willd.

C. mexicana, Hort.

C. rostrata, Hort. in part (not Ait.).

C. virginiana, Hort.

C. virginica, Hort.

C. Avellana, L.; Engl. Bot. ed. 3, t.-1292. Europe West Asia, &c. "Common Hazel."

C. californica, Hort.

Var. aurea.

Var. contorta, Hort.; Gard. Chron. 1874, i. 115, f. 32.

Var. heterophylla, Loud.

C. heterophylla, Lodd.

C. laciniata, Hort.

C. urticaefolia, Hort.

Var. pendula.

Var. prolifica, Hort.

C. Colurna, L.: Wats, Dendr. Brit. t. 99. South-east Europto Himalaya. "Constantinople Hazel."

C. arborea, Hurt.

C. arborescens, Manueli,

1:170



C. Colurna-cont.

- C. bizantina, Dest.
- C. Jacquemontii, Decne.
- C. lacera, Wall.
- C. ferox, Wall, var tibetica, Franch. Central and Western China.
- C. heterophylla, Fisch. Japan, &c.
 - C. americana, Siebold (not Walt.).
 - C. Avellana, Thunb. (not L.).
 - C. Hasibani, Siebold,
 - C. sieboldiana, Blume.
 - C. tetraphylla, Ledeli.
 - C. Thunbergii, Blume.
- C. mandshurica, Maxim. Amurland, Japan, &c. C. Avellana var. mandshurica, DC.
- C. maxima, Mill. South Europe, &c.
 - C. Avellana var. rubra, Lam.
 - C. Lamberti, Lodd.
 - C. pontica, C. Koch.
 - C. rubra, Borkh.
 - C. tubulosa, Willd.

Var. alba.

Var. atropurpurea, Dippel.

- C. Avellana var. atropurpurea, Hort.
- C. Avellana var. purpurea, Lond.
- C. purpurea, Lodd.
- C, tubulosa var, atropurpurea.

Var. barcelonensis, Hort.

- C. Avellana var. barcelonensis, Lond.
- C. Avellana var. grandis, Hort.



C. maxima-cont.

Var. tenuis, Hort.

C. Avellana var. tenuis, Loud.

C. rostrata, Alif.: Garden & Forest 1895, 345, f. 48. North America.

C. cornuta, Hart. (in part).

ttt QUERCINEAE.

Quercus acuta, Thumb.: Woods and Forests 1884, 78, f. Japan. "Akakasi."

Q. angustifolia, Hort.

Q. Buergerii, Blume.

Q. cuspidata latifolia, Hort.

Q. marginata, Blume.

Var. bambusaefolia.

Q. bambusaefolia, Mast.

Q. Aegilops, L.: South Europe, Orient. "Valonia O.k."

Q. graeca, Kotschy Eichen t. 30.

Q. ventricosa, Hort.

Var. macrolopis, Buiss. Crete, Greece.

Q. macrolepis, Kotschy Eichen t. 16.

Var. Pyrami, Boiss.

Q. Pyrami, Kotschy Eichen t. 3.

Var. Ungeri, Boiss.

Q. Ungeri, Kolschy Eichen t. 13.

Q. Vallonea, A. DC.

Q. agrifolia, Nor: Surgent Silva of North America t. 403. California. * Eucina."

Q. arcoglandis, Kelloyy.

Q. berberidifolia, Lieua.

Q. oxyadenia, Ther.



- Q. alba, L.: Sargent Silva of North America ut. 356-7. North America. "White Oak."
- Q. alnifolia, Powch; Kotschy Eichen t. 6; Garden 1880, xviii. 486, f. Cyprus. "Golden Cyprus Oak."
 - Q. Cypria, Janb. & Spach. (not Kotschy).
- Q. Ballota, Desf. Spain, Portugal. "Sweet Acorn Oak."
 - Q. cyclophylla, Welw.
 - Q. Hex var. Ballota, Dippel.
 - Q. rotundifolia, Lam.
- Q. bicolor, Willd. North America. "Swamp White Oak."
 - Q. bicolor var. platanoides, A. DC.
 - Q. castaneaefolia, Hort. (not C. A. Mey.).
 - Q. pandurata, Hort.
 - Q. pannosa, Bosc.
 - Q. platanoides, Sudiv.: Sargent Silva of North America tt. 380-1.
 - Q. Prinus var. bicolor, Spach.
 - Q. Prinus discolor, Micher. Hist. Arb. Am. ii. 46. t. 6.
 - Q. Prinus tomentosa, Michael Hist, Chènes Am. t. 9.
- Q. castaneaefolia, C. A. Mey.: Kotschy Eichen t. 40. Cau-
- Q. Cerris, L.; Loud. Encycl. 855, ff. South and Eastern Europe, Asia Minor, &c. "Turkey Oak."
 - Q. Aegilops, Hort. (not L.).
 - Q. appennina, Hort. (not Letm.).
 - Q. australis, Hort (not Link).
 - Q. carlsruhensis, Hort.
 - Q. crinita. Lum.
 - Q. dentati, Hort. (not Thunk.).
 - Q. haliphlaeos, Bose.
 - Q. Pseudo-suber, Ho. t. not Lest. .



Q. Cerris-cont.

- Q. Ragnal, Land.
- Q. Tournefortii, Willd.

Var. austriaca, Local. Arb. iii. 1848, f. 1708; Encycl. 857, f. 1559.

Q. austriaca, Willd.: Kotschy Eichen t. 20.

Var. cana major, Lord. Encycl. Trees, 857, f. 1560.

Var. cana minor, Hort.

Var. crispa.

Q. Cerris lucombeana crispa.

Var. fulhamensis. Lord. Arb. iii. 1850; Encycl. Trees 858, f. 1561. "Fulham Oak,"

- Q. Cerris var. dentata, Wats. Dendr. Brit. t. 48 (not Thumb.).
- Q. Cerris hybrida dentata, Sweet.
- Q. Cerris eta, subperennis, A. DC. (in part).

Var. fulhamensis latifolia, Lord.

Q. fulhamensis macrophyllus, Hort.

Var. Hentzei.

Var. karlsruhensis.

Var. laciniata, Land. Encycl. Trees & Shrubs 856, 1, 1558.

- Q. asplenifolia, Hort.
- Q. Cerris dissecta, Hort.
- Q. Cerris laciniosa, Hort.
- Q. heterophylla, Hort.

Var. longifolia nova, Hort.

Var. variegata, Lodd.

- Q. Cerris argentea, Hort.
- Q. Cerris elegantissima, Hort.



- Q. chrysolepis, Lieban; Sargent Silva of North America 1, 398. Oregon, California. "Maul Oak."
 - Q. crassipocula, Torr.
 - Q. fulvescens, Kellogy.
- Q. cinerea, Micher.: Dippel Laubholzk. ii. 105, f. 47. Southern United States. "Blue Jack."
 - Q. brevifolia, Sargent Silva of North America t. 431.
 - Q. humilis, Walt. (not Lam.).
 - Q. Phellos var. brevifolia, Lamb.
 - Q. Phellos var. humilis, Pursh.
 - Q. Phellos var. sericea, Ait.
- Q. coccifera, L.; Hook, f. Trans. Linn. Soc. xxiii, t. 37; Laguna Flora Forestal Española t. 37. Mediterranean regon. "Kermes Oak."
 - Q. kermesina, Hort.
- Q. coccinea, Muenchh.: Sargent Silva of North America tt. 412-3. North America. "Scarlet Oak."
 - Q. repanda, Hort.
- Q. conferta, Kil.: Gard. Chron. 1876, v. 85, f. 18: Kotschy Eichen t. 14.—Italy to Hungary, &c.
 - Q. Aesculus, Heuff. (not Boiss.).
 - Q. Farnetto, Tenore.
 - Q. hungarica, *Hubeny*: Hempel & Wilhelm Die Baume und Sträucher 24.
 - Q. latifolia dentata, Hort.
 - Q. macranthera, Hort, and C. A. May.).
 - Q. pannonica, Hort.
 - Q. sessiliflora var. pannonica, Hart.
 - Q. Tenorei, Hort.
- Q. crispula, Blum. Japan. "Nara gasi."

Var. grosseserrata, Franch. & Savat.

Q. grosseserrata, Blumi.



- Q. cuneata. Wangenh. United States. "Spanish Oak."
 - Q. digitata, Sudw.; Sargent Silva of North America. tt. 420-1.
 - Q. discolor, Spach. (not Ait.).
 - Q. elongata, Willd.
 - Q. falcata, Micher.
 - Q. hudsonica, Hort.
 - Q. nigra var. digitata, Marsh.
 - Q. triloba, Micher.
- Q. cuspidata, Thumb.; Sieb. & Zucc. Fl. Jap. t. 2; Gard. Chron. 1879, 233, f. 38. Japan.

Var. variegata. Gard. Chron. 1879, xii. 232, f. 38.

- Q. Dalechampii, Tenure. South Europe.
 - Q. Robur var. Tenorei, A. DC.
- Q. densiflora, Hook. & Arn.: Sargent Silva of North America t. 438. Oregon, California. "Tan Bark Oak."
 - Q. echinacea, Torr.
- Q. dentata, Thunh.; Sargent Forest Flora of Japan t. 23. Japan. "Kashiwa."
 - Q. Daimyo, Hort.
 - Q. obovata, Bunge.
 - Q. pannosa, Hort.
- Q. Douglasii, Hook & Arn.; Sargent Silva of North America t. 386. California. "Blue Oak."
 - Q. Ransomi, Kellogg.
- Q. Gambelii, Nutt.; Sargent Silva of North America tt. 366-7. Colorado, &c. "Shin Oak."
 - Q. undulata, S. Wats. (in part).
 - Q. undulata var. Gambelii, Engelm.



- Q. garryana, Hool.: Sargent Silva of North America tt. 364 5. North-Western America.
 - Q. Gilberti, Greene.
 - Q. Jacobi, R. Br. Campst.
 - Q. Neaei, Lirhm.
- Q. georgiana, M. A. Curt.; Sargent Silva of North America t. 425. Georgia.
- Q. glabra, Thunb.; Sieb. & Zucc. Fl. Jap. t. 89; Gard. Chron. 1880, xiv. 785, f. 153. Japan.
 - Q. latifolia, Hort.
- Q. glandulifera, Blume; Shirasawa Iconogr. Ess. Forest. du Japon t. 26, ff. 13-24. Japan. "Iodame."
 - Q. dentata Albertii, Hort.
- Q. glauca, Thumb.: Shirasawa Iconogr. Ess. Forest. du Japon t. 32, ff. 14-24. Japan. "Ara kasi."
- Q. heterophylla, Michael J.; Sargent Silva of North America t. 436. United States.
 - Q. aquatica nana, Hort. '
 - Q. Phellos × velutina.
- Q. Ilex, L.: Wats. Dendr. Brit. t. 90. Mediterranean region. "Holm Oak."
 - Q. pseudococcifera, Hort, (not Desf.).

Var. crispa, Loud.

Var. diversifolia, Hort.

- Q. Cerris Lucombeana incisa, Hort.
- Q. Fordii diversifolia, Hort.

Var. Fordii. Hort.

Var. Genabii, Hout.

Var. Gramuntia, Hort.

- Q. Cookii, Lond.
- Q. hispanica, Cook.



Q. Ilex-cont.

Var. latifolia, Loud. Encycl. Trees 881, f. 1610.

- Q. Ilex agrifolia, Hort.
- Q. Hex oblonga, Hort.

Var. macrophylla, Hort.

Var. rotundifolia, Hort.

Var. Smilax, Hort.

- Q. ilicifolia, Wangenh. Eastern United States. "Bear Oak."
 - Q. Banisteri, Michx.
 - Q. discolor var. Banisteri, Spach.
 - Q. nana, Sargent Silva of North America t. 424.
 - Q. rubra var. nana, Marsh.
- Q. imbricaria, Michael: Sargent Silva of North America t. 432. United States. "Shingle Oak."
 - Q. Castanea, Hort. (not Née).
 - Q. laurifolia, Hort. (not Michx.).
 - Q. Phellos var. imbricaria, Spach.
- Q. imbricaria × palustris, Engelm. United States.
- Q. infectoria, Oliv.; Bentl. & Trim. Medicinal Plants t. 249. South-Eastern Europe to Persia.
 - Q. sericea, Hort.

Var. Cypri.

- Q. Kelloggii, Newb. Oregon and California.
 - Q. californica, Cooper; Sargent Silva of North America t. 416.
 - Q. nigra Barroni, Hort.
 - Q. sonomensis, A. DC.
 - Q. tinctoria var. californica, Torr.



- Q. lanuginosa, Thuill. Europe, West Asia.
 - Q. Aegilops, Hort. (not L.).
 - Q. ajudaghensis, Hort.
 - Q. alba de Rousseau, Hort.
 - Q. apennina, Guss. (not Lam.).
 - Q. budayana, Haberl.
 - Q. collina, Schleich.
 - Q. conglomerata, Pers.
 - Q. cupaniana, Guss.
 - Q. faginea, Rohr. (not Lam.).
 - Q. hartwissiana, Stev.
 - Q. Hentzei, Hort.
 - Q. Pseudo-aegilops, Hort.
 - Q. pubescens, Willd.; Hempel & Wilhelm Die Bäume und Sträucher, i. t. 23.
 - Q. Robur rar. lanuginosa, Lam.
 - Q. sessilitlora var. pubescens, Lond.
 - Q. Streimii, Heuff.
 - Q. villosa, Hort.

Var. dissecta.

Q. ajudaghensis dissecta, Hort.

Var. pendula.

- Q. laurifolia, Michx.; Sargent Silva of North America tt. 429–30. Virginia to Louisiana.
 - Q. aquatica var. laurifolia, A. DC.
 - Q. laurifolia hybrida, Michx.
 - Q. obtusa, Pursh.
 - Q. Phellos var. laurifolia, Chapm.

Q. leana, Null. United States.

- Q. imbricaria \times coccinea, Engelm.
- Q. imbricaria × velutina, Sargent Silva of North America t, 434.



- Q. Libani, Olic.; Rev. Hortic, 1872, 155, f. 18. Asia Minor. "Lebanon Oak."
 - Q. Carduchorum, Kotschy.
 - Q. Libani rar. calliprinos, Kotschy.

Var. angustifolia.

Var. macrocarpa.

- Q. lobata, Nec: Sargent Silva of North America t. 362. California. "Valley Oak."
 - Q. Hindsii, Benth.
 - Q. longiglanda, Fremont.
- Q. lucombeana, Holw. Philosophical Transactions 1772. lxii. 306 (abridged edition); Loud. Encycl. Trees 858, f. 1562. "Lucombe Oak." ? Cerris × Suber.
 - Q. Cerris var. subperennis, A. DC. (in part).
 - Q. exoniensis, Lodd.
 - Q. nepaulensis, Hort. (not Dest.).
 - Q. Neumanni, Hort.
 - Q. serratifolia, Hort. Butur.
- Q. lusitanica, Lam.; Laguna Flora Forestal Española t. 32. South Europe, Asia Minor.
 - Q. australis, Link.
 - Q. esculenta, Hort.
 - Q. faginea, Lam.
 - Q. lusitanica, Webb. var. Clusii, A. DC.
 - Q. Valentina, Lum.

Var. Boissieri, A. DC.

- Q. Boissieri, Rent.
- Q. rigida, C. Koch (not Willd.).
- Q. lyrata, Walt.; Sargent Silva of North America t. 374. Southern United States. "Overcup Oak."



- Q. macedonica, A. DC. Italy to Macedonia, &c.
 - Q. Aesculus, Griseb. (not L.).
 - Q. trojana, Webb.
- Q. macranthera, Fisch. & Mey.; Dippel Laubholzk. ii. 72. f. 28. Armenia, &c.
- Q. macrocarpa, Michx.; Sargent Silva of North America tt. 371-3. North America "Burr Oak."
 - Q. macrophylla, Hort.
 - Q. ramosa, Booth.

Var. olivaeformis, A. Gruy.

Q. olivaeformis, Michael.

Q. paludosa, Hort.

- Q. macrocarpa × Muehlenbergii. United States.
- Q. marilandica, Murnehh.; Sargent Silva of North America tt. 426-7. United States. "Black Jack."
 - Q. ferruginea, Micher.
 - Q. nigra, Wangenh. (not L.).
- Q. Michauxii, Nutt.: Sargent Silva of North America tt. 382-3. Southern: United States. "Cow Oak."
 - Q. bicolor, A, DC, (in part).
 - Q. bicolor subsp. Michauxii, Engelm.
 - Q. Prinus, Walt. (not L.).
 - Q. Prinus var. discolor, Curtis.
 - Q. Prinus var. Michauxii, Chapm.
 - Q. Prinus palustris, Michael: Loud. Arb. Brit, iii, 1872, f. 1735.
- Q. Mirbeckii, Dur.: Revue Generale de Botanique iv. t. 1/3. Spain, Portugal and North Africa.
 - Q. grossedentata, Hort.



- Q. Mirbeckii-cont.
 - Q. lusitanica var. baetica, Webb.
 - Q. Mierbeckii, Dippel.
 - Q. ventricosa, Hort.
 - Q. Zang, Hort.
- Q. mongolica, Fisch.: Dippel Laubholzk. ii. 82, f. 33. Mandshuria, &c.
- Q. Muchlenbergii, Engelm. United States. "Yellow Oak; Yellow Chestnut Oak,"
 - Q. acuminata, Sargent Silva of North America t. 1337.
 - Q. Prinus var. acuminata, Michx.
- Q. nigra, L.; Sargent Silva of North America t. 428. Southern United States. "Water Oak."
 - Q. aquatica, Walt.
 - Q. hemisphaerica, Willd.
 - Q. nigra var. aquatica. Lam.
 - Q. nigra var. trifida, Marsh.
 - Q. uliginosa, Wangenh.
- Q. palustris, Murachia; Sargent Silva of North America tt. 422 3. United States. "Pin Oak."
 - Q. rubra var. dissecta, Lam.
 - Q. rubra var. ramosissima, Marsh.

Var. pendula.

- Q. pedunculata, Elirh.; Engl. Bot. ed. 3, t. 1288. Europe, Asia. "Common Oak."
 - Q. fructipendula, Schrunk.
 - Q. germanica, Lusch.
 - Q. longaeva. Salish.
 - Q. malacophylla, Schult:.
 - Q. racemosa, Lam.
 - Q. Robur rere pe timenlata.



Q. pedunculata-conf.

Var. aurea leucocarpa, Hort.

Var. brutia.

Q. brutia, Tenore Flora Napolitana t. 197.

Var. columnaris, Hort.

Var. compacta, Hort.

Var. Concordia, Lem. Illustr. Hortic. xiv. t. 537.

Q. foliis aureis, Hort.

Var. fastigiata, DC.: Gard. Chron. 1883, xix. 179, f. 26. "Cypress Oak."

Q. cupressoides, Hort.

Q. fastigiata, Lam.

Q. pyramidalis, Gmel.

Var. fastigiata cucullata, Hort.

Var. fastigiata excelsa, Hort.

Var. fastigiata Grangei, Hort.

Var. fastigiata oxyacanthifolia, Hort.

Var. fastigiata tortuosa, Hort.

Var. fastigiata variegata, Hort.

Q. fastigiata foliis punctatis, Hort.

Var. fastigiata viridis, Hort.

Var. filicifolia, Lem. Illustr. Hortic, 1854, f. "Fernleaved Oak."

Q. asplenifolia, Hort.

Q. pectinata, Hart.

Q. pinnata, Hort.

Q. taraxacifolia, Hort.

Var. granbyana, Hort.



C. pedunculata-cont.

Var. Haas, A. DC.

Q. Haas, Kotschy Eichen, t. 2.

Var. heterophylla, Loud. Arb. Brit. iii. 1732, ff. 1569-71.

- Q. comptoniaefolia, Hort.
- Q. dissecta, Hort.
- Q. diversifolia cucullata, Hort.
- Q. Fennessi, Hort.
- Q. Fenzleyi, Hort.
- Q. Hentzii, Hort.
- Q. incisa, Hort.
- Q. laciniata, Hort.
- Q. pedunculata Hodginsii, Hort.
- Q. salicifolia, Hort.
- Q. Tenorei, Hort.

Var. latifolia, Hort.

Var. pendula, Loud. Arb. Brit. iii. 1732. "Weeping Oak."

- Q. Dauvessei, Hort.
- Q. horizontalis, Hort.
- Q. pendula, Lodd.
- Q. pendula nova, Hort.

Var. purpurascens, DC.

- Q. atropurpurea, Hort.
- Q. atrosanguinea. Hort.
- Q. cuprea, Hort.
- Q. europaea purpurea, Hort.
- Q. nigra purpurea, Hort.
- Q. pedunculata nigra, Hort.
- Q pedunculata var. purpurea, Lond.



Q. ped unculata-cont.

- Q. pedunculata var. sanguinea, Bechst.
- Q. Robur nigra, Flore des Serres t. 1783.
- Q. Robur nigricans, Hort.

Var. scolopendrifolia, Hort.

Var. Thomasii, Tenore.

Q. Robur var. Thomasii, A. DC.

Var. toureauensis, Hort.

Var. Trinessi, Hort.

Var. umbraculifera, Hort.

Var. umbraculifera Ligini.

Var. variegata, Hort.

Q. elegantissima, Hort.

- Q. Phellos, L.; Sargent Silva of North America t. 435. United States. "Willow Oak."
 - Q. Robur microcarpa, Hort.
 - Q. salicifolia, Hort. (not Née.).
- Q. phillyraeoides, A. Gray; Shirasawa Iconogr. Essen. Forest, du Japon t. 31, ff. 1-12. Japan.
 - Q. rotunda, Hort.

Var. crispa, Hort.

- Q. pontica, C. Koch: Gartenflora, 1891, 510, f. 95. Lazistan.
- Q. prinoides, Willd.: Sargent Silva of North America t. 378. United States. "Chincapin Oak."
 - Q. Chinquapin, Pursh.
 - Q. Muchlenbergii var. humilis, Britton.
 - Q. Prinus Chincapin, Mirha. Hist. Arb. Am. ii. 64. t. 10.
 - Q. Prinus var. humilis. Marsh.



- Q. Prinus, L.; Sargent Silva of North America tt. 375-6. Eastern North America. "Chestnut Oak."
 - Q. bicolor, Hort.
 - Q. Castanea, Hort. (not Née.).
 - Q. castaneaefolia, Hort. (not C. A. Mey.).
 - Q. montana, Willd.
 - Q. monticola, Petz. & Kirchn.
 - Q. sericea, Hort.
- Q. Pseudo-suber, Santi; Hempel & Wilhelm Die Bäume und Sträucher des Waldes ii. 82, f. 175. South Europe.
 - Q. Fontanesii, Guss.
 - Q. hispanica, Lam.
- Q. pumila, Walt.: Sargent Silva of North America t. 404. North Carolina to Florida. "Running Oak."
 - Q. cinerea var. pumila, Curtis.
 - Q. Phellos var. nana, A. DC.
 - Q. Phellos var. pumila, Dippel.
 - Q. sericea, Willd.
- *Q. reticulata, Humb. & Bonpl.: Sargent Silva of North America t. 390. Mexico, Arizona, &c.
- Q. rubra, L.; Sargent Silva of North America tt. 409-10. North America. "Red Oak."
 - Q. ambigua, Micher.
 - Q. borealis, Hort.
 - Q. coccinea, Hort. (not L.).
 - Q. coccinea var. ambigua, A. Gray.
 - Q. coccinea var. macrophylla, Hort.
 - Q. grayana, Hort.
 - Q. triloba, Hort.

Var. aurea, Dippel.

Q. americana aurea, Hort.



Q. rubra-cont.

Var. longifolia, Hort.

Var. palustrifolia, Hort.

Var. pendula.

Q. coccinea pendula, Hort.

Var. Schrefeldii, Dippel.

Q. serrata, Thunh.; Dippel Laubholzk. ii. 101, f. 44. China, Japan, &c.

Q. Bombyx tomentosa, Hort.

Q. chinensis, Bunge.

Var. pendula.

Q. sessiliflora, Salish.; Engl. Bot. ed. 3, t. 1289. Europe. W. Asia.

Q. acuminata, Hort.

Q. aurea, Wiersb.

Q. condensata, Schur.

Q. pallida, Heuff.

Q. pedemontana, Colla.

Q. rubens, Hort.

Q. sinuata, Hort.

Q. Turneri, Hort. (not Willd.).

Var. afghanistanensis, Hort.

Var. alnoides, Hort.

Var. cochleata, Hort.

Var. devoniana, Hort.

Var. dschorochensis.

Q. dschorochensis, C. Koch.

Var. falkenbergensis, Hort.

Var. geltoviana, Hort



Q. sessiliflora-cont.

Var. Giesleri, Hort.

Var. iberica, Hort.

Var. laciniata, Koehne.

Var. longifolia, Lauche.

Var. mespilifolia, Wallr.

Q. Louetti, Hort.

Q. Robur Louetti, Hart.

Var. rubicunda.

Q. sessiliflora purpurea, Hort.

- Q. stellata, Wangenh. United States. "Post Oak."
 - Q. alba var. minor, Marsh.
 - Q. Drummondii, Liebm.
 - Q. minor, Surgent Silva of North America, tt. 368, 369.
 - Q. obtusiloba, Michx.
 - Q. villosa, Walt.
- Q. Suber, L.: Kotschy Eichen t. 33: Laguna Flora Forestal Española t. 34. South Europe, North Africa. "Cork Oak."
 - Q. bivioniana, Guss.
- Q. texana, Buch.: Sargent Silva of North America t. 411. Garden and Forest 1894, 514, ff. 81, 82. United States.
 - Q. rubra var. texana, Buckl.
- Q. thalassica, Hance. Japan.

Q. sieboldiana, Blume.

- Q. Toza, Bose: Laguna Flora Forestal Española t. 31. South Western Europe.
 - Q. Brossa, Bos :



Q. Toza-cont.

- Q. Camata, Hort.
- Q. lanata, Hort. (not Sm.).
- Q. pubescens, Brot. (not Willd.).
- Q. pyrenaica, Willd.
- Q. ramosa, Hort.
- Q. stolonifera, Lapeyr.
- Q. Tauzin, Pers.

Var. splendens, Hort.

Q. Turneri, Willd. Garden Origin. Ilex × pedunculata or Cerris?

- Q. austriaca hybrida, Hort.
- Q. austriaca sempervirens, Hort.
- Q. austriaca splendens, Hort.
- Q. Cerris austriaca sempervirens, Hort.
- Q. glandulifera, Must. Gard. Chron. 1880, xiv. 714, f. 134 (not Blume.).
- Q. hybrida, Hort.
- Q. sclerophylla, Hort. (not Lindl. & Part.).
- Q. sempervirens, Hort.

Q. undulata, Torr.; Sargent Silva of North America t. 385. Western North America. "Scrub Oak."

- Q. Emoryi, Porter & Coulter (not Torr.).
- Q. Fendleri, Liebm.
- Q. grisea, Liebm.
- Q. oblongifolia, Torr.
- Q. pungens, Liebm.
- Q. variabilis, Blume: Shirasawa Iconogr. Ess. Forest. In Japan t. 28. Japan.



- Q. velutina, Lam.; Sargent Silva of North America tt. 414, 415. North America. "Yellow Bark Oak."
 - Q. coccinea var. tinctoria, A.DC.
 - Q. discolor, Ait.
 - Q. flaccida, Hort.
 - Q. nigra, Du Roi (not L.).
 - Q. sericifolia, Hort.
 - Q. tinetoria, Michx.
- Q. vibrayana, Franch & Savat. Japan.
 - Q. bambusaefolia, Fortune (not Hance).
- Q. virginiana, Miller; Sargent Silva of North America tt. 394-6. Southern United States.
 - Q. sempervirens, Walter (not Miller.).
 - Q. virens, Ait.

Var. angustifolia.

Var. rubrifolia.

- Q. Wislizeni, A.DC.: Sargent Silva of North America t. 406. California.
- Castanopsis chrysophylla, A.D.C.; Sargent Silva of North America t. 439. California and Oregon. "Goldenleaved Chestnut."

Castanea chrysophylla, Hook. Bot. Mag. t. 4953.

C. sempervirens, Kellogg.

- Castanea crenata, Sieb. & Zucc.; Dippel Laubholzk. ii. 56, f. 23. Japan. "Japanese Chestnut."
 - C. chinensis, Hassk. (not Spreng.).
 - C. pumila, Hassk. (not Mill.).
 - C. stricta, Sieb. & Zucc.
 - C. japonica, Blume.
 - C. vulgaris var. japonica, A.DC.



C. dentata, Borkh.; Sargent Silva of North America tt. 440, 441. North America. "American Chestnut."

C. americana, Ratin.

C. sativa var. americana, Sargent.

C. vesca var. americana, Michx.

C. vulgaris var. americana, A.DC.

C. pumila, Mill.; Sargent Silva of North America tt.442-3; Loud. Encycl. Trees 914, ff. 1707-8. Southern Pennsylvania to Northern Florida. "Chinquapin."

Fagus pumila, L.

C. sativa, Mill. South Europe, North Africa, Orient. "Sweet Chestnut."

C. vesca, Gaertn.; Loud. Encycl. Trees 913, f. 1706.

C. vulgaris, Lam.

Var. albo-marginata, Hort.

Var. asplenifolia, Hort.

Var. aureo-marginata, Hort.

Var. crispa, Hort.

Var. downtoniana, Hort.

Var. filipendula, Hort.

Var. glaberrima, Hort.

Var. heterophylla, Hort.

Var. heterophylla dissecta, Hort.

Var. laciniata, Hort.

Var. maculata, Hort.

Var. monstrosa, Dippel.

C. bullata, Hort.

C. cochleata, Hort.

C. cucullata, Hort.



C. sativa-cont.

Var. Moorei, Hort.

Var. prolifera, C. Koch.

Var. pyramidalis, Hort.

Fagus ferruginea, Ait.; Dippel Laubholzk. ii. 53, f. 22. North America. "American Beech."

F. americana, Sweet; Sargent Silva of North America t. 344.

F. atropunicea, Sudworth.

F. caroliniana, Loud.

F. nigra, Rafin.

F. rotundifolia, Rafin.

Var. latifolia, Hort.

Var. macrophylla, Hort.

F. sylvatica, L.; Engl. Bot. ed. 3, t. 1291. Europe, Asia Minor, &c. "Common Beech."

Var. asiatica.

Var. atropurpurea, Hort.

Var. aurea Spæthii, Hort.

Var. aureo-variegata, Hort.

Var. castaneaefolia, Hort.

Var. cochleata, Hort.

F. ferruginea cochleata, Hort.

Var. conglomerata, Hort.

Var. cristata, Lodd.; Loud. Encycl. Trees 906, f. 1694.
F. sylvatica crispa, Hort.

Var. cuprea, Lodd. "Copper Beech."

Var. grandidentata, Hort.



F. sylvatica-"....t.

Var. heterophylla, Loud. Encycl. Trees 906, ff. 1692-3.

F. comptoniaefolia, Hort.

F. incisa, Hort.

F. laciniata, Hort.

F. salicifolia, Hort.

F. sylvatica asplenifolia, Lodd.

Var. macrophylla, Hort.

F. latifolia, Hort.

F. monstrosa latifolia, Hort.

Var. miltonensis, Hort.

Var. nana pendula, Hurt.

Var. nigra, Hort.

Var. norwegiensis, Hort.

Var. pagnyensis, Hort.

Var. pendula, Lodd.

Var. pendula bornyensis, Hort.

Var. purpurea, Ait. "Purple Beech."

Var. purpurea major, Hort.

Var. purpurea nova, Hort.

Var. purpurea pendula, Hort. "Weeping Purple Beech."

Var. quercoides, Pers.

F. quercifolia, Hort.

Var. remillyensis, Hort.

Var. retroflexa, Hort.

Var. Sieboldii, Maxim.: Shirasawa Iconogr. Essen. Forest, du Japon t. 25. Japan.

F. Sieboldii, Endl.



F. sylvatica-cont.

Var. tortuosa, Hort.

Var. tricolor, Hort.

Var. undulata, Hort.

Var. variegata, Hort.

Var. Zlatia, Spaeth. "Golden Beech."

Salicaceae.

Salix adenophylla, Hook.; Kong. Svensk. Vet.-Akad. Handl. vi. t. 8, f. 95. Labrador.

S. alba, L.; Eng. Bot. ed. 3, t. 1309. Europe, Asia, North Africa. "White Willow."

Var. argentea.

S. alba leucophylla, Hort.

S. argentea, Wimm.

S. leucophylla, Hort.

S. regalis, Hort.

S. splendens, Bray.

Var. britzensis, Spacth.

Var. caerulea Syme Eng. Bot. ed. 3, t. 1310.

S. caerulea, Sm.

Var. caerulea pendula.

Var. vitellina, W. Koch; Eng. Bot. ed. 3, t. 1311

S. vitellina, L.

Var. vitellina pendula nova.

S. alpigena, Kern. Tyrol, &c.



- S. ambigua, Ehrh.; Eng. Bot. ed. 3, t. 1355. Europe.
 - S. repens \times aurita.
 - S. spathulata, Willd.
 - S. versifolia, Wahlenb.
- S. angustifolia, Willd. (not Wulf.). Caucasus, North Asia.
- S. Arbuscula, L.; Kong, Svensk, Vet.-Akad, Handl, vi. t. vii. f. 80. Europe, North Asia.
 - S. carinata, Sm.
 - Var. prunifolia, Syme Eng. Bot. ed. 3, t. 1372. S. prunifolia, Sm. Eng. Bot. t. 1361.
- S. arctica, Pall.; Flora Danica t. 2488. Arctic regions.
- S. 'aurita L.: Forbes Saliet. Woburn. t. 124. Europe, North Asia.
- S. aurita-incana, Wimm. Europe. S. reticulata, Hort. (not L.).
- S. aurita-Lapponum. Europe.S. Lapponum × aurita.
- S. aurita \times Myrsinites. Europe. S. saxetana, $F.\ B.\ White.$
- S. aurita × phylicifolia. 3. Europe.
- S. aurita × repens. Europe.
- S. aurita × viminalis. Europe. S. fruticosa, *Doell*.
- S. babylonica, L.; Forbes Saliet, Woburn, t. 22. Japan. "Weeping Willow."
 - S. japonica, Blume (not Thunb.).
 - S. neapolitana, Hort.



- S. babylonica-cont.
 - S. pendula, Moench.
 - S. perpendens, Ser
 - S. riparia, Hort. (not Willd.).

Var. annularis.

- S. annularis, Forbes Saliet. Woburn. t. 21.
- S. crispa, Hort.

Var. ramulis aureis.

Var. Salamoni, Hort.

- S. caesia, Vill. Mountains of Switzerland, Tyrol, and South-western Europe.
 - S. myrtilloides, Forbes Salict. Woburn. t. 66 (not L.).
 - S. prostrata. Ehrh.
 - S. Zabeli pendula, Hort.
- S. candida, Fluegge; Forbes Saliet, Woburn, t. 91. North America. "Sage Willow."
 - S. incana, Michx. (not Schrank).
 - S. nivea, Sm.
 - S. tomentosa, Schrad.
- S. Caprea, L.; Forbes Salict. Woburn. t. 122; Eng. Bot. ed. 3, t. 1331. Europe, North Asia. "Common Sallow, Goat Willow."
 - S. aurigerana, Lapeyr.
 - S, hybrida, Vill.
 - S. tomentosa, Ser.
 - S. ulmifolia, Thuill.

Var. pendula, Hort.

S. Kilmarnocki. Hort.

- S. Caprea × cinerea. Europe.
 - S. moschata, Hort.
 - S. Reichardti, Kern.



S. cernua, Linton. Europe.

S. herbacea × repens.

S. cinerea, L.; Eng. Bot. ed. 3, t. 1327. Europe, North and West Asia.

S. acuminata, Hoffin.

S. dumetorum, Suter.

S. oleifolia, Sm. (not Vill.).

S. polymorpha, Host.

S. rufinervis, DC.

Var. aquatica, Syme Eng. Bot. ed. 3, t. 1328. S. aquatica, Sm.

Var. Medemii, Boiss.

S. Medemii, Boiss.

Var. tricolor, Dippel.

S. Caprea tricolor, Hort.

S. cinerea-repens, Wimm. * Europe.
S. repens × cinerea.

S. commutata, Behh. North-western United States.

S. Hookeriana, Hort. (not Burrutt).

S. cordata, Muhl.: Dippel Laubholzk. ii. 283, f. 134. Northern and Arctic America.

Var. glaucophylla, Bebb.

Var. rigida, Anderss.

S. cordata-rigida, A. Gray.

S. myricoides, Muhl.

S. rigida, Willd.

Var. sericea, Anderss.

Var. vestita, Anderss.



- S. coriacea, Forbes Saliet, Woburn. t. 112. Europe.
- S. nigricans × aurita.
- S. Cotteti, Lagg. Tyrol.
 - S. retusa var. nigrescens, Kern.
- S. cuspidata, Schultz.; Dippel Laubholzk. ii. 216. f. 109. Europe.
 - S. fragilis-pentandra, Weinm.
 - S. Meyeriana, Rostkar.: Forbes Saliet. Woburn. t. 33.
 - S. pentandra-fragilis, Wimm.
 - S. Pockornyi, Kern.
- S. daphnoides, Vill.; Flora Danica t. 2919. Europe, &c. "Violet Willow."
 - S. aglaia, Hort.
 - S. bigemmis, Hoffm.
 - S. glauca, Hort. (not L.).
 - S. jaspidea, Hort.
 - S. pomeranica, Willd.
 - S. praecox, Hoppe; Forbes Salict. Woburn. t. 26.
 - Var. acutifolia, Anderss.
 - S. acutifolia, Willd.
 - S. caspica, Hort.
 - S. daphnoides var. angustifolia, Wrimm.
 - S. pruinosa, Wendl.
 - S. violacea, Forbes Salict. Woburn. t. 25.
- S. decipiens, Hothm.; Forbes Salict, Woburn. t. 29. Europe.
 - S. fragilis v tr. decipiens, Koch.
 - S. triandra \times fragilis, F. B. White.
- S. discolor, Muhl.; Sargent Silva of North America t. 478. North America.
 - S. sensitiva, Barratt.



- S. doniana, Sm. Engl. Bot. t. 2559. Europe.
 - S. parviflora, Host.
 - S. purpurea-repens, Wimm.
 - S. repens-purpurea, Weinm.
- S. elegantissima, C. Kowh; Semaine Horticole 1808, 363.
 Origin uncertain,
 - S. americana pendula, Hort.
 - S. babylonica femina, Hort.
 - S. fragili-babylonica, Regel.
 - S. sibirica, Hort. aliq.
 - S. Sieboldi, Hort.
- S. Erdingeri, Kerner Caprea & daphnoides). Europe.
- S. fragilis, L.: Engl. Bot. ed. 3, t. 1306. Europe, N. and W. Asia. "Crack Willow."
 - S. bigeminis. Hart. (not Haffin.).
 - S. cerasifera, Hort. (not Schleich...
 - S. conformis, Hort.
 - S. mascula, Hort.
 - S. meyeriana, Willd.
 - S. monandra, Hort. (not Hoffm.).
 - S. russelliana, Sm.
 - S. serrulata, Hort. (not Willd.).
 - S. silesiaca, Hort. anot Willd. ..

Var. basfordiana.

- S. basfordiana, Salter Gard, Chron. 1882, xvii. 238, tf. 41-2.
- S. sanguinea, Souling.

Var. latifolia, Anderss.

- S. ammaniana, Hurt. (not Willie).
- S. excelsa, Trousch.
- S. monspellensis, Forthe Saliet. Woburn. t. 30.



- S. glauca, L. (not Sm.). Alpine and Arctic regions of northern hemisphere.
 - S. sericea, Forbes Salict. Woburn. t. 74.
- S. gracilistyla, Miq. Japan.
 - S. mutabilis, Hort.
- S. Grahami, Borr.; Engl. Bot. ed. 3, t. 1377. Scotland.
 S. herbacea × phylicifolia?
- S. hastata, L.: Forbes Salict. Woburn. t. 35. Mountains of Europe and N. Asia.
 - S. cerasifolia, Schleich.
 - S. elegans, Host.
 - S. eriantha, Schleich.
 - S. malifolia, Sm.; Forbes Salict, Woburn, t. 36,
 - S. Pontederae, Vill.
 - S. pontederana, Loisel. (not Willd.).
 - S. serrulata, Willd.
 - S. viburnoides, Schleich.
- S. herbacea, L.; Eng. Bot. ed. 3, t. 1378. Mountains of northern hemisphere.
- S. herbacea × lanata. Europe.
- S. hexandra, Ehrh.; Kong. Svensk. Vet.-Akad. Handl. iii, f. 27. Europe.
 - S. pentandra × alba.
- S. hippophaifolia, *Thuill.*; Coss. Flore de Paris t. 28, f. Europe.
 - S. alba var. hippophaifolia, Ser.
 - S. multiformis, Doell, var. hippophaifolia, Anderss.
 - S. triandra-viminalis, Wimm.
 - S. virescens, Farbes (not Vill.); Loud, Arb. Brit. iii, 1531.



- S. hookeriana, Barratt; Sargent Silva t. 485; Dippel Laubholzk. ii. 303, f. 142. N. America.
- S. humilis, Marsh.; Dippel Laubholzk. ii. 268, f. 128, N. America, "Prairie Willow,"
 - S. conifera, Muhl.
 - S. muehlenbergiana, Barratt.
 - S. recurvata, Pursh.
- S. incana, Schrank; Forbes Salict. Woburn. t. 90. Europe.
 - S. angustifolia, Poir.
 - S. cyllenea, Boiss.
 - S. Elaeagnos, Scop.
 - S. lavandulaefolia, Lapeyr.
 - S. linearis, Forbes Salict. Woburn. t. 89.
 - S. Reginae, Hort.
 - S. riparia, Willd.
 - S. rosmarinifolia, Gouan (not L.).
 - S. viminalis, Balb. (not L.).
- S. japonica, Thunb. Japan.
 - S. babylonica var. japonica, Anderss.
 - Var. Lavalléei.
- S. lanata, L.; Forbes Salict. Woburn. t. 71; Engl. Bot. ed. 3, t. 1367. Northern and Arctic Europe, &c.
 - S. chrysantha, Vahl.
 - S. lanuginosa, Pall.
- S. Lapponum, L.; Forbes Salict. Woburn. t. 73. Mountains of Europe and N. Asia.
 - S. arenaria, Willd.
 - S. elaeagnifolia, Forbes Salict. Woburn. t. 69.
 - S. glauca, Sm. Engl. Bot. t. 1810.
 - S. glaucophylla, Bess.



S. Lapponum-cont.


- S. lactea, Bray.
- S. leucophylla, Willd.
- S. limosa, Wahlenb.
- S. nitens, Gilib.
- S. sudetica, Host.
- S. stuartiana, Forbes Salict. Woburn. t. 72.

Var. helvetica, F. B. White.

- S. helvetica, Vill.
- S. nivea, Ser.
- S. tomentosa, Hort. (not Schrad.).
- S. Lapponum-phylicifolia, Linton. Europe.
- S. lasiandra, Benth.; Sargent Silva of North America t. 469. Western United States.
 - S. arguta var. lasiandra, Anderss.
 - S. hoffmanniana, Hook. & Arn. (not Sm.).
- S. laurina, Sm.; Engl. Bot. ed. 3, t. 1333. Europe.
 - S. bicolor, Sm. Engl. Bot. t. 1806.
 - S. bicolor × Caprea ?
 - S. discolor, Hort. (not Muhl.).
 - S. phylicifolia × Caprea?
- S. lutescens, Kern. Europe.
 - S. aurita-cinerea, Wimm.
 - S. multinervis, Doell.
- S. lucida, Muhl.; Sargent Silva of North America t. 473; Loud. Arb. Brit. iii. 1504, f. 1301. North America. "Shining Willow."
 - S. myricoides, Hort. (not Muhl.).
- S. Myrsinites, L.; Engl. Bot. ed. 3, t. 1375; Flora Danica t. 1054. Northern hemisphere.

S. alpina, Scop.

2 A



S. Myrsinites-cont.

S. arbutifolia, Ser.

S. dubia, Suter.

S. rectijulis, Trantr.

Var. jacquiniana, Anderss. Austrian Alps.

S. jacquiniana, Willd.

S. Jacquinii, Host.

Var. latifolia, Anderss.

S. procumbens, Forbes Saliet. Woburn. t. 61.

S. retusa, With. (not L.).

S. Myrsinites × nigricans. Europe.

S. Myrsinites-nigricans, Wimm.

S. punctata, Wahl.

S. Wahlenbergii, Anderss.

S. Myrsinites × phylicifolia.' Europe.

S. myrtilloides, L.; Kong. Svensk-Vet.-Akad. vi. t. 5, f. 53. Northern Hemisphere.

S. elegans, Bess.

Var. pedicellaris, Anderss. North America.

S. Nicholsoni, Dieck. North America.

S. myricoides × nigra? Kochne.

S. nigra × myricoides (cordata) ? Dieck.

Var. purpurascens, Dieck.

S. nigra, Marsh.; Sargent Silva t. 462. North America. "Black Willow."

S. ambigua, Pursh.

S. caroliniana, Micher.

12159



S. nigra-cont.

- S. flavo-virens, Hornem.
- S. houstoniana, Pursh.
- S. ligustrina. Michx. f.

Var. falcata.

S. nigricans, Sm. Alps of North and Central Europe.
S. phylicifolia var. nigricans, F. B. White.

Var andersoniana, Syme Engl. Bot. ed. 3, t. 1351. S. andersoniana, Forbes Salict. Woburn. t. 109.

Var. ansoniana.

S. ansoniana, Forbes Salict. Woburn. t. 107.

Var. atrovirens.

S. atrovirens, Forbes Salict. Woburn. t. 108.

Var. australis.

S. australis, Forbes Saliet, Woburn, t. 103.

Var. cotinifolia, Syme Engl. Bot. ed. 3, t. 1348. S. cotinifolia, Sm. Engl. Bot. t. 1403.

Var. damascena, Syme Engl. Bot. ed. 3, t. 1352.
S. damascena, Forbes.

Var. firma.

S. firma, Forbes Saliet. Woburn. t. 106.

Var. forsteriana, Symc Engl. Bot. ed. 3, t. 1349.
S. forsteriana, Sm. Engl. Bot. t. 2344.

Var. grisonensis.

S. grisonensis, Forbes Salict. Woburn, t. 29.

Var. helvetica.

S. helvetica, Forbes (not Vill).

Var. hirta, Syme Engl. Bot. ed. 3, t. 1354.S. hirta, Sm. Engl. Bot. t. 1404.



S. nigricans-cont.

Var. lacustris.

S. lacustris, Forbes.

Var. menthifolia, Host.

Var. moabitica, K. Bolle.

Var. petraea, Syme Engl. Bot. ed. 3, t. 1353.

S. petraea, Anderss.; Sm. Engl. Bot. t. 2725.

Var. prunifolia, Hort.

Var. rivularis.

S. rivularis, Forbes Saliet. Woburn. t. 102.

Ver. rotundifolia.

S. rotundata, Forbes Saliet. Woburn. t. 104.

Var. rupestris, Syme Engl. Bot. ed. 3, t. 1350.

S. rupestris, Donn; Sm. Engl. Bot. t. 2342.

Var. strepida.

S. nigricans x cinerea.

S. strepida, Forbes Salict. Woburn. t. 100.

Var. stylaris.

S. stylaris, Ser.

Var. vallesiaca, Hort.

Var. vaudensis.

S. vaudensis, Forbes Salict. Woburn. t. 117.

Var. viburnoides, Hort.

S. nigricans × phylicifolia. Europe.

S. patula, Seringe. Europe.

S. aurita-incana.

S. holosericea, Hort. (not Willd.).

S. incana-aurita, Wimm.



S. Patula-cont.

- S. micheliana, Hort. (not Forbes).
- S. oleaefolia, Anderss.
- S. oleifolia, Forbes Salict. Woburn. t. 96.
- S. salviaefolia, Link.
- S. Paulinae, Sucnderm. Fimberthal, North-west Tyrol. S. reticulata × Myrsinites?
- S. pentandra, L.; Forbes Saliet. Woburn. t. 34. Europe, North Asia. "Bay-leaved Willow."
 - S. humboldtiana, Hort. (not Willia.).
 - S. lucida, Forbes Saliet. Woburn. 1. 32 (not Muhl.).
 - S. meyeriana, Borrer (not Willd.).
- S. petiolaris, Sm.; Forbes Salict. Woburn. t. 25; Dippel Laubholzk. ii. 260, f. 121. North America.
 - S. discolor, Hort. (not Muhl.).
 - S. fuscata, Pursh.
 - Var. sericea, Anderss. "Silky Willow."
 - S. grisea, Willd.
 - S. petiolaris var. grisea, Torr.
 - S. pratensis, Hort.
 - S. sericea, Marsh.; Britt. & Br. III. Flore 4, 499, f.
- S. phylicifolia, L. Alps of Northern and Central Europe. "Tea-leaved Willow."
 - S. bicolor, Elech.
 - Var. borreriana, Syme Eng. Bot. ed. 3, t. 1344.
 - S. borreriana, Sm. Eng. Bot. t. 2619.
 - Var. croweana, Syme Eng. Bot. ed. 3, t. 1338.
 - S. croweana, Sm. Eng. Bot. t. 1146.
 - Var. laxiflora, Syme Eng. Bot. ed. 3, t. 1340.
 S. iaxiflora, Anderss.; Sm. Eng. Bot. t. 2749.

S. phylicifolia-cont.

Var. nitens, Syme Eng. Bot. ed. 3, t. 1337. S. nitens, Anderss.; Sm. Eng. Bot. t. 2655.

Var. patens.

S. patens, Forbes Saliet, Woburn, t. 39.

Var. phillyreifolia, Syme Eng. Bot. ed. 3, t. 1345.S. phillyreifolia, Borrer; Sm. Eng. Bot. t. 2660.

Var. tenuior.

Var. tetrapla, Syme Eng. Bot. ed. 3, t. 1343.S. tetrapla, Walker; Sm. Eng. Bot. t. 2702.

Var. weigeliana, Syme Eng. Bot. ed. 3, t. 1336.
S. weigeliana, Willd.; Sm. Eng. Bot. t. 2656.
S. wulfeniana, Sm.

S. purpurea, L.; Eng. Bot. ed. 3, t. 1316; Forbes Saliet. Woburn. t. 1. Europe, Central and North Asia. "Purple Osier."

S. amplexicaulis, Hort.

S. carniolica, Host.

S. fissa, Wahlenb. (not Hoffin.).

S. fuscata, Hort.

S. monandra, Hoffin.

S. rosmarinifolia, Hort. (not L.).

S. uralensis, Hort.

Var. lambertiana, Anderss.; Eng. Bot. ed. 3, t. 1318.

S. lambertiana, Forbes Saliet. Woburn. tt. 3, 4.

S. pratensis, Scop.

S. woolgariana, Borrer.

Var. pendula. "American Weeping Willow."

S. americana pendula, Hort.

S. nigra pendula, Hort.

Var. scharfenbergensis, K. Bolle.



- S. pyrifolia, Anderss. Rocky Mountains.
- S. pyrolifolia, Ledeb. var. hoyeriana, Dippel. North Asia. North America.
- S. repens, L. Europe, North Asia.

Var. argentea, Syme Eng. Bot. ed. 3, t. 1362.

- S. argentea, Sm. Eng. Bot. t. 1364.
- S. californica, Hort,
- S. sericea, Hort. (not Marsh).
- S. sericea pendula, Hort.
- S. woolseyana, Hort.
- S. reticulata, L.: Eng. Bot ed. 3, t. 1379. Arctic and alpine regions of northern hemisphere.

Chamitea reticulata, Kern.: Dippel Laubholzk, ii. 212, f. 106.

S. retusa, L.; Forbes Saliet. Woburn. t. 139. Europe, North Asia.

Var. serpyllifolia, Anderss.; Forbes Salict. Woburn. t. 65.S. serpyllifolia, Scop.

- S. retusa × herbacea. Europe.
- S. rosmarinifolia, L.: Forbes Saliet. Woburn. t. 87. Europe.
 - S. angustifolia, Wulf. (not Willd.).
 - S. Arbuscula, Forthes Saliet. Woburn, t. 86.
 - S. caesia, Hort. (not Vill.).
 - S. canaliculata, Bess.
 - S. integra, Thunh.
 - S. littoralis, Host.
 - S. marinifolia, Willd.
 - S. pratensis, Host.
 - S. repens var. rosmarinifolia, Anderss.
 - S. tenuis, Host.



- S. rostrata, Richards. North America.
 - S. bebbiana, Sargent Silva t. 477.
 - S. livida var. occidentalis, A. Gray.
 - S. vagans var. rostrata, Anderss.
- S. rotundifolia, Nutt. North-west America.
- S. rubra, Huds.; Forbes Salict. Woburn. t. 4. Europe.
 - S. concolor, Host.
 - S. fissa, Hoffin. (not Wahlenh.).
 - S. membranacea, Thuill.
 - S. purpurea × viminalis.
 - Var. forbyana, Syme Eng. Bot. ed. 3, t. 1321.
 - S. forbyana, Wimm.: Forbes Salict. Woburn. t. 5.
 - Var. Helix, Syme Eng. Bot. ed. 3, t. 1319.
 - S. Helix, Sm. Eng. Bot. t. 1343.
 - S. purpurea var. Helix, Anderss.
 - S. pyramidalis, Hort.
- S. Sadleri, Syme Journ. Bot. 1875, t. 158. Perthshire, Aberdeenshire, &c.
 - S. herbacea × lanata?
 - S. lanata var. Sadleri, F. B. White.
- S. secerneta, F. B. White. Britain.
 - S. purpurea × phylicifolia.
- S. sesquitertia, F. B. White. Britain.
 - S. purpurea × aurita × phylicifolia.
- S. sieboldiana, Blume. Japan.
- S. silesiaca, Willd.; Kong. Svensk. Vet.-Akad. Handl. vi. t. 4, f. 42. Europe.
 - S. fagifolia, Willd.
 - S. lasiocarpa, Wimm.



S silesiaca-cont.

S. Ludwigii, Schkuher.

S. silesiaco-Lapponum, Wimm.

Var. caucasica, Anderss.

S. caucasica, Anderss.

Var. subcaprea, Anderss.

S. Caprea-silesiaca, Wimm.

S. smithiana, Willd.: Flora Danica t. 2551. Europe.

S. mollissima, Sm. (not Ehrh.).

S. pannosa, Hort. (not Schleich.).

S. viminalis × Capreae?

Var. acuminata, Anderss.

S. acuminata, Sm.: Eng. Bot. ed. 3, t. 1326.

S. Calodendron, Wimm.

S. Caprea-dasyclados, Wimm.

S. dasyclados, Wimm.

Var. ferruginea.

S. cinerea-viminalis, Wimm.

S. ferruginea, Borrer: Eng. Bot. ed. 3, t. 1325.

Var. velutina, Anderss.

S. holosericea, Willd.

S. micheliana, Forbes Salict, Woburn, t. 135.

S. rugosa, Leefe.

S. sobrina, F. B. White. Europe.

S. herbacea × Lapponum.

S. sordida, Kern. Europe.

S. cinerea-purpurea, Wimm.

S. pontederana, Schleich, var. sordida, Anderss.

S. purpurea x cinerea.

S. subpurpurea cinerea, Kern.



- S. spuria, Schleich. Europe.
 - S. Arbus ula × Lapponum.
- S. stipularis, Sm. Eng. Bot. t. 1214. Europe.
 - S. viminalis x smithiana?
- S. triandra, L.: Eng. Bot. ed. 3, t. 1313. Europe, North Asja. "Almond-leaved or French Willow."
 - S. hoppeana, Willd.
 - S. tenuiflora, Host.
 - Var. amygdalina, Syme Eng. Bot. ed. 3, t. 1315. S. amygdalina, L.
 - Var. hoffmanniana, Syme Eng. Bot. ed. 3, t. 1314.
 S. hoffmanniana, Sym.
- S. undulata, Ehrh.; Eng. Bot. ed. 3, t. 1312. Europe.
 - S. lanceolata, Sm. Eng. Bot. t. 1436.
 - S. triandra-alba, Winnu.
- S. viminalis, L.; Forbes Saliet. Woburn. t. 133. Russia and North Asia. (Cultivated throughout Europe). "Osier."
 - S. longifolia, Lam.
 - S. tristis, Hart. (not Ail.).
 - S. virescens, Vill. (not Forbes).
- S. viridis, Fries; Kong. Svensk. Vet.-Akad. Handl. vi. t. 3, f. 29. Europe.
 - S. fragilis, Forbes Salict. Woburn, t. 27 (not L.).
 - S. fragilis \times alba.
 - S. montana, Forthes Saliet. Woburn. t. 19.
- S. wardiana, F. B. White (phylicifolia x cinerea). Britain



Populus alba, L.: Eng. Bot. ed. 3, t. 1299. Europe, North Africa, North and West Asia. "White Poplar; Abele."

Var. nivea.

P. acerifolia, Hort.

P. arembergiana, Hort.

P. arembergica, Hort.

P. argentea, Hurt.

Var. pyramidalis.

P. alba car. croatica, Wesmarl.

P. bolleana, *Lanche*; Gard. Chron. 1882, xviii. 557, f. 96.

P. croatica, Waldst. & Kit.

P. Korolkowi, Hort.

Var. macrophylla. Hort.

P. Picarti, Hort.

Var. foliis aureis variegatis.

Var. globosa, Hort.

P. angustifolia, James: Sargent Silva of North America t. 492. North America.

P. balsamifera var. angustifolia. S. Watson.

P. canadensis var. angustifolia, Wesmael.

P. salicifolia, Ratin.

P. balsamifera, L.; Sargent Silva of North America t. 490. North America. "Balsam Poplar."

Var. candicans, A. Gray: Sargent Silva of North America t. 491.

P. candicans, Ait.

P. ontariensis, Hort.

Var. elongata.

Var. variegata.



- P. berolinensis, Dippel. Origin uncertain.
 - P. laurifolia var. berolinensis, Hort.
 - P. hybrida var. berolinensis, C. Koch.
 - P. balsamifera berolinensis, Hort.
 - P laurifolia × deltoidea?
- P. canescens, Sm.; Eng. Bot. ed. 3, t. 1300. "Gray Poplar."
 - P. albo-tremula, Krausse.
- P. certinensis, Hort. Garden origin.
- P. deltoidea, Marsh.; Sargent Silva of North America tt. 494, 495. North America. "Cottonwood."
 - P. Acladesca, Lindl.
 - P. angulata, Att.
 - P. angulosa, Michx.
 - P. canadensis, Moench.
 - P. carolinensis, Moench.
 - P. cordata, Hort.
 - P. dilatata var. carolinensis, Willd.
 - P. glandulosa, Moench.
 - P. heterophylla, Duroi (not L.).
 - P. laevigata, Ait.
 - P. latifolia, Moench.
 - P. macrophylla, Hort.
 - P. marylandica, Bosc.
 - P. monilifera, Ait.
 - P. nigra, Marsh. (not L.).
 - P. nigra var. helvetica, Poir.
 - P nigra var. virginiana, Castigl.
 - P. serotina, Hartig.
 - P. virginiana, Fouger.



P. deltoidea-coni.

Var. aurea, Van Geert.

P. canadensis aurea, Hort.

P. vanhoutteana, Hort.

Var. erecta.

P. canadensis rur. erecta, Dippel.

P. monilifera var. erecta, Selys.

Var. Eugenei, Nichols.

P. canadensis var. Eugenei, Hort. Zoesch.

P. Eugenei, Hort.

P. pyramidalis var. meetensis, Mathieu.

- P. Fremontii, S. Wats.: Sargent Silva of North America t. 496. California, &c.
- P. grandidentata, Micher.: Sargent Silva of North America t. 488. North America.
- P. heterophylla, L.: Sargent Silva of North America t. 489. North America. "Swamp Cottonwood."

P. argentea, Michr. f. Hist. Arb. Am. iii. 290, t. 9.

P. balsamifera, Mill. (not L.).

P. cordifolia, Burgsdorf.

P. ontariensis macrophyila, Hort.

- P. lasiocarpa, Oliver Icon. Plant. t. 1943. Central China.
- P. laurifolia, Ledeb. Altai region of Southern Siberia.

P. balsamifera var. laurifolia, Wesmuel.

P. balsamifera var. viminalis, Loud.

P. crispa, Hart.

P. crispa Lindleyi, Hort.

P. lindleyana, Booth.

P. longifolia, Fisch.

P. salicifolia, Hort.



P. laurifolia-cont.

P. undulata, Hort.

P. viminalis, Lodd.

P. moscoviensis, Schroeder. Origin uncertain.

P. nigra, L.; Eng. Bot. ed. 3, t. 1302. Europe, North Asia.

P. fistula, Hort.

P. versicolor, Salisb.

P. vistulensis, Hort.

Var. betulaefolia, Wesmarl.

P. betulifolia, Pursh.

P. hudsonica, *Michx*, Hist, Arbr. Am. iii, 293, t. 10, f. 1.

Var. Nolestii.

P. Nolestii, Hort.

Var. pyramidalis, Spach.

P. dilatata, Solund.

P. fastigiata, Pers.

P. italica, Moench.

P. pannonica, Hort.

P. polonica, Hort.

P. pyramidalis, Salish.

Var. pyramidalis gigantea.

P. fastigiata gigantea.

P. petrowskyana, Schroeder. Garden origin.

canadensis / suaveolens?

P. plantierensis, Simon-Louis. (nigra betulifolia x nigra fastigiata?). Garden origin.

P. fastigiata plantierensis, Hort.

P. rasumowskyana, Schroeder. Garden origin.

nigra - suaveolens?



P. Sieboldii, Miq. Japan.

P. rotundifolia, Hort.

P. Simonii, Carr.; Dippel Laubholzk. ii. t. 211, f. 10. China.

P. balsamifera var. Simonii, Dieck.

P. suaveolens, Fisch. North-west India to Japan, &c.

P. balsamifera rar, suaveolens, Loud.

P. macrocarpa, Schrenk.

P. pseudobalsamifera, Fisch.

P. tremula, L.: Eng. Bot. ed. 3, t. 1301. Europe, North Africa, North Asia. "Aspen."

P. australis, Tenore.

P. cilicica, Kotschy.

Var. pendula.

P. pendula, Burgsdorf.

P. supina, Lodd.

Var. purpurea.

Var. villosa, Syme.

P. canescens, Reichb, (not Sm.).

P. villosa, Láng.

P. tremuloides, Michaelica, Sargent Silva of North America, t. 487. North America, "American Aspen."

P. atheniensis, C. Koch.

P. benzoifera, Tausch.

P. graeca, Lanche.

P. tremuliformis, Emerson.

P. trepida, Willd.

Var. pendula. "Parasol de St. Julien."

P. juliana pendula, Hort.



P. trichocarpa, Hook.: Sargent Silva of North America t. 493. Western North America. "Black Cottonwood."

P. balsamifera var. trichocarpa, S. Wats.

P. tristis, Fisch.; Dippel Laubholzk. ii. 205, f. 98. Northeastern Asia.

Var. elongata, Koehne.

P. candicans elongata, Dippel.

- P. Viadri, M. Ruediger. Origin uncertain.
- P. Wobstii, Schroeder. Garden origin?
 P. balsamifera var. Wobstii, Dippel Laubholzk. ii. 207.
 f. 101.

Empetraceae.

Empetrum nigrum, L.; Eng. Bot. ed. 3, t. 1251. North temperate and arctic zones. "Crowberry."

E. crassifolium, Rafin.

E. procumbens, L.

Var. scoticum, Loud.

E. scoticum, Hook.

Var. tomentosum, Dippel.
E. tomentosum, Hort.

Corema album, D. Don: Laguna Fl. For. Esp. ii. t. 17. Portugal.

Empetrum lusitanicum, Hort.

C. Conradii, Torr.; Britt. & Br. Illustr. Fl. ii. 384, f. Northern United States, &c. Empetrum Conradii, Torr.



2 13

GYMNOSPERMEAE.

Gnetaceae.

- Ephedra americana, Humb. & Bonpl. var. andina, Stupt. Chili.
 - E. andina, Poepp. & Endl.: Miers Contr. Bot. ii. t. 76 b.
 - E. bracteata, Miers.
 - E. chilensis, Miers.
 - E. monticola, Miers.
- E. distachya, L.; Reichb, Ic. Fl. Germ. xi. t. 539, f. 1148. Europe, Asia Minor.
 - E. monostachya, L.
- E. foliata, C A. Mey. Northern and Central Asia.
 - E, asparagoides, Griff.
 - E. kokanica, Regel.
 - E. peduncularis, Boiss.
- E. fragilis, Desf.; Sibth. Fl. Graeca t. 961. Mediterranean region, &c.
 - Var. campylopoda, Stapf.
 - E. campylopoda, C. A. Mey.
- E. gerardiana, Wall. Himalaya. E. vulgaris, Aitch.
- E. helvetica, C. A. Mey.: Christ Fl. de la Suisse . . . pl. 1. Switzerland, Italy, Southern France. E. distachya, Suter (not L.).
- E. intermedia, Schrenk & C. A. Mey. Central Asia, &c.
- E. nebrodensis, Tineo. Mediterranean region.
- E. trifurca, Torr. Western North America.

12159



MONOCOTYLEDONS.

Liliaceae.

† SMILACEAE.

Smilax aspera, L.; Nouv. Duham. i. 234, t. 53. Mediterranean region, &c. "Rough Bindweed."

S. sagittaefolia, Lodd. Bot. Cab. t. 1799.

Var. maculata, A.DC. East Indies.

S. maculata, Roxb.

Var. mauritanica, A.DC.

S. catalonica, Poir.

S. mauritanica, Desf.; Flore des Serres t. 1049.

- S. Bona-nox, L. var. hastata, A.DC. South United States S. hastata, Willd.
- S. Cantab, Lynch; Garden lvi. 505. f. Origin uncertain.
- S. China, L. China, Japan, &c.

S. japonica, A. Gray.

S. Pteropus, Miq.

Coprosmanthus japonicus, Kunth.

- S. excelsa, L.; Nouv. Duham. i. 236, t. 54; Sibth. Fl. Graeca t. 959. South-west Europe, Asia Minor, &c.
 - S. canariensis, H. C. Wats. (in part).
 - S. China, S. T. Gmel. (not L.).
 - S. laevis, Gueldenst. (not Wall.).
- S. glauca, Walt.; Bot. Mag. t. 1846. North America. "Carrion-Flower."
 - S. Sarsaparilla, L. (in part).
 - S. spinulosa, Sm.

12159



- S. hispida, Muhl. North America. S. grandifolia, Buckl.
- S. laurifolia, L.; Britt. & Br. Illustr. Fl. i. 441, f. Southern United States.
- S. Pseudo-China, L.; Britt. & Br. Illustr. Fl. i. 441, f. Southern United States.
- S. 'rotundifolia, L. North America. "Horse-brier; Greenbrier."
 - S. caduca, L.
 - S. quadrangularis, Muhl.; Wats. Dendr. Brit. t. 109.
 - S. Sarsaparilla, Hort.
 - S. virginiana, Hort. (not Mill.).
- S. tamnoides, L. North America.
 - S. tamnifolia, Michx.

Coprosmanthus tamnifolius, Kunth.

S. Walteri, Pursh. North America.

tt ASPARAGEAE.

Ruscus aculeatus, L.: Eng. Bot. ed. 3, t. 1516. Europe, &c. "Butcker's Broom."

Var. angustifolius.

R. angustifolius, Hort.

R. Hypoglossum, L.; Sibth. Fl. Graeca t. 955. South Europe.

R. Hypophyllum var. Hypoglossum, Lam.

R. Hypophyllum, L.: Bot. Mag. t. 2049. South-west Europe, North Africa.

Ruseus microglossus, Bert.



Danaea Laurus, Medic. Asia Minor, &c. "Alexandrian Laurel."

D. racemosa, Moench; Wats, Dendr. Brit. t. 145.

Danaida racemosa, Link.

· Ruscus racemosus, L.

Asparagus aphyllus, L. Mediterranean region.

A. horridus, Hort.

††† LUZURIAGEAE.

*Luzuriaga radicans, Ruiz & Pav.; Bot. Mag. t. 6465. Chili, Peru.

tttt Dracaeneae.

Yucca angustifolia, Pursh; Bot. Mag. t. 2236. Missouri to Colorado and New Mexico.

Var. stricta, Baker.

Y. angustifolia var. mollis, Engelm.

Y. stricta, Sims Bot. Mag. t. 2222.

Y. filamentosa, L.; Bot. Mag. t. 900. Southern United States.

Var. flaccida, Baker.

Y. flaccida, Haw.; Bot. Reg. t. 1895.

Var. variegata.


Y. glauca, Sims Bot. Mag. t. 2662. Southern United States.

Y. gloriosa, L.; Bot. Mag. t. 1260. Southern United States. "Adam's Needle."

Var. Ellacombei, Baker.

Y. Ellacombei, Baker; Saund. Ref. Bot. t. 317.

Var. variegata, Hort.



Y. orchioides, Carr. Rev. Hortic. 1861, 369, ff. 89, 90. Southern United States.

Y. filamentosa var. orchioides, Baker.

Var. major, Buker Bot. Mag. t. 6316.

Y. recurvifolia, Salish.; Saund. Ref. Bot. t. 321. Southern United States.

Y. japonica, Hort.

Y. pendula, Sieb.

Y. recurva, Haw.

Var. variegata, Hort.

Y. rupicola, Scheele; Bot. Mag. t. 7172. Southern United States and Mexico.

Y. contorta, Hort.

Y. lutescens, Carr.

Y. tortifolia, Lindh.

Palmae.

Trachycarpus excelsus, H. Wendl. Japan. "Chusan Palm."

T. Fortunei, H. Wendl.

Chamaerops excelsa, Thunh.

C. Fortunei, Hook. Bot. Mag. t. 5221.

Gramineae.

† FESTUCEAE.

Arundo Donax, L. Mediterranean region, &c.

Donax arundinaceus, Beauv.

Scolochloa arundinacea, Mert. & Koch.

Var. macrophylla.

Var. variegata, Hort.



tt BAMBUSEAE.

Arundinaria anceps, Mitford. Origin uncertain.
A. spathiflora, Trin.?

A.jaristata, Gamble. North-eastern Himalaya.

A. auricoma, Mitford. Japan.

A. Fortunei var. aurea, Hort.
Bambusa Fortunei var. aurea, Hort.
B. Maximowiczii, Hort. (in part).

A. chrysantha, Mitford. Japan. Bambusa chrysantha, Hort.

*A. falcata, Nees. Himalaya.

Bambusa falcata, Hort.

B. gracilis, Hort. (in part).

*A.; Falconeri, Milford. Himalaya.
Thamnocalamus Falconeri, Hook. f.

A. Fortunei, A. & C. Rivière.

A. diversifolia, Kurz. Japan.

Bambusa Fortunei foliis niveo-vittatis, Van Houlte Flore des Serres xv. 69, t. 1535.

B. Fortunei var. variegata, Hort.

B. picta, Sieb. & Zucc.

B. variegata, Standish.

A. Hindsii, Munro. Japan.

Bambusa Chino, Franch. & Savat.?

B. erecta, Hort.

B. jacile, Hort.

Kanzan-chiku, Hort. Jap.



A. Hindsii-cont.

Var. graminea, Beun.

Bambusa graminea, Hort. Taimin-chiku, Hort. Jap.

*A. hookeriana, Munro. Sikkim.

A. humilis, Mitford. Japan.

A. Fortunei *Hort*. (green form). Bambusa gracilis *Hort*. (in part).

A. japonica, Sieb. & Zucc.: Gard. Chron. 1894, xv. 289. f. 26 Japan.

Bambusa Metake, Sieb.

Phyllostachys bambusoides, *Hort.* (not *Sirb. & Zucc.*). Médaké, *Hort. Jap.*

A. Kokantsik, Kurz. Japan.

Bambusa marmorea, Mittord Bamboo Garden 93, f. Kan-chiku, Hort. Jap.

A. Kumasasa, Kurz. Japan.

A. metallica, Mitford Gard, Chron, 1898, xxiv, 274, f. 75.

Bambusa palmata, Burbidge; Mitford Bamboo Garden 79, f; Gard. Chron 1890, vii. 641, f. 1: 1894, xv. 169, f. 18. Japan.

A. paniculata, Makino Bot. Mag. Tokio, xiv. 50.

Kanéyama-daké, Hort. Jap.

Kumazasa, Hort. Jap.

A. macrosperma, Michx. North America. "Large Cane."

Var. tecta, A. Gray. "Switch Cane."

A. macrosperma var. suffruticosa.

Bambusa Hermanni, Hort.

B. Neumanni, Hort.



A. nitida, Mitford. Central China.

A. khasiana, Hort. (not Munro).

Bambusa Kan-si, Hort. Chin.

*A. nobilis, Mitford. Origin uncertain.

A. pumila, Mitford. Japan.

Bambusa pumila, Hort.

A. pygmaea, Kurz. Japan.

Bambusa pygmaea, Miq.

Nézasa, Hort. Jap.

A. racemosa, Munro. North India.

A. Simoni, A. & C. Rivière. Gard. Chron. 1894, xv. 301, f. 35. China.

Bambusa Simoni, Carr.

B. viridi-striata, Hort.

Narihiradaké, Hort. Jap.

Var. Chino, Makino.

A. Laydekeri, *Hook. f.*; Mitford Bamboo Garden 92, f.

Bambusa Laydekeri, Marliac.

Hakoné-daké or Hakoné-chiku, Hort. Jap.

Var. variegata, Hook. f. Bot. Mag. t. 7146.

Bambusa albo-striata, Hort.

B. Maximowiczii, Hort. (in part).

B. plicata, Hort.

A. Veitchii, N. E. Brown; Mitford Bamboo Garden 77, f. Japan, &c.

A. albo-marginata, Makino.

A. kurilensis var. paniculata, Schmidt.



A. Veitchii-cont.

Bambusa albo-marginata, Hort.

B. senanensis, Franch & Savat.

B. tessellata, Hort. (not Munro).

B. Veitchii, Carr.

Ko-Kumazasa, Hort. Jap.

Yakiba-zasa, Hort. Jap.

Bambusa angustifolia, Mittiord. Japan.

B. Vilmorini, Hort.

B. disticha, Mitford. Origin uncertain. B. nana, Hort. (not Roxb.). Hoo-chiku, Hort. Jap.

- B. macroculmis, A. Rivière. Origin unknown.
- B. Nagashima, Marliac. Japan.
- B. quadrangularis, Francia, China?, Japan. Shiho-chiku or Shikaku-daké, Hort. Jap.
- B. tessellata, Munro; Gard. Chron. 1894, xv. 167, f. 17 China, Japan.

B. Ragamowski, Hort.

Arundo Ragamowski, Hort.

Bi-chiku, Hort. Jap.

Phyllostachys aurea, A. & C. Rivière. Japan.

Bambusa aurea. Hont.

B. sterilis, Kurz.


Horai-chiku, Hort. Jap.

Taibô-chiku, Hort. Jap.

Hotei-chiku, Hort. Jap.

P. bambusoides, Sieb. & Zucc. Japan.

Ya-daké, Hort. Jap.



Phyllostachys fastuosa, Hort.

Bambusa fastuosa, Hort.

Arondinaria fastuosa, Hort. Kew. Japan.

Madaradaké ? Hort. Jap.

P. flexuosa, A. & C. Rivière. North China. Bambusa flexuosa, Hort. (not Munro).

P. fulva, Mitford Gard. Chron. 1898, xxiv. 246, f. 68. Japan.

Ôgon-chiku, Hort. Jap.

P. Henonis, Mitford. Japan.

Bambusa Henonis, Hort.

Ha-chiku, Hort. Jap.

P. mitis, A. & C. Rivière. Japan.

Bambusa mitis, Hort. (not Poir.).

Môsô-chiku, Hort. Jap.

A deformed state of this (often found also in P. aurea) is—

P. heterocycla, Mittord Bamboo Garden 160, f. Japan. "Tortoise-shell Bamboo."

Bambusa heterocycla, Carr. Rev. Hortic. 1878, 354, f. 80.

Kiko-chiku and Kimon-chiku, Hort. Jap.

P. nigra, Munro; Gard. Chron. 1894, xv. 369, f. 46. Japan.

Bambusa nigra, Lodd.

Kuro-daké, Hort. Jap.

Goma-dake, Hort. Jap.

Kuro-chiku, Hort. Jap.

Var. boryana.


Bambusa boryana, Marliac.

P. boryana, Mitford.

Var. punctata, Bean.

Bambusa nigro-punctata, Hort.

Goma-daké, Hort. Jap.



P. Quilioi, A. & C. Rivière; Gard. Chron. 1894, xv. 431, f. 52. Japan.

Bambusa Duquilioi, Hort.

B. Mazeli, Hort.

B. Quilioi, Carr.

B. senanensis, Hort. Abbotsbury.

Madaké, Hort. Jap.

Var. Castillonis.

P. Castillonis, Mittord. Japan.

B. Castilloni, Carr. Rev. Hort. 1886, 513, f. 122.

Bambusa Castillonis, Marliac.

Kimmei-chiku, Hort. Jap.

Var. marliacea.

P. marliacea, Mittord. Japan.

Bambusa marliacea, Hort.

Shibo-chiku and Shiwa-chiku, Hort. Jap.

P. ruscifolia, Hort. Kew., Japan.

P. Kumasaca, Munra; Gard. Chron. 1894, xv. 369, f. 45.

P. Kumasasa, Mitford.

Bambusa ruscifolia, Sieb.

B. viminalis, Hort.

Bungozasa or Gomai-zasa, Hort. Jap.

P. sulphurea, A. & U. Rivière. Japan.

Arundinaria stolonifera, Kurz.

Bambusa sulphurea, Hort.

P. violascens, A. & C. Rivière. Japan?

Bambusa violascens, Hort.

P. viridi-glaucescens, A. & C. Rivière; Gard. Chron. 1894, xv. 433, f. 53. China.

Bambusa viridi-glaucescens, Carr.



ADDITIONS AND CORRECTIONS.

- Page 89. For Iris Mariesii read I[lex] Mariesii.
 - " 123. For Kolreuteria read Koelreuteria.
 - " 375. Transfer Deutzia corymbosa, Hort., from Philadelphus grandiflorus to P. inodorus.
 - " 497. Insert Azalea verticillata, Bart., as a synonym of Rhododendron arborescens.
 - t. 46, as a synonym of Rhododendron Smithii var. aureum.
 - " 603. For E[laeagnus] tenniflora read E. tenuiflora.



INDEX.

			Γ	age					F	Page.
	A				. A	nagyri	s			161
Abelia				435		nagyri-				163
Abelicea				627	A	ndrach	ne			611
Abutilon				63		ndrome				451
Acacia			•••	205		ndromed			-483, 491	
				399	A	ndrophy				
Acanthop	анах				A	ndrosaei	num		53, 5	5, 57
		• • •	• • •	131	A	nisostich	us			
Actinidia	* * *			59	A	nona				21
	* . *	• • •		545	A	nthoden	dron		3 (15)	503
Adenocari	ous			163	A	nthylli	S			151
Adnaria				465		phanar				629
Ægle				77	1	* .				459
Æsculus				125		plopap quifoliu				79
Ailanthus				77	1	•				
Ailanthus				70		ralia ralia	* * *		200	399
Akebia				23					399,	
Albertia				253	i .	raujia			***	557
Albizzia				205		rbutus				471
Alnaster				669	A	rbutus	• • •	• • •	473,	475
Alnus				661	A	rctosta	phylos			473
				575	A	rdisia				519
4.1.1				60	A	ria			309, 313	31,
				37	A	ristolog	hia			591
Alyssum		• • •				ristotel				7.5
Amelanch				361		rmeniaca			207, 211.	
Amelanchie		• • •	253,						321, 361-	
Ammyrsine		• • •		495	A	rtemisi	2		***	16
Amorpha		• • •		151		rundina				779
Ampelopsis			113, 121,			rundinar				7-12
Amygdalop			0000000							
Am ygdalus Am phiraphi			205, 213,			rundo				777
д шрипари	13		• • •	461	1	rundo				785

			D	age.	ı			D
Ascyrum				53	Bladhia			Page.
•			•••	21	70	***	•••	545
Asimina	•••	•••	***			•••	•••	
Asparagu	8	• • •	•••	775	Brandisia	• • •	***	5 65 459
Aster	•••	• • •	•••	461	Bridgesia		•••	589
Astragalu	18	• • •	•••	195			•••	
Atragene	• • •	•••	***	1, 7	Broussonetia Broussonetia	• • •		631 631
Atraphax	is	•••		589		• • •	• • •	
Atriplex	•••	***	•••	587	Bruckenthalia	•••	• • •	491
Aucuba				419	Brunnichia	• • •	•••	591
Aucuparia			• • •	319	Bryanthus	• • •	•••	491
Azalea	491,	497-	505, 513	791	Buckleya		***	607
Azaleodend	ron		***	517	Buddleia		***	559
Azara				47	Buergeria			15, 17
Azara	•••	•••	***	49	Bumelia			519
Azarolus	• • •	• • •	309,	321	Bupleurum			399
					Bursaria			49
	В				Butneria			9, 11
	O.							
					Buyng			607
Baccharis				461	Buxus	•••	•••	607
Baccharis Baillonia	•••	•••	•••	461 577	Buxus	***	•••	607
			•••				***	607
Baillonia	•••			577		 D.	•••	607
Baillonia Ballota	•••	•••		577 585 785				201
Baillonia Ballota Bambusa	•••	•••		577 585 785 -789 163	Caesalpinia Calamintha	J.		201 583
Baillonia Ballota Bambusa Bambusa Baptisia Barbula		•••	 779-	577 585 785 -789 163 579	Caesalpinia Calamintha Calampelis	Ö. 	***	201 583 575
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia		•••	 779-	577 585 785 -789 163 579 21	Caesalpinia Calamintha	Ö. 	***	201 583
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia			779-	577 585 785 -789 163 579 21 415	Caesalpinia Calamintha Calampelis	D		201 583 575
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin			779-	577 585 785 -789 163 579 21 415 595	Caesalpinia Calamintha Calampelis Calea	D		201 583 575 461
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido			779-	577 585 785 -789 163 579 21 415 595	Caesalpinia Calamintha Calampelis Calea Callicarpa	D		201 583 575 461 577
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin			779-	577 585 785 -789 163 579 21 415 595	Caesalpinia Calamintha Calampelis Calea Callicarpa Calluna	D		201 583 575 461 577 485
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido			779-	577 585 785 -789 163 579 21 415 595	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca	D		201 583 575 461 577 485 195
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis			779-	577 585 785 -789 163 579 21 415 595 23	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calothyrsus	D		201 583 575 461 577 485 195 125
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis Berchemia	psis		779-	577 585 785 -789 163 579 21 415 595 23 23	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calothyrsus Calycanthus	D		201 583 575 461 577 485 195 125
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis Berchemia Berya	psis		779-	577 585 785 -789 163 579 21 415 595 23 23 101 607 651	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calothyrsus Calycanthus Calycanthus	 		201 583 575 461 577 485 195 125 9
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis Berchemia Berya Betula	psis		779-	577 585 785 -789 163 579 21 415 595 23 23 101 607 651	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calothyrsus Calycanthus Calycanthus Calyptrostigma	C		201 583 575 461 577 485 195 125 9 11 457
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis Berchemia Berya Betula Betula	psis		779-	577 585 785 -789 163 579 21 415 595 23 23 101 607 651	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calophyrsus Calycanthus Calycanthus Calyctegia	 		201 583 575 461 577 485 195 125 9 11 457 561 61
Baillonia Ballota Bambusa Bambusa Baptisia Barbula Baumgartia Benthamia Benzoin Berberido Berberis Berchemia Berya Betula Betula Bigelovia	psis		779-	577 585 785 785 785 789 163 579 21 415 595 23 101 607 651 6669 459	Caesalpinia Calamintha Calampelis Calea Callicarpa Callicarpa Calluna Calophaca Calophaca Calycanthus Calycanthus Calycanthus Calyptrostigma Calystegia Camellia	 		201 583 575 461 577 485 195 125 9 11 457 561 61

		F	age.				Page.
Caragana	•••	***	191	Chamaedaphne			477
Cardiandra	***		561	Chamaedrys			585
Carmichaelia			189	Chamaeledon			491
Carniola			169	Chamaerops			777
Carpentaria			379	Chamiter			749
				Chenopodium			587
Carpinus		671	669	Chimonanthus	• • •		11
Carva			639	Chiogenes	• • •		471
Carya			645	Chionanthus			549
Caryopteris			579	Chloranthus			593
Cassandra	•••		477	Choisya			73
Cl. 1			205	Chrysobotrya			383
Cassine	•••	7	9. 89	Chrysocoma			459
	***		461	Chrysothamnus			459
Cassinia	•••			Cinnamomum			593
Cassiope	• • •	• • •	477	Cissampelos			21
Castanea	***	• • •	713	Cissus		11	3-121
Castanea	• • • •	••	713	Cistus			37
Castanopsis	• • •	***	713	Cistus			41-45
Catalpa			573	Citharexylon			577
Ceanothus			109	Citrus			77
Cebatha	• • •	• • •	21	Cladrastis			199
Cedrela	•••	• • •	79	Clematis		• • •	1
Celastrus	•••	• • •	99	Clerodendron			579
Celtis	•••	***	627	Clethra			517
Celtis			629	Clethropsis			665
Cephalanthus			457	Cleyera			59
Cerasus	***		-235	Cliftonia			93
Cercidiphyllu	m		19	Cneorum	• • •		77
Cercis			205	Cocculidium			21
Cercocarpus	•••		267	Cocculus			21
Cestrum			565	Cochliospermum			587
Chaenomeles	•••		325	Colebrookia			581
Chamaebatia	***		267	Colletia			111
Chamaebuxus	• • •	•••	49	Colletia			111
Chamaecerasus	223, 437			Colutea			189
OMG MARKO COLING U.S.	220, 101	453		Colutea			9, 195
			,				,

			Pa	age.			Pa	ge.
Comarum	•••	• • •		269	Daphniphyllun	1	(611
Comptonia		***		649	Daphniphyllum			149
Convolvul	us			561	Davidia			121
Convolvulus	3			561	Decumaria			373
Coprosma		•••		457	Dendropanax			101
Coprosmant	hus		771.		Dendrospartum			167
Corchorus	• • •	• • •		253	Desfontainea			559
Cordia	• • •	•••	• • •	561	Desmodium			197
Corema	• • •	• • •		767	Desmodium			199
Coreosma	• • •	• • •	• • •	381	Deutzia			371
Coriaria Cormus	***	919	 3, 317,	161	Deutzia		375, 377,	
	• • •		<i>'</i>					519
Cornus	***	• • •	• • •	411	Diapensia	• • •		455
Corokea		• • •	• • •	411	Diervilla Dimorphanthus	• • •		399 399
Coronilla	***	***	• • •	195		• • •		
Corylopsis	3	•••	• • •	393	Diospyros	- • •		521
Corylus	• • •			673	Diostea	• • •		577
Cotinus	•••	• • •	• • •	157	Diplopappus		459-	
Cotoneast	er	•••		353	Dipteronia			155
Cotoneaster		• • •	349,	351	Dipyrena	• • •		577
Cowania		•••	•••	267	Direa	• • •		601
Crataego-	mespi	lus	• • •	327	Disanthus		***	395
Crataegus	3	• • •		327	Discaria			111
Crataegus	303, 3	11-319	, 325,	357,	Distegocarpus	• • •	***	671
a 1 1			9, 363,	1	Distylium		***	393
Cudrania	***	***		637	Donax		•••	777
Cydonia	• • •	• • •	• • •	323	Dorycnium			179
Cynanchum	1	***	• • •	559	Drimophyllum		•••	595
Cyrilla	•••	• • • •	• • •	93	Drimys		***	11
Cytisus	• • •	•••	•••	173	Dryas		•••	267
Cytisus	•••	16	3 -171.	181	Duranta		•••	577
					Duvaua	• • •	•••	161
	D							
Daböecia				493	E	1.		
Danaea				775	Danner			575
Danada				775	Eccremocarpus Echinopanax		•••	401
				597	Echium			£61
Daphne			•••	.,,,	Dollar ***			

]	Page.				Page.
Edgeworthia			₹ 1(+)]		F.		0
Edwardsia			201				
Edwarsia			201	Fabiana	• • •	***	565
Ehretia			561	Fagus	• • •		717
Elaeagnus			601	Fagus	• • •	• • •	715
Eleutherococcu	ıs	• • •	401	Fallugia	• • •		269
Elliottia	***		495	Fatsia		***	401
Elscholtzia			581	Fendlera	***		379 637
Empetrum		***	767	Flacourtia	***		49
Empetrum			767	Flueggea		• • • •	607
Enkianthus			483	Fontanesia			545
Ephedra			769	Forestiera		• • •	545
Epigaea			479	Forsythia			525
Ercilla			589	Forsythia			373
Eremanthe			55	Fothergilla			393
Erica			487	Fothergilla			393
Erica			5, 491	Frangula			103
Ericameria			459	Frankenia			49
Erinacea			173	Franklinia			61
Eriobotrya		* * *	361	Fraxinus	***		529
Eriogonum			550	Fremontia	• • •		63
Escallonia			370	Fuchsia			397
Eucalyptus			305				
Eucommia			19		_		
Eucryphia	***		255		G.		
Eugenia			395	(†a]e			649
Euonymus			93	Galphimia			-777
Euptelea	***	• • •	19	Galvesia			549
Eurotia			587	Garrya			419
Eurya			59	Gaultheria			475
Eurya	• • •		59, 95	Gaultheria	***		471
Eurybia	* * *		9, 461	Gautiera			175
Euscaphis			155	Gaylussacia			1655
Evodia		• • •	(He)	Gebiera			$E_i \cap \mathbb{T}$
Exochorda		• • •	253	Genista	• • •		107

		Page.			Page	Э.
Genista	•••	171-179	Hippophae		60	5
Gleditschia		203	Hippophae		60	5
Globularia		575	Holboellia		2	23
Glycine	•••	183	Homoiceltis		63	1
Goebelia		201	Hooibrenckia		15	5
Gordonia	•••	61	Hortensia	• • •	36	7
Grevillea	***	595	Hovenia		10	7
-		65	Hultheimia		29	3
	***	401	Hydrangea		36	55
Griselinia	•••		Hymenanthera	a	4	17
Grossularia	• • •	383, 385 19	Hyperanthera		20)1
Gymnanthus	•••		Hypericum		8	53
Gymnocladus	3	201	Hyssopus		58	33
			Hyssopus	•••	***	
	H.			*		
Hahnia	•••	313		I.		
Halesia		521	Idesia		4	19
Halesia	•••	523	Ilex		7	79
Halimium	***	43, 45	Ilex	• • •	93, 54	Ł7
Halimodenda	ron	191	Ilicioides		9	93
Halimus	•••	587	Illicium]	13
Hamamelis		393	Incarvillea		565, 57	75
Hamamelis	• • •	393	Indigofera	•••	18	33
Haplopappus	•••	459	Isika		48	37
Hartogia	•••	233	Itea		38	31
Hedera	•••	401	Itea		49, 9	93
Hedera	***	401	Iva		46	63
Hedysarum	***	195				
Hedysarum	• • •	197				
Heimia		397		J.		
Helianthem	ım	41		<i>.</i>		
Helichrysum		461	Jamesia	• • •		79
Helwingia	***	401	Jasminoides	•••		65
Heteromeles		359	Jasminum	• • •	52	23
Hibiscus		63	Juglans	• • •		15
Hicoria	•••	639-643	Juglans	•••	639-643, 6	49

		F	Page.				Page.
	K.		0	Linnaea	• • •		437
				Linnaea			435
Kadsura		• • •	19	Linosyris			459
Kadsura			19	Linum			73
Kalmia			493	Lippia			575
Kalopanax			399	Lippia			577
Kerria			253	Liquidambar			395
Kolomikta			59	Liquidambar			649
Koelreuteria		123	, 791	Liriodendron	1		19
1100110410114			,	Lithodora			561
				Lithospermum			561
	_			Lithospermum			561
	L.			Litsaea			593
Laburnum			163	Loiseluria			491
Laburnum			167	Lonicera			437
Lacathea			61			h 0 0	
Lardizabala			23	Loranthus	• • •		607
Laurocerasus	•••		233	Loropetalum		* * *	395
Laureola			77	Lowea	* * *		293
Laurus			595	Lupinus			163
Laurus		593	, 595	Luzuriaga			775
Lavandula	• • •		579	Lycium			563
Lavatera			63	Lyonia		***	479
Lazarolus			297	Lyonia		47	7-483
Ledum			495				
Ledum	• • •		495				
Leiophyllum			495	7	Л.		
Lembotropis		177	, 179				
Lepargyrea	***		605	Maackia	• • •		199
Lespedeza	***		197	Maclura	• • •		631
Leucothoe			477	Maelura	• • •		637
Leucothoe			481	Macrothyrsus	• • •		129
Leycesteria			455	Magnolia	• • •		13
Ligustrina			527	Magnolia	• • •	0.0	17
Ligustrum			549	Mahonia Malachodendron	• • •	23,	27, 29 61
Limonia			77	Malachodendron Malouetia	• • • •		557
Lindera			595	Malus		309, 31	
				***		2.01	

]	Page.			Page.
Margyricarpus			269	Myrsine	•••	519
Marlea			411	Myrtophyllum		47
Marsdenia			559	Myrtus		395
Mastacanthus			579			
Maximowiczia			19			
Maytenus			101	1	V.	
Medicago			181	Mandina		0.77
Meibomia			197	Nandina		37
Meisteria			483		•••	,
Meliosma			155	Neillia	• • •	251
Melissa			583			253
Menispermum			21	Nemopanthus	•••	93
Menispermum			21	Nemopanthus	• • •	79
Menziesia			517	Nepeta	• • •	579, 583
Menziesia			1, 493	Nesaea	• • •	397
Mespilus 311, 31				Neviusia	• • •	255
1 /		1, 345		Norysca	• • •	55
Metaplexis			557	Notospartium		189
Mezereum			599	Notospartium	• • •	189
Michauxia			61	Nuttallia		235
Michelia			17	Nyssa		421
Microglossa			461			
Microptelea			625			
Micromeria			583	().	
Micromeria			583			
Millettia			183	Obione	•••	587
Mimosa			205	Olea	• • •	549
Mohrodendron	• • •	521	, 523	Olea	• • •	547
Moltkia			561	Olearia		459
Moluccella			585	Ononis		179
Morus			633	Oplopanax		401
Morus			631	Oreodaphne	•••	595
Muehlenbeckia			591	Orixa	• • •	99
Myginda			99	Ornus	•••	531
Mylocarpum			93	Osmanthus	• • •	547
Myriandra		• • •	59	Cstrya		671
Myrica	***		649	Ostrya	• • •	669
Myricaria	***		51	Ostryopsis	• • •	671

		I	Page.			F	age.
Osyris		***	605	Phellodendron			75
Othera			91	Photinia		***	359
Oxycoccus	•••		471	Philadelphus	***	373	, 791
Oxycoccus	***	467	,471	Phillyraea			545
Oxydendron Ozothamnus	•••		479	Phlomis		***	585
Ozotnamnus	* * *	401	, 463	Photinia			359
				Photinia			361
				Phyllanthus			607
				Phyllodoce	***		491
	P.						785
				Phyllostachys Phyllostachys		770	781
Pachysandra	• • •	• • •	611	Physianthus			557
Pachystima			99	Physocarpus	***	951	253
Padus		227	-235		• • •	201,	
Paeonia			9	Picrasma	***	* * *	77
Paliurus	• • •		101	Pieris	• • •	***	481
Panax			401	Piptanthus			163
Papyrius			631	Pirenia	• • •	311,	319
Parechites	• • •	***	557	Pistacia		***	161
Parrotia			393	Pittosporum			49
Parthenocissus		119.	121	Plagianthus		***	63
Passerina			601	Planera			625
Passiflora	•••		397	Planera		625,	
Paulownia			565	Plantago			585
Paullinia			121	Platanus			637
Pavia		125	-129	Platycrater		***	377
Pentstemon			565				
Peraphyllum			365	Platyosprion Podocytisus	•••	• • •	201
Periclymenum		449,	451	Poeppigia	• • •		577
Periploca			557				
Pernettya			475	Poliothyrsis Polium	• • •		49
Pernettya			475	D I	* * *		585
			593		• • •	• • •	49
Persea			593	Polygala		***	49
Persica	• • •	207-		Polygonella	• • •	* * *	589
Petrophyton	***	201-	239	Polygonum	***		591
	***					589,	
Petteria	4.4.4	***	167	Polypetalia			217

			3	Page.				I	Page.
Populus	• • •	• • •		757	Rhododen	dron	•••		497
Porcelia	• • •	•••	• • •	21	Rhododend	ron	48	81, 493	, 791
Porphyra	• • •			577	Rhodora				503
Portuna	• • •	• • •		481	Rhodotha	mnus			493
Potentilla	1			269	Rhodotype	0S			253
Pourthiæa		• •		359	Rhus				155
Prinos	• • •	• • •		39-93	Rhynchospe	ermum			557
Prunopsis	***	***		213	Ribes				381
Prunus	• • •	***		205	Robinia				185
Prunus	• • •	• • •		, 631	Robinia			191	-195
Pseudaegle Pseudo-cha		malas		$\frac{77}{325}$	Robsonia				391
			• • • •	181	Romneya				37
Psoralea	• • •	• • •	***		Rosa			***	269
Ptelea	• • •	***		75	Rosmarin				585
Pterocary		• • •		647			•••	***	
Pterostyrax		***	521	, 523	Rubus	• • •	• • •	***	255
Punica	• • •	• • •		397	Ruscus	• • •	•••	***	773
Purshia	• • •			267	Ruscus		• • •	***	775
Pyracantha	***	• • •	331	, 349	Ruta		• • •		73
Pyrus			297	,325					
Pyrus	• • •	323, 32	5, 363	, 365					
						S.			
					Salix				721
		Q.			Salsola			***	587
Quercus				677	Salvia				583
-				255	Sambucus		***		421
Quillaja Quillaja	• • • •	•••		47	Santolina		•••	***	463
& alliant	•••	•••	•••	1.			•••	***	200
					Sapindus		***	***	131
		-			Sarcobatu	8	•••	***	587
		R.			Sarcococca	-	•••		607
Raphiolep	is			361	Sarothamnu		17	3, 177,	179
70			• • •	591	Sassafras	***	•••		593
Rhamnus		• • •		101	Now Court Care	*** .	***		581
		•••	***	101	Satureia	•••	• • •		583
Rhaphitha	amr	nus		577	Schinus	• • •		•••	161
Rhodocistus		•••	•••	41	Schizandra	a	• • •		19

		F	Page.]	Page.
Schizophrag	ma	• • •	371	- orcha-				579
Schizophragm			.169	Stranvaes	ia			361
Schoberia	•••		587	Stuartia				61
Scolochloa			777	Stypanolobi			199	
500Fp1113			167	-				523
Securinega			6707				• • •	
Senecio			463	Suaeda Swammerda	mia			587 461
Shepherdia			605	Sycopsis		***	111	393
Shepherdia			603	Symphoria				135
Sibirava			245	1				
Sideroxylon	• • •		519	Symphoric	-	8		488
Sieversia	***		269	Symplocos				521
Siliquastrum			205	Syringa				527
Siphisia	* * *		591					
Skimmia			75		Т			
Smilax			771	Talenan			1	= 17
Solanum			561	Talauma	• •			.5, 17
Sophora			199	Tamarix Tamarix				51
Sophora			201					11
Sorbaria	2	35, 245,	249					
Sorbus	309-32	21, 325.	365	I FE 11				575
Spartianthus			171					177
Spartium			171	Tetracentr				19
Spartium		73, 177,	179	Tetranthera.				. 5,95
Spartocytisus			177	Tetrastigma				115
Sphaerophys	a		189	Teucrium .				., 4.,
Spinovitis	3G)		123	Textoria .				401
			235	Thamnocala				779
Spiraea	***	251.		Thea				63
· ·		2001,	631	Thermopsis .			***	163
				Thymelaea .			597	, 599
Stachyurus Staphylea	***		61					581
	***		23	Thymus .				3
Stauntonia	* * *	***	23	Tilia .				6.5
Stauntonia Stellera			601	Tomex .				593
								79
Stephanandi	ra		253	Torminaria .				315
Sterculia	000		63	Toxicodendro	on			159
Stewartia	• • •		61	Toxylon				631

		I	Page]	Page.
Trachelospermu	ım		557	7	V.		
Trachycarpus	***	**1	777		•	4 80	
Tragopyrum		• • •	589	Weigela	***	45	5, 457
Tripetaleia	***	***	495	Weinmannia	***	***	381
Triphasia	• • •	• • •	77	Wendlandia	***	***	21
Trochodendron		• • •	19	Wikstroemia	• • •	• • •	601
Trochostigma	•••	5	9, 61	Wintera	•••	•••	11
				Winterana	***	•••	11
				Wistaria	•••	• • •	183
υ.	•						
Ulex			173				
Ulex	•••		169		X.		
Ulmus			613	Xanthoceras			131
Ulmus	•••	625	-629		***	•••	
Umbellularia			595	Xanthorrhiza Xolisma	***	•••	9
Unedo	• • •		473	Xylophylla	***	***	479 607
Ungnadia			129		439, 4	 12 447	
Urostelma	• • •		557	12,100000000	100, 1	10, 111	-100
Uvaria	• • •	• • •	21				
				7	Τ.		
V.	•			Yucca			775
Vaccinium			465	Yulania	•••	•••	15
Vaccinium		465.	471		***	•••	
Vella			37				
Verbena			577				
Veronica			567	2	7.		
Viburnum			427	Zanthamulum			73
	•••	• • •		Zanthoxylum Zanthoxylum	•••	***	75
Vinca	***	***	555 199	•		•••	
Virgilia	•••	***		Zauschneria	•••	***	397
Viscum	•••	***	607	Zelkova	***	• • •	625
Vitex	• • •	•••	577	Zenobia	•••	***	481
Vitis	•••	***	113	Zenobia	•••	481	, 483
Vitis-Idaea	***	***	471	Zizyphus	***	***	101

ROYAL BOTANIC GARDENS, KEW.

HAND-LIST

OF

TREES AND SHRUBS,

Excluding Coniferæ,

GROWN IN ARBORETUM.

(SECOND EDITION.)



LONDON:

SOLD AT THE ROYAL BOTANIC GARDENS, KEW

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY DARLING & SON, Ltd., 34-40, Bacon Street, E.

1902.

Price 1s. 3d.

Tar





GUIDES ON SALE

AT THE

ROYAL BOTANIC GARDENS, KEW.

Key Plan and Index to the Royal Botanic Gardens, Kew. 5th Ed. 1900. Price 2d. By post $2\frac{1}{2}d$.

Official Guide to the Museums of Economic Botany. No. 1: Dicotyledons and Gymnosperms. [Under revision.]

Official Guide to the Museums of Economic Botany. No. 2: Monocotyledons and Cryptogams. 1894. Price.4d. By post 5d.

Official Guide to the Museums of Economic Botany. No. 3: Timbers. 2nd Ed., revised and augmented. 1893. Price 3d. By post 4d.

Official Guide to the North Gallery. 5th Ed., revised and augmented. 1892. Price 4d. By post $5\frac{1}{2}d$.

Hand-list of Trees and Shrubs grown in Arboretum. 2nd Ed. Price 1s. 3d. By post 1s. 7d.

Hand-list of Coniferæ grown in the Royal Gardens. 1896. [Under revision.]

Hand-list of Ferns and Fern Allies cultivated in the Royal Gardens. 1895. Price 6d. By post $7\frac{1}{2}d$.

Hand-list of Herbaceous Plants cultivated in the Royal Gardens. 2nd Ed. 1902. Price 1s. 9d. By post 2s. 2d. Cloth boards, price 2s. 6d., By post 2s. 11d.

Hand-list of Orchids cultivated in the Royal Gardens. 1896. Price 6d. By post 8d.

Hand-list of Tender Monocotyledons cultivated in the Royal Gardens. 1897. Price 9d. By post $11\frac{1}{2}d$.

Hand-list of Orchids and Hand-list of Tender Monocotyledons, in one volume, cloth boards. Price 2s. By post 2s. $4\frac{1}{2}d$.

Hand-list of Tender Dicotyledons cultivated in the Royal Gardens 1899. Price 2s. 6d. By post, Inland, 2s. 10d.; Foreign and Colonial, 2s. 11d. Cloth boards, price 3s. By post, Inland, 3s. 4d.; Foreign and Colonial, 3s. 5d.

Mycologic Flora of the Royal Gardens, Kew. 1897. Price 4.7. By post 5d.

Money orders to be made payable at Kew Post Office to W. Watson, Curator Royal Botanic Gardens, Kew.







